

03103120

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

> OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

John F. Wright PIC Corporation c/o Product & Regulatory Assoiciates, LLC P.O. Box 1683 Voorhees, NJ 08043

MAR 3 2009

Subject: PIC Indoor/Outdoor Ant Control, EPA Reg. No. 3095-72 Date of Registration Submission: November 13, 2008 Decision: 403103

Dear Mr. Wright,

The data requirement for the Evaluation of the Black PVC Ant Insecticide Station for Child-Resistant Effectiveness, reviewed February 10, 2009, for the labeling referred to above, submitted in connection with registration under the Federal insecticide, Fungicide, and Rodenticide Act, is acceptable subject to the comments below.

- 1. Under "Storage and Disposal" section, change "Disposal" to "Pesticide Disposal and Container Handling."
- The CRP review states black PVC ant stations are for indoor use only. Under "Precautionary Statements" for the black PVC plastic containers add, "For indoor use only."

Two (2) copies of the finished labeling must be submitted prior to releasing the product for shipment. A stamped copy of the label is enclosed for your records.

If you have any questions regarding this letter, please contact Samantha Hulkower at (703) 603-0683.

Sincerely,

Kimberly Nesei Product Manager 11 Insecticide Branch Registration Division (7505P)

Enclosure:

Copy of Label Stamped "Accepted with Comments" Child-Resistant Packaging Review

PIC ANT KILLING SYSTEMS

Black PVC Plastic 0.07 oz./2 gr. unit

Outer Packaging Front Panel

PIC ANT KILLING SYSTEMS

PIC Logo

Dependable Insect And Rodent Control Since 1953 Marketing Claim

- Kill Ants (except Fire Ants, Harvester Ants, Pharaoh Ants and Carpenter Ants)
- Kills Sweet & Grease Eating Ants, Pavement Ants, Odorous Ants And Little Black Ants
- Effective And Easy To Use

Pictogram:

- Ants
- Bait Station

KEEP OUT OF REACH OF CHILDREN AND DOMESTIC ANIMALS CAUTION

See First Aid and Precautionary Statements on back panel

Active Ingredients: Sodium Tetraborate Decahydrate	5%
Ortho Boric Acid	4%
Other Ingredients:	
Total	

Contents:

1 Child Resistant Bait Tray NET WEIGHT: 0.07 ounces / 2 grams

12 Child Resistant Bait Trays NET WEIGHT: 0.84 ounces / 24 grams

MADE IN U.S.A.

ACCEPTED with COMMENTS in EPA Letter Dated:

MAR 3 2009

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 3095-42

Outer Packaging Back Panel

PIC ANT KILLING SYSTEMS PIC Logo

Pictogram:

- Ants
- Bait Station Pictogram
- Suggested tray placement

PIC ANT KILLING SYSTEMS has been the effective method for destroying ants for years. The bait is in a child resistant container. It is effective and easy to use.

PRECAUTIONARY STATEMENTS

Hazardous to Humans and Domestic Animals

CAUTION: Harmful if swallowed. Avoid contact with eyes. Wash thoroughly with soap and water after handling. Avoid contamination of food or feed. Do not leave package where children or animals may gain access.

FIRST AID

IF SWALLOWED: Call a Poison Control Center or Doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by Poison Control Center or Doctor. Do not give anything by mouth to an unconscious person.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a Poison Control Center or Doctor for treatment advice.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a Poison Control Center or Doctor for treatment advice.

HOT LINE NUMBER Have the product container or label with you when calling a Poison Control Center or Doctor, or going for treatment. For Emergency Information on our product call 1-800-255-3924.

DIRECTIONS FOR USE:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

- 1. Separate bait trays.
- 2. Remove all sources of food such as crumbs, sugar and grease spots.
- 3. Place under sinks-refrigerators-cupboards.
- 4. Place by ant trails where ants are numerous.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed with storage and disposal.

STORAGE: Store in a cool dry place inaccessible to children and pets.

DISPOSAL: Nonrefillable Container. Do not reuse or refill this container. If empty: Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

HOW THE SYSTEM WORKS: The ants you see are worker food providers to the Queen Mother and the larvae residing in the nest. The worker ants feed the colony and then themselves.

SATISFACTION OR REFUND. Should "PIC ANT KILLING SYSTEMS" not reduce the population, return the tray plus your sales slip for refund.

PIC CORPORATION 1101-1107 W. Elizabeth Ave., Linden, NJ 07036, USA MADE IN U.S.A.

EPA Reg. No. 3095-72 EPA Est. No. 3095-NJ-1 P : 3095-NJ-2 B Circled letter is first letter of lot number

UPC Bar Code

Bait Station Label

PIC ANT KILLING SYSTEMS

PIC Logo

This surface is bottom. Bottom should be placed against floor or stuck on wall.

Active Ingredients: Sodium Tetraborate Decahydrate	
Ortho Boric Acid	
Other Ingredients:	
Total	100%

KEEP OUT OF REACH OF CHILDREN AND DOMESTIC ANIMALS CAUTION

See Directions for Use, First Aid, Storage, Disposal and Precautionary Statements on the outer carton.

EPA Reg. No. 3095-72 EPA Est. No. 3095-NJ-1 P : 3095-NJ-2 B Circled letter is first letter of lot number Net Wt. 0.07 oz./2gr.

PIC CORP., Linden, NJ 07036

Date:

Optional Labeling

Metal Can with a metal friction fit lid 0.21 oz. (6 gram) unit

Outer Packaging Front Panel

PIC ANT KILLING SYSTEMS PIC Logo Dependable Insect And Rodent Control Since 1953

Marketing Claim

- Kill Ants (except Fire Ants, Harvester Ants, Pharaoh Ants and Carpenter Ants)
- Kills Sweet & Grease Eating Ants, Pavement Ants, Odorous Ants And Little Black Ants
- Effective And Easy To Use

Pictogram:

• Ants

KEEP OUT OF REACH OF CHILDREN AND DOMESTIC ANIMALS CAUTION

See Directions for Use, First Aid, Storage, Disposal and Precautionary Statements on back panel.

Active Ingredients: Sodium Tetraborate Decahydrate	5%
Ortho Boric Acid	
Other Ingredients:	
Total	

Contents:

Optional Packaging

1- NET WEIGHT: 0.21 ounces / 6 grams 3 -NET WEIGHT: 0.63 ounces / 18 grams 6 -NET WEIGHT: 1.26 ounces / 36 grams 9 -NET WEIGHT: 1.89 ounces / 54 grams

MADE IN U.S.A.

11/13/08

Outer Packaging Back Panel

PIC ANT KILLING SYSTEMS PIC Logo

Pictogram:

• Ants

PIC ANT KILLING SYSTEMS has been the effective method for destroying ants for years.

PRECAUTIONARY STATEMENTS

Hazardous to Humans and Domestic Animals

CAUTION: Harmful if swallowed. Avoid contact with eyes. Wash thoroughly with soap and water after handling. Avoid contamination of food or feed. Do not leave package where children or animals may gain access.

FIRST AID

IF SWALLOWED: Call a Poison Control Center or Doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by Poison Control Center or Doctor. Do not give anything by mouth to an unconscious person.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a Poison Control Center or Doctor for treatment advice.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a Poison Control Center or Doctor for treatment advice.

HOT LINE NUMBER Have the product container or label with you when calling a Poison Control Center or Doctor, or going for treatment. For Emergency Information on our product call 1-800-255-3924.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

- 1. Press in all side holes.
- 2. Remove all sources of food such as crumbs, sugar and grease spots.
- 3. Place under sinks-refrigerators-cupboards.
- 4. Place by ant trails where ants are numerous.
- 5. For Garden & Lawn: Place along trails & ant colonies. Put Traps 10-20 ft. apart. In 3-7 days ants will be killed. Replace with new traps every 30 days. Avoid Contamination with food and feedstuff.

PIC ANT KILLING SYSTEMS Master Label Page 6 of 9 11/13/08

STORAGE AND DISPOSAL

Do not contaminate water, food or feed with storage and disposal. STORAGE: Store in a cool dry place inaccessible to children and pets. DISPOSAL: Nonrefillable Container. Do not reuse or refill this container. If empty: Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

HOW THE SYSTEM WORKS: The ants you see are worker food providers to the Queen Mother and the larvae residing in the nest. The worker ants feed the colony and then themselves.

PIC CORPORATION 1101-1107 W. Elizabeth Ave., Linden, NJ 07036, USA MADE IN U.S.A.

EPA Reg. No. 3095-72 EPA Est. No. 3095-NJ-1 P : 3095-NJ-2 B Circled letter is first letter of lot number

UPC Bar Code

Front Can Label

PIC ANT KILLING SYSTEMS PIC Logo

Marketing Claims

• Kill Ants (except Fire Ants, Harvester Ants, Pharaoh Ants and Carpenter Ants)

Pictogram:

• Ants

KEEP OUT OF REACH OF CHILDREN AND DOMESTIC ANIMALS CAUTION

See First Aid, Storage, Disposal and Precautionary Statements on outer packaging.

Active Ingredients: Sodium Tetraborate Decahydrate	
Ortho Boric Acid	
Other Ingredients:	
Total	

NET WEIGHT: 0.21 oz. / 6 grams

Side Can Label

Punch in semi-perforated holes

EPA Reg. No. 3095-72 EPA Est. No. 3095-NJ-1 P : 3095-NJ-2 B Circled letter is first letter of lot number

Bottom Can Label

PIC ANT KILLING SYSTEMS PIC Logo

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Press in all side holes.

Remove all sources of food such as crumbs, sugar and grease spots. Place under sinks-refrigerators-cupboards.

Place by ant trails where ants are numerous.

PIC ANT KILLING SYSTEMS Master Label Page 8 of 9

11/13/08

For Garden & Lawn: Place along trails & ant colonies. Put traps 10-20 ft. apart. In 3-7 days ants will be killed. Replace with new traps every 30 days. Avoid Contamination of feed and foodstuff.

PIC CORPORATION 1101-1107 W. Elizabeth Ave., Linden, NJ 07036, USA