

10621

FRONT PANEL

FOR SALE ONLY TO POLE FRAMING, PILING AND RAILROAD
TIE REPAIR APPLICATORS FOR APPLICATION TO END CUTS,
BOLT HOLES, AND HARDWARE FABRICATION. NOT FOR
HOUSEHOLD, FARM, OR NON-PRESSURE WOOD TREATMENT PLANT USE.

RESTRICTED USE

For sale to and use only by certified applicators or by persons
under their supervision and only for those uses covered by the
certified applicators' certification.

J.H. BAXTER
COAL TAR CREOSOTE

Active Ingredient:	
Coal Tar Creosote.....	97.0%
Inert Ingredient:	
Water.....	3.0%
Total	100.0%

This pure Coal Tar Creosote conforms to specifications of ^{ACCEPTED}
American Wood Preservers Association. ^{with COMMENTS}
in EPA Letter ~~Date~~

KEEP OUT OF REACH OF CHILDREN (12 point)

JUN 23 1986

DANGER (18 point)

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No. 3098-9


STATEMENT OF PRACTICAL TREATMENTS

- IF SWALLOWED: Call a physician or Poison Control Center. Drink
1 or 2 glasses of water and induce vomiting by touching back of
throat with finger. Do not induce vomiting or give anything by
mouth to an unconscious person.
- IF IN EYES: Flush with plenty of water. Call a physician.
- IF ON SKIN: Wash with plenty of soap and water. Get medical
attention.
- IF INHALED: Remove victim to fresh air. Get medical attention.

Refer to additional precautionary information elsewhere on the
label under the heading "Precautionary Statements: Hazards to
Humans and Domestic Animals."

J.H. BAXTER
1700 South El Camino Road
San Mateo, California 94402
E.P.A. Reg. No. 3098-9
F.P.A. Est No. 3098-OR-001
Net Contents _____ Gals.

For sale only in 10 gallon or larger containers. A package of
two five gallon containers is permissible.



PRECAUTIONARY STATEMENTS**HAZARDS TO HUMANS AND DOMESTIC ANIMALS****DANGER**

May be fatal if swallowed, inhaled or absorbed through skin. Causes skin and eye irritation. May cause severe burns. Do not get in eyes, on skin or on clothing. Do not breathe vapors or spray mist. Use with adequate ventilation. Do not take internally. Wash thoroughly after skin contact, before eating, drinking, use of tobacco products, or using restrooms.

Avoid inhaling vapors. If inhalation of vapors cannot be avoided, applicators must wear a properly fitting, well-maintained half-mask canister or cartridge respirator which is MSHA/NIOSH-approved for polynuclear aromatics and organic vapors.

Spray applicators must wear protective clothing (including overalls, jackets, gloves, boots, and head covering) impervious to the wood treatment formulation, and a respirator and goggles.

Applicators must wear gloves impervious to the wood treatment formulation in all situations where dermal contact is expected (for example, during the actual application process and when handling freshly treated wood).

Applicators who apply creosote by other application processes (e.g., brush on) must wear long-sleeved shirts, long pants and an impermeable apron.

Applicators must not drink, or use tobacco products during those parts of the application process that may expose them to the wood treatment formulation.

Protective clothing, workshoes or boots and equipment must not be taken home.

Railroad tie repair spray applicators operating a mechanized tie sprayer (dual adzer) must wear long-sleeved shirts and long pants or other suitable protective clothing. Applicators engaged in loading or maintenance of the equipment or other activities which may result in exposure to liquids, splashes or spills must wear long-sleeved shirts, long pants and an impermeable apron.

Railroad tie repair spray applicators operating nonmechanized equipment must wear long-sleeved shirts, long pants, impermeable apron, gloves, boots, and head covering impervious to the wood treatment formulation, and a respirator and goggles. Applicators engaged in loading or maintenance of the equipment or other activities which may result in exposure to liquids,

splashes or spills must wear long sleeved shirts, long pants and an impermeable apron.

Protective clothing must be changed when it shows signs of contamination. Dispose of worn-out protective clothing and workshoes or boots in any general landfill, in the trash, or in any other manner approved for pesticide disposal.

Individuals who enter, clean, or repair vats, tanks, or other related equipment that is contaminated with the wood treatment formulation (e.g., tanks that are in operation or are not free of the treatment formulation) must wear protective clothing (including overalls, jacket, gloves, and boots) impervious to the wood treatment formulation, and goggles and a respirator.

NOTE TO USER: As used on this label, the term "respirators" means properly fitting, well-maintained, half-mask canister or cartridge respirators which are MSHA/NIOSH-approved for polynuclear aromatics and organic vapors. Examples of acceptable materials for protective clothing (e.g., gloves, overalls, jackets, and boots) required during application and handling of creosote are polyvinlyl acetate (PVA), polyvinyl chloride (PVC), neoprene, and NBR (Buna-N).

ENVIRONMENTAL HAZARDS

This product is toxic to fish and wildlife. Do not apply directly to water. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of wastes.

PHYSICAL AND CHEMICAL HAZARDS

Do not use or store near heat or open flame. Close container after each use.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

Do not dilute or mix with other products. Ready to use. For application to end cuts, bolt holes, and hardware fabrication.

Applicators must complete an EPA-approved training program to use this product.

Stir contents and use full strength. Apply several coats with brush or rag mop to all surfaces of Creosote pressure treated lumber that has been exposed by cutting, notching or dapping. Observe all precautions as described under "PRECAUTIONARY STATEMENTS: HAZARDS TO HUMANS AND DOMESTIC ANIMALS" elsewhere on this label.

STORAGE AND DISPOSAL (12 point)

Do not contaminate water, food, or feed by storage or disposal.

STORAGE: Store in a cool place. Protect from excessive heat.

PESTICIDE DISPOSAL: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or dispose of in a sanitary landfill, or by incineration if allowed by state or local authorities. Consult federal, state or local disposal authorities for approved alternative procedures.

140621

FRONT PANEL

FOR PRESSURE TREATMENT PLANT USE

RESTRICTED USE

For sale to and use only by certified applicators or by persons under their supervision and only for those uses covered by the certified applicators' certification.

ACCEPTED with COMMENTS in EPA Letter Dated

J.H. BAXTER COAL TAR CREOSOTE JUN 23 1986

Active Ingredient:	Coal Tar Creosote.....	Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No. 3098-9	97.0%
Inert Ingredient:	Water.....		3.0%
		Total	100.0%

This pure Coal Tar Creosote conforms to specifications of the American Wood Preservers Association.

KEEP OUT OF REACH OF CHILDREN (12 point)


DANGER (18 point)

STATEMENT OF PRACTICAL TREATMENTS

- IF SWALLOWED : Call a physician or Poison Control Center. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person.
- IF IN EYES: Flush with plenty of water. Call a physician.
- IF ON SKIN: Wash with plenty of soap and water. Get medical attention.
- IF INHALED: Remove victim to fresh air. Get medical attention.

Refer to additional precautionary information elsewhere on the label under the heading "Precautionary Statements: Hazards to Humans and Domestic Animals."

J.H. BAXTER
 1700 South El Camino Road
 San Mateo, California 94402
 E.P.A. Reg. No. 3098-9
 E.P.A. Est No. 3098-OR-001
 Net Contents _____ Gals.



PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER

May be fatal if swallowed, inhaled or absorbed through skin. Causes skin and eye irritation. May cause severe burns. Do not get in eyes, on skin or on clothing. Do not breathe vapors or spray mist. Use with adequate ventilation. Do not take internally. Wash thoroughly after skin contact, before eating, drinking, use of tobacco products, or using restrooms.

Individuals must wear gloves impervious to the wood treatment formulations where dermal contact with creosote is expected (e.g., handling freshly treated wood and manually opening cylinder doors).

Individuals who manually open cylinder doors must wear gloves and a respirator.

Individuals who enter pressure treatment cylinders and other related equipment that is contaminated with the wood treatment formulation (e.g., cylinders that are in operation or are not free of the treatment formulation) must wear protective clothing (including overalls, jacket, gloves and boots) impervious to the wood treatment formulation and a respirator.

Applicators must not eat, drink, or use tobacco products during those parts of the application process that may expose them to the wood treatment formulation (manually opening/closing cylinder doors, moving trams out of cylinders, mixing chemicals, and handling freshly-treated wood.)

Protective clothing must be changed when it shows signs of contamination. Applicators must leave protective clothing and workshoes or boots at the plant and disposed of in any general landfill, in the trash, or in any other manner approved for pesticide disposal.

Wash thoroughly after skin contact, and before eating, drinking, use of tobacco products, or using restrooms.

NOTE TO USER: As used on this label, the term "respirators" means properly fitting, well-maintained, half-mask canister or cartridge respirators which are MSHA/NIOSH-approved for poly-nuclear aromatics and organic vapors. Examples of acceptable material for protective clothing (e.g., gloves, overalls, jackets, and boots) required during application and handling of creosote are polyvinyl acetate (PVA), polyvinyl chloride (PVC), neoprene, and NBR (Buna-N).

ENVIRONMENTAL HAZARDS

This product is toxic to fish and wildlife. Do not apply directly to water. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of wastes.

PHYSICAL AND CHEMICAL HAZARDS

Do not use or store near heat or open flame. Close container after each use.

DIRECTIONS FOR USE

It is violation of federal law to use this product in a manner inconsistent with its labeling.


STORAGE AND DISPOSAL (12 point)

Do not contaminate water, food, or feed by storage or disposal.

STORAGE: Store in a cool place. Protect from excessive heat.

PESTICIDE DISPOSAL: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or dispose of in a sanitary landfill, or by incineration if allowed by state or local authorities. Consult federal, state or local disposal authorities for approved alternative procedures.



FOR HOME AND FARM USE

RESTRICTED USE

For sale to and use only by certified applicators or by persons under their supervision and only for those uses covered by the certified applicators' certification.

ACCEPTED with COMMENTS in EPA Letter Dated

J.H. BAXTER COAL TAR CREOSOTE JUN 23 1986

Active Ingredient:	Coal Tar Creosote.....	Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No. 3098-9	97.0%
Inert Ingredient:	Water.....		3.0%
		Total	100.0%

This pure Coal Tar Creosote conforms to specifications of the American Wood Preservers Association.

KEEP OUT OF REACH OF CHILDREN (12 point)


DANGER (18 point)

STATEMENT OF PRACTICAL TREATMENTS

- IF SWALLOWED: Call a physician or Poison Control Center. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person.
- IF IN EYES: Flush with plenty of water. Call a physician.
- IF ON SKIN: Wash with plenty of soap and water. Get medical attention.
- IF INHALED: Remove victim to fresh air. Get medical attention.

Refer to additional precautionary information elsewhere on the label under the heading "Precautionary Statements: Hazards to Humans and Domestic Animals."

J.H. BAXTER
 1700 South El Camino Road
 San Mateo, California 94402
 E.P.A. Reg. No. 3098-9
 E.P.A. Est No. 3098-OR-001
 Net Contents _____ Gals.



PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER

May be fatal if swallowed, inhaled or absorbed through skin. Causes skin and eye irritation. May cause severe burns. Do not get in eyes, on skin or on clothing. Do not breathe vapors or spray mist. Use with adequate ventilation. Do not take internally. Wash thoroughly after skin contact, before eating, drinking, use of tobacco products, or using restrooms.

Avoid inhaling vapors. If inhalation of vapors cannot be avoided, applicators must wear a properly fitting, well-maintained half-mask canister or cartridge respirator which is MSHA/NIOSH-approved for polynuclear aromatics and organic vapors.

Applicators must wear gloves impervious to the wood treatment formulation in all situations where dermal contact is expected (for example, during the actual application process and when handling freshly treated wood).

Spray applicators must wear protective clothing (including overalls, jackets, gloves, boots, and head covering) impervious to the wood treatment formulation, and a respirator and goggles when spraying.

Applicators who apply creosote by other application processes (e.g., brush on) must wear long sleeved shirts, long pants and an impermeable apron. Launder work clothing separately from other household laundry.

Protective clothing must be changed when it shows signs of contamination. Launder non-disposable protective clothing separately from other household clothing. Dispose of wornout protective clothing and workshoes or boots in any general landfill, in the trash, or in any other manner approved for pesticide disposal.

Applicators must not eat, drink, or use tobacco products during those parts of the application process that may expose them to the wood treatment formulation.

Do not apply where there may be direct contact with domestic animals or livestock, and where there may be contamination of food, feed, or drinking and irrigation water.

Do not apply in interiors. Do not apply to wood intended for use in interiors except for those support structures which are in contact with the soil in barns, stables, and similar sites and which are subject to decay or insect infestation. Interior

SIDE PANEL

surfaces of the treated wood should be sealed with two coats of an appropriate sealer. Sealers may be applied at the installation site.

Do not apply creosote to wood intended for farrowing or brooding facilities. Do not apply creosote to wood intended to be used in the interiors of farm buildings where there may be direct contact with domestic animals or livestock which may crib (bite) or lick the wood. Creosote may be use to treat wood intended to be used in interiors of farm buildings where domestic animals or livestock are unlikely to crib or lick the wood, if two coats of an appropriate sealer will be applied. Sealers may be applied at the installation site.

Do not apply to wood intended to be used in a manner in which the preservative may become a component of food or animal feed. Examples of such sites would be structures or containers for storing silage or food.

Do not use this product to treat wood intended to be used for cutting boards or counter tops.

Do not use this product to treat wood intended for construction of those portions of beehives which may come into contact with the honey.

Do not use this product to treat wood intended for use where it may come into direct or indirect contact with drinking water for the public and domestic animals or livestock except for those uses involving incidental contact such as docks and bridges.

Wood to be treated with this product should be cut to size before treatment. If it is necessary to saw or machine wood after treatment, wear goggles to protect the eyes from flying particles and a dust mask to avoid inhaling sawdust from the treated wood. If oily preservatives or sawdust accumulate on clothes, launder before re-use. Wash work clothes separately from other household laundry.

Contact with treated surfaces should be avoided even after the preservative has dried. When handling treated wood wear longsleeved shirts, long pants and impervious gloves (e.g., vinyl coated). Wash exposed skin thoroughly after contact with treated wood and before eating, drinking or using tobacco products.

This product should not be used to treat wood which will be in frequent contact with skin, unless the wood will be treated with an effective sealer.

NOTE TO USER: As used on this label, the term "respirators" means properly fitting, well-maintained, half-mask canister or cartridge respirators which are MSHA/NIOSH-approved for polynuclear aromatics and organic vapors. Examples of acceptable materials for protective clothing (e.g., gloves, overalls, jackets, and boots) required during application and handling of creosote are polyvinyl acetate (PVA), polyvinyl chloride (PVC), neoprene, and NBR (Buna-N). Urethane, epoxy, and shellac are acceptable sealers for all creosote-treated wood.

ENVIRONMENTAL HAZARDS

This product is toxic to fish and wildlife. Do not apply directly to water. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of wastes.

PHYSICAL AND CHEMICAL HAZARDS

Do not use or store near heat or open flame. Close container after each use.

DIRECTIONS FOR USE

It is violation of federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL (12 point)

Do not contaminate water, food, or feed by storage or disposal.

STORAGE: Store in a cool place. Protect from excessive heat.

PESTICIDE DISPOSAL: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or dispose of in a sanitary landfill, or by incineration if allowed by state or local authorities. Consult federal, state or local disposal authorities for approved alternative procedures.

SIDE PANEL

HOUSEHOLD/DOMESTIC USE CONTAINER DISPOSAL: Securely wrap original pesticide container in several layers of newspaper and discard in the trash. Do not reuse empty containers.

TREATED WOOD DISPOSAL: Wood which has been treated with this product should be disposed of by burial or ordinary trash collection. Do not burn treated wood in an outdoor fire or in stoves or fireplaces because toxic chemicals may be produced as part of the smoke and ashes.