



**CHEMONITE PART B
FOR MANUFACTURING CHEMONITE WOOD
PRESERVATIVE ONLY**

ACTIVE INGREDIENT:
Copper83%
INERT INGREDIENTS17%

KEEP OUT OF REACH OF CHILDREN

CAUTION

STATEMENT OF PRACTICAL TREATMENT

If in eyes: Flush with plenty of water. Get medical attention if irritation persists.
If on skin: Wash with plenty of soap and water. Get medical attention if irritation persists.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Caution: Causes eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling.

ENVIRONMENTAL HAZARDS

Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling. Sold only for use in formulating CHEMONITE solution for pressure treating wood products. Use with caution strictly in accordance with manufacturer's instructions. More detailed instructions for use are included in the technical bulletin.

STORAGE AND DISPOSAL


1. **PROHIBITIONS**
Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited.
2. **PESTICIDE DISPOSAL**
Pesticide, spray mixture, or rinse water that cannot be used according to label instructions must be disposed of according to applicable Federal, State or local procedures.
3. **CONTAINER DISPOSAL**
Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill or by other approved state and local procedures.

Manufactured for:
J.H. BAXTER
1700 SOUTH EL CAMINO REAL
SAN MATEO, CALIFORNIA 94402
E.P.A. Reg. No. 3098-17
E.P.A. Est. No. 26883

**NET CONTENTS:
NOT LESS THAN 250 LBS.**

ACCEPTED
JUL 26 1982
Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 3098-17





CHEMONITE PART B - PRODUCT BULLETIN

CHEMONITE PART B is a component of Chemonite wood preservatives for pressure treatment. When mixed in accordance with the detailed instructions provided by J. H. Baxter & Co., Chemonite wood preservatives conform with AWPA specifications.

-RECOMMENDATIONS FOR USE

CHEMONITE PART B is cement copper. It is intended to be mixed with other components to formulate Chemonite wood preservative solutions for use in pressure treatment.

J. H. Baxter & Co. mixing instructions must be followed carefully to ensure that the treatment solution conforms with AWPA specifications.

Further information and assistance in solving particular problems is available from our technical staff.

USE PRECAUTIONS

The following precautions should be observed in handling and using CHEMONITE PART B.

CHEMONITE PART B causes eye irritation. Avoid contact with eyes or clothing. Wash thoroughly after use.

Do not contaminate lakes, streams or ponds, by cleaning equipment or disposal of wastes.

Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited.

Pesticide or rinsate that cannot be used according to label instructions must be disposed of according to Federal, State or local procedures under the Resource Conservation and Recovery Act. Do not reuse empty container. Container should be triple rinsed (or equivalent) and offered for recycling or reconditioning, or disposed of in a sanitary landfill, or by other approved State and local procedures.

PERSONAL PROTECTIVE EQUIPMENT

To avoid contact with eyes, wear goggles where exposure to CHEMONITE PART B is likely.

FIRST AID PROCEDURES

In case of contact, immediately flush skin or eyes with plenty of water. If irritation persists, get medical attention.

TYPICAL PROPERTIES

-Appearance	Reddish Brown Powder
Active Content, %	95%, 5% Inert
Active ingredient	Copper, Copper I Oxide, Copper II Oxide
Molecular Weight	63.5 - Copper
Molecular formula	Cu, Cu ₂ O, CuO
Corrosivity to metals	Non-corrosive
Density, lb/gal	11.7 as powder
Freezing point, °C	Does not apply
Specific gravity (H ₂ O=1)	6.0 as solid
Stability	Thermally stable at normal storage temperatures

PACKAGING AND HANDLING

CHEMONITE PART B is shipped in 30-gallon containers.

EPA Reg No. 3098- 17 .