3019-19 エグロスト

FRONT PANEL

FOR SALE ONLY TO POLE FRAMING, PILING AND RAILROAD TIE REPAIR APPLICATORS FOR APPLICATION TO END CUTS, BOLT HOLES, AND HARDWARE FABRICATION. NOT FOR HOUSEHOLD, FARM, OR NON-PRESSURE WOOD TREATMENT PLANT USE.

> J.H. BAXTER COAL TAR CREOSOTE - G

Active Ingredient:

Coal Tar Creosote..... 97.0%

Inert Ingredient:

Water.....

Total 100.0%

This pure Coal Tar Creosote conforms to specifications of the American Wood Preservers Association.

KEEP OUT OF REACH OF CHILDREN (12 point)

DANGER (18 point)

STATEMENT OF PRACTICAL TREATMENTS

IF SWALLOWED: Call a physician or Poison Control Center. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person.

IF IN EYES: Flush with plenty of water. Call a physician. IF ON SKIN: Wash with plenty of soap and water. Get medical

attention.

IF INHALED: Remove victim to fresh air. Get medical attention.

Refer to additional precautionary information elsewhere on the label under the heading "Precautionary Statements: Hazards to Humans and Domestic Animals."

> J.H. BAXTER 1700 South El Camino Road San Mateo, California 94402 E.P.A. Reg. No. 3098 E.P.A. Est No. 3098-OR-001 Net Contents ____ Gals.

For sale only in 10 gallon or larger containers. A package of two five gallon containers is permissable.



JUN 2 3 1986

Under the Federal Insection! Fungicide, and Redenticide :... as amended, for the posticide registered under 3098-19

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER

May be fatal if swallowed, inhaled or absorbed through skin. Causes skin and eye irritation. May cause severe burns. Do not get in eyes, on skin or on clothing. Do not breathe vapors or spray mist. Use with adequate ventilation. Do not take internally. Wash thoroughly after skin contact, before eating, drinking, use of tobacco products, or using restrooms.

Avoid inhaling vapors. If inhalation of vapors cannot be avoided, applicators must wear a properly fitting, well-maintained half-mask canister or cartridge respirator which is MSHA/NIOSH-approved for polynuclear aromatics and organic vapors.

Spray applicators must wear protective clothing (including overalls, jackets, gloves, boots, and head covering) impervious to the wood treatment formulation, and a respirator and goggles.

Applicators must wear gloves impervious to the wood treatment formulation in all situations where dermal contact is expected (for example, during the actual application process and when handling freshly treated wood).

Applicators who apply creosote by other application processes (e.g., brush on) must wear long-sleeved shirts, long pants and an impermable apron.

Applicators must not eat, drink, or use tobacco products during those parts of the application process that may expose them to the wood treatment formulation.

Protective clothing, workshoes or boots and equipment must not be taken home.

Railroad tie repair spray applicators operating a mechanized tie sprayer (dual adzer) must wear long-sleeved shirts and long pants or other suitable protective clothing. Applicators engaged in loading or maintenance of the equipment or other activities which may result in exposure to liquids, splashes or spills must wear long-sleeved shirts, long pants and an impermeable apron.

Railroad tie repair spray applicators operating nonmechanized equipment must wear long-sleeved shirts, long pants, impermable apron, gloves, boots, and head covering impervious to the wood treatment formulation, and a respirator and goggles. Applicators engaged in loading or maintenance of the equipment or other activities which may result in exposure to liquids,

splashes or spills must wear long sleeved shirts, long pants and an impermeable apron.

Protective clothing must be changed when it shows signs of contamination. Dispose of worn-out protective clothing and workshoes or boots in any general landfill, in the trash, or in any other manner approved for pesticide disposal.

Individuals who enter, clean, or repair vats, tanks, or other related equipment that is contaminated with the wood treatment formulation (e.g., tanks that are in operation or are not free of the treatment formulation) must wear protective clothing (including overalls, jacket, gloves, and boots) impervious to the wood treatment formulation, and goggles and a respirator.

NOTE TO USER: As used on this label, the term "respirators" means properly fitting, well-maintained, half-mask canister or cartridge respirators which are MSHA/NIOSH-approved for polynuclear aromatics and organic vapors. Examples of acceptable materials for protective clothing (e.g., gloves, overalls, jackets, and boots) required during application and handling of creosote are polyvinly acetate (PVA), polyvinyl chloride (PVC), neoprene, and NBR (Buna-N).

ENVIRONMENTAL HAZARDS

This product is toxic to fish and wildlife. Do not apply directly to water. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaiminate water by cleaning of equipment or disposal of wastes.

PHYSICAL AND CHEMICAL HAZARDS

Do not use or store near heat or open flame. Close container after each use.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

Do not dilute or mix with other products. Ready to use. For application to end cuts, bolt holes, and hardware fabrication.

Applicators must complete an EPA-approved training program to use this product.

Stir contents and use full strength. Apply several coats with brush or rag mop to all surfaces of Creosote pressure treated lumber that has been exposed by cutting, notching or dapping. Observe all precautions as described under "PRECAUTIONARY STATEMENTS: HAZARDS TO HUMANS AND DOMESTIC ANIMALS" elsewhere on this label.

STORAGE AND DISPOSAL (12 point)

Do not contaminate water, food, or feed by storage or disposal.

STORAGE: Store in a cool place. Protect from excessive heat.

PESTICIDE DISPOSAL: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or dispose of in a sanitary landfill, or by incineration if allowed by state or local authorities. Consult federal, state or local disposal authorities for approved alternative procedures.