

## WARNING!

Do not get in eyes, on skin or clothing.

For commercial application, wear rubber gloves, protective clothing, rubber over-shoes, and goggles.

In case of contact, wash immediately with soap and water; for eyes, flush with water for 15 minutes.

Do not contaminate food and feed.

Wash hands, arms and face thoroughly with soap and water before eating or smoking.

Wash contaminated clothing thoroughly with soap and hot water before re-use.

## OBSERVE THE FOLLOWING USE PRECAUTIONS

Observe use limitations given on the label for pre-harvest crops.

In order that pesticide residues on food and forage crops will not exceed tolerances established by the Federal Food and Drug Administration, use only at recommended rates and intervals, and do not apply closer to harvest than specified. Do not apply or allow to drift to areas occupied by unprotected humans or beneficial animals or onto adjoining food, fiber or pasture crops. The grower is responsible for residues on his crops as well as for damage caused by drift from his property to that of others.

This product is toxic to fish and wildlife, keep out of lakes, streams, and ponds. Apply this product only as specified on the label.

Consult your State Agricultural Experiment Stations or State Agricultural Extension Service for additional information as the timing, number and rate of applications will vary with local conditions.



\_\_\_\_\_ GAL. NET

# TRITHION® 8-E

Emulsifiable Liquid - An Organic Phosphate Insecticide-Acaricide

CONTAINS 8 LB. TRITHION PER GALLON

ACTIVE INGREDIENT:

Carbophenothion (S-[[[p-chlorophenyl]thio]methyl] O, O-diethyl phosphorodithioate)

INERT INGREDIENTS

77.3%

22.7%

®T.M. Reg. U.S. Pat. & Trademark Office

U.S. Patent No. 2,793,224

100.0%

## WARNING!

KEEP OUT OF REACH OF CHILDREN  
MAY BE FATAL IF SWALLOWED

TRITHION is a systemic insecticide and acaricide. It is effective against a wide range of insects and mites. It is also effective against ticks and fleas. It is a contact and stomach poison. It is also a repellent. It is effective against a wide range of insects and mites. It is also effective against ticks and fleas. It is a contact and stomach poison. It is also a repellent.

Keep Out of Reach of Children

Before using read precautionary statements on left panel of this label.

WARNING: Keep out of reach of children. Do not use near heat or open flame.

**DESTROY EMPTY CONTAINER - Perforate, Crush and Bury**

For use: Mix with water in a clean container. Stir thoroughly. Use immediately. Do not store. Do not use if the container is damaged or if the contents are not as specified on the label.

**SUPERIOR FERTILIZER & CHEMICAL CO.**

P. O. Box 127

Lakeland, Florida 33601

ACC  
MA  
UNDER THE  
FUNGICIDE  
FOR ECON  
ED UNCL  
TO ATTACH



GAL. NET

# TRITHION® 8-E

**Emulsifiable Liquid - An Organic Phosphate Insecticide-Acaricide**

CONTAINS 8 LB. TRITHION PER GALLON

**ACTIVE INGREDIENT:**


Carbophenothion (S-(p-chlorophenyl)thio-methyl) O, O-diethyl phosphorodithioate

**INERT INGREDIENTS**

Patent No. 2,793,224

U.S. Patent No. 2,793,224

77.3%  
22.7%  
100.0%



## DIRECTIONS FOR USE

Application should be made only by experienced personnel using approved safety equipment. Pour specified amount of this product into nearly filled spray tank. Add balance of water. Keep agitator running during filling and spraying operations. If mixture does not mix readily but tends to separate as an oily layer, do not use as injury to plants may result. Do not combine with wettable powders unless previous use of the mixture has proven physically compatible and safe to plants. **Always** thoroughly emulsify this product with at least half of total water **before** adding wettable powder.

## WARNING!

**KEEP OUT OF REACH OF CHILDREN  
MAY BE FATAL IF SWALLOWED**

TRITHION: Upon repeated or prolonged contact with skin, may cause skin irritation. ATROPINE IS AN ANTIDOTE. Commercial operators should keep a supply of Atropine 1/100 grain tablets.

**Keep Out of Reach of Children**

Before using, read precautionary statements on left panel of this label

MINIMUM STORAGE TEMPERATURE: 40°F. DO NOT STORE NEAR HEAT OR OPEN FLAME

**DESTROY EMPTY CONTAINER — Perforate, Crush and Bury**

\*Liquid changes color with age. Avoid use in high temperatures and mix thoroughly to recombine ingredients.

**SUPERIOR FERTILIZER & CHEMICAL CO.**

P. O. Box 1101

Tampa, Florida 33601

## RECOMMENDATIONS

**LAWNS and TURF (for PCO use only):** Chinch Bugs — Wet lawn thoroughly, then apply 5/6 pt. (13½ oz.) in 150-250 gallons of water to 5,000 sq. ft. of lawn area. Do not permit children or domestic animals on lawn until treated area is completely dry.

NOTICE: Superior Fertilizer & Chemical Co. makes no warranty of merchantability or any other express or implied warranty concerning this material. It shall not be held responsible for personal injury, property damage, or other loss resulting from the handling, storage, or use of this material. The user assumes all risk and liability resulting from such handling, storage, or use.

U.S.D.A. REG. NO. 3122-15