

COTTON DUST  
20% TOXAPHENE - 40% SULPHUR  
Net Weight 50 lbs.

ACCE  
June 21, 1961  
UNDER THE FEDERAL INSECTICIDE AND FUNGICIDE ACT AS AMENDED UNDER ACT 3122-16  
TO ATTACHED COMMENTS.

ANALYSIS

ACTIVE INGREDIENTS:	
Toxaphene (Technical Chlorinated Camphene) .....	20%
(Chlorine Content 67-69%) .....	40%
Sulphur, not less than .....	40%
INERT INGREDIENTS .....	40%
	<hr/>
	100%

Sulphur Fineness: Not less than 93% passing No. 325 USS Sieve

DIRECTIONS: 20-40 Toxaphene - Sulphur Dust is for use on cotton for control of boll weevil, boll worms, cotton fleahopper, cotton leafworm, cutworms, fall armyworms, flea beetles and spider mites.

Use at the rate of 10 to 20 lbs. per acre depending on size of plants, at first signs of infestation. Repeat as often as needed. Consult your State Agricultural Experiment Station or State Extension Service Authorities for complete details on the cotton dusting program in your local area.

KEEP OUT OF REACH OF CHILDREN

WARNING: Harmful if Swallowed. Harmful vapor and dust may be absorbed through the skin, may cause irritation of skin and eyes. Avoid inhaling or getting into eyes. Avoid skin contact. Avoid contamination of food and food products. Keep clothing free from residues. For eyes, flush with water and get prompt medical attention.

CAUTION: INTERNAL: Give one tablespoonful of salt in a glass of water and repeat until vomit is clear.

KEEP OUT OF REACH OF CHILDREN

WARNING: Harmful if Swallowed. Harmful vapor and dust may be absorbed through the skin, may cause irritation of skin and eyes. Avoid inhaling or getting into eyes. Avoid skin contact. Avoid contamination of food and feed products. Keep clothing free from residues. For eyes, flush with water and get prompt medical attention.

NOTE: INTERNAL: Give one tablespoonful of salt in a glass of water and repeat until vomit is clear.
EXTERNAL: Wash with soap and water.

CAUTION: Cotton which has received late applications of this insecticide should not be grazed by dairy animals or by animals being finished for slaughter. Do not feed gin waste from cotton treated with this dust to livestock. This product will kill fish and wildlife. Keep out of any body of water. Apply this product only as specified on the label. Do not apply when weather conditions favor drift. Wash equipment and clothing thoroughly after use by burying in non-crop land or by other suitable means. Containers should be cleaned by washing in water and burying with water.

WARRANTY

Supplier warrants that the product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use, but makes no warranty, express or implied, of merchantability or fitness for a particular use or purpose, or for any implied, extends to the use of the product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to seller. Supplier assumes the cost of any such use.

Manufactured by SUPERIOR FERTILIZER AND CHEMICAL COMPANY

P. O. BOX 1021

TAMPA, FLORIDA 33601