

7-6245.BLD


Base Reg. (6245)

U.S. LABEL

Reason to Issue: To update label in accordance with the reregistration guidance document for trichlorfon, and current EPA labeling guidelines.

Date of Draft: 8/25/87 (S)  
Supersedes Draft Dated: 3/3/69

EPA Reg. No. 3125-7



DIPTEREX<sup>®</sup>  
SUGAR BAIT  
INSECTICIDE

FOR CONTROL OF FLIES AND ROACHES

KEEP OUT OF REACH OF CHILDREN

CAUTION

(See Rear Panel for Statements of Practical Treatment and Other Precautionary Statements)

ACTIVE INGREDIENT:  
Dimethyl (2,2,2-trichloro-1-hydroxyethyl) phosphonate ..... 1%

INERT INGREDIENTS: ..... 99%

100%

EPA Reg. No. 3125-7

STOP - READ THE LABEL BEFORE USE

NET WEIGHT                  POUND(S)

MOBAY CORPORATION  
A Bayer USA INC. COMPANY  
AGRICULTURAL CHEMICAL DIVISION  
Box 4913, Kansas City, Missouri 64120

## DIPTEREX Sugar Bait insecticide

---

### AVISO

PRECAUCION AL USUARIO: Si usted no puede leer o entender inglés, no use este producto hasta que la etiqueta le haya sido explicada ampliamente.

(TO THE USER. If you cannot read or understand English, do not use this product until the label has been fully explained to you.)

### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

IMPORTANT: Read these entire Directions and Conditions of Sale before using DIPTEREX Sugar Bait insecticide.

CONDITIONS OF SALE: THE DIRECTIONS ON THIS LABEL WERE DETERMINED THROUGH RESEARCH TO BE THE DIRECTIONS FOR CORRECT USE OF THIS PRODUCT. THIS PRODUCT HAS BEEN TESTED FOR A RANGE OF WEATHER CONDITIONS SIMILAR TO THOSE WEATHER CONDITIONS THAT ARE ORDINARY AND CUSTOMARY IN THE GEOGRAPHIC AREA WHERE THE PRODUCT IS USED. INSUFFICIENT CONTROL OF PESTS AND/OR INJURY TO THE CROP TO WHICH THE PRODUCT IS APPLIED MAY RESULT FROM THE OCCURRENCE OF EXTRAORDINARY OR UNUSUAL WEATHER, OR FROM FAILURE TO FOLLOW LABEL DIRECTIONS. IN ADDITION, FAILURE TO FOLLOW LABEL DIRECTIONS MAY CAUSE INJURY TO OTHER CROPS, ANIMALS, MAN, OR THE ENVIRONMENT. MOBAY OFFERS, AND THE BUYER ACCEPTS AND USES, THIS PRODUCT SUBJECT TO THE CONDITIONS THAT EXTRAORDINARY OR UNUSUAL WEATHER, OR FAILURE TO FOLLOW LABEL DIRECTIONS ARE BEYOND THE CONTROL OF MOBAY AND ARE, THEREFORE, THE RESPONSIBILITY OF THE BUYER.

DIPTEREX insecticide kills both resistant and non-resistant strains of flies and cockroaches. They are attracted to it, feed on it, and die within minutes.

### READ LABEL DIRECTIONS BEFORE USE

#### TO CONTROL ROACHES IN STORES, RESTAURANTS, AND SIMILAR COMMERCIAL BUILDINGS:

Place a small quantity of dry bait on piece of paper, cardboard, or in shallow jar lids, and put in protected areas such as in closets, under sinks or refrigerators, out of reach of children and pets, and where dying insects cannot fall into food, utensils, or drinking water. Wet the bait slightly for increased killing efficiency.

#### TO CONTROL FLIES AND ROACHES IN AND AROUND FOOD PROCESSING PLANTS; PATIOS, PICNIC AREAS, GARBAGE AREAS, OUTDOOR LATRINES, AND OTHER PLACES WHERE THESE INSECTS ARE FOUND:

NOTE: Use only as a dry bait in edible products areas of food processing plants, after operations have ceased for the day. Remove bait before operations are resumed.

DIPTEREX Sugar Bait can be used dry "as is" or dissolved in water and sprinkled as described below. Good sanitation is essential to fly control. Remove wastes promptly. Apply DIPTEREX Sugar Bait daily until flies are controlled and then repeat as needed.

As a Dry Bait: Scatter lightly in strips on floors, window sills, and other clean horizontal areas. Use 4 ounces per 1,000 square feet, scattering lightly so that bait is barely visible. Apply directly to garbage and manure where flies breed and congregate. For faster kill, apply DIPTEREX Sugar Bait to a moistened surface.

## DIPTEREX Sugar Bait insecticide

---

As a Water Solution for Fly Control: Pour 1 pound of DIPTEREX Sugar Bait into 1 gallon of water, add 2 cups of corn syrup or 1 pound sugar, and stir until dissolved. Sprinkle on floors, window sills, etc. of farm buildings (after removal of animals), and outside of these buildings where fly populations is intense or bothersome. Do not use liquid bait in edible products areas of food processing plants.

Where Floor Area is Lacking: Where there is not enough clean floor area to assure control (for example, a dirt floor), treat sacks, boards, or strips of cardboard and place them inside or outside buildings where flies gather. First wet them, then apply DIPTEREX Sugar Bait. Vertical surfaces indoors may be treated by dissolving DIPTEREX Sugar Bait in water and painting or spray it on. Use only enough water to bring mixture to syrup-like consistency.

DIPTEREX Sugar Bait may be used in federally inspected poultry and red meat packing plants. In edible products areas of these plants, DIPTEREX Sugar Bait may be used only after operations have ceased for the day, and baits must be removed before operations are resumed.

### RESTRICTIONS

Do not apply directly to animals. Do not contaminate drinking water, milk, or milk-handling equipment. Do not treat portions of buildings where poultry feed or where animals can lick. Direct applications to walls, floors, or other surfaces previously treated with lime, whitewash, or other alkaline materials may be ineffective.

Keep bait and solution out of reach of children and pets.

### PRECAUTIONARY STATEMENTS

#### HAZARDS TO HUMANS AND DOMESTIC ANIMALS

#### CAUTION

Harmful if swallowed, inhaled, or absorbed through skin. Avoid contact with eyes or skin. Do not breathe dust. Always wash thoroughly with soap and warm water after handling. Wash contaminated clothing with soap and hot water before reuse.

#### STATEMENTS OF PRACTICAL TREATMENT

If swallowed, vomiting should be induced. Administer water freely and induce vomiting by giving one dose (1/2 oz. or 15 ml.) of syrup of ipecac. If vomiting does not occur within 10 to 20 minutes, administer second dose. If syrup of ipecac is not available, induce vomiting by sticking finger down throat. Repeat until vomit fluid is clear. Never give anything by mouth to an unconscious person. Have patient lie down and keep quiet. Professional medical assistance should be secured immediately. If on skin, remove contaminated clothing and wash skin immediately with soap and warm water. If eyes are contaminated, wash with flowing water for at least 15 minutes.

Do not contaminate feed or food. Keep out of reach of children.

Should poisoning occur, obtain prompt medical aid. Prolonged exposure will result in cholinesterase depression.

To Physician: Atropine sulfate is antidotal. 2-PAM is also antidotal and may be administered in conjunction with atropine.

DIPTEREX Sugar Bait insecticide

---

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and wildlife and is extremely toxic to aquatic invertebrates.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Container Disposal: Do not use container in connection with food, feed, or drinking water. Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

Store in a cool, dry place and in such a manner as to prevent cross contamination with other pesticides, fertilizers, food, and feed. Store in original container and out of the reach of children, preferably in a locked storage area.

Handle and open container in a manner as to prevent spillage. If the container is leaking or material spilled for any reason or cause, carefully sweep material into a pile. Refer to Precautionary Statements on label for hazards associated with the handling of this material. Do not walk through spilled material. Dispose of pesticide as directed above. In spill or leak incidents, keep unauthorized people away. You may contact the Mobay Emergency Response Team for decontamination procedures or any other assistance that may be necessary. The Mobay Kansas City Emergency Response Team Telephone No. is 816-242-2582, or contact Chemtrec at 800-424-9300.

DIPTEREX is a Reg. TM of Bayer AG, Germany.