

Reg # 3125-58

PM-15

191

U.S. LABEL

Reason to Issue: To add narrow row spacing footnote.

Date of Draft 10/11/67 (Pre-Reg.)
Supersedes Draft Dated 10/17/66 (Pre-Reg.)

USDA Reg. No. 3125-58


® DI-SYSTON

5% Granular

SYSTEMIC INSECTICIDE

AMENDMENT

To Previously Registered Label



Amend as follows:

RECOMMENDED DI-SYSTON APPLICATIONS

CROP	INSECT	Dosage DI-SYSTON 5%	REMARKS
<u>FIELD CROPS</u>			
Corn	Root-worms Aphids Leaf-hoppers Mites Thrips	24 ounces per 1,000 feet of row (for any row spacing*) or 20 pounds per acre (40 inch row spacing) <u>Note:</u> Do not apply to corn more than twice per season regardless of the method of application	<u>Corn Rootworms:</u> For control of root-worms, place the granules in a 4- to 6-inch band directly behind the planter shoe in front of the press wheel. Do not place granules in direct contact with the seed. A second application of DI-SYSTON granules may be applied to the soil as a side-dress treatment later in the season. <u>Aphids, Mites, Thrips, and Leafhoppers:</u> For control of these insects apply DI-SYSTON granules to the soil as a side-dress treatment or to the foliage by broadcasting into the whorl. Do not apply DI-SYSTON within 40 days of harvesting for food, feed, or ensilage.
<u>FRUIT</u>			
Coffee (Puerto Rico Only)	Leaf miner	6 to 12 grams per foot of tree height	Distribute granules uniformly under the tree canopy. Do not apply more than twice per year. Make no more than one pre-harvest and one post-harvest application. Do not make the pre-harvest application within 90 days of harvest.

*ON ROW CROPS WHERE ROW SPACING IS EXTREMELY NARROW, DO NOT PLACE DI-SYSTON TREATED ZONES (BAND OR FURROW) CLOSER TOGETHER THAN 6 INCHES.

ALL LABEL TEXT ABOVE, EXCEPT THAT WHICH IS UNDERLINED, HAS HAD PREVIOUS REGISTRATION ACCEPTANCE.

Above amendment supersedes and replaces label amendment draft dated 10/17/66, originally submitted with application.