Reg # 31,25-61

PM-15

Date of Draft: 6/28/72 (Pre-Reg.)

181

Reason to Issue: To propose use on Day

non-bearing raspberries for aphid control.

EPA Reg. No. 3125-61

MDI-SYSTON

10% Granular

SYSTEMIC INSECTICIDE

AMENDMENT
To Previously Registered Labeling

ADD THE FOLLOWING:

· RECOMMENDED APPLICATIONS

		DOSAGE-DI-SYSTON	
CROP	INSECT	10% Granular	REMARKS
Raspberries (Nursery stock only) (Northeast States Only)	Aphids	1.8 lb./1000 feet of row (for any row spacing*)	BAND APPLICATION: Apply specified dosage in a 24 inch band over the row to new or established plantings. Work granules 2 to 3 inches into the soil using a cultivator or other suitable equipment. A second application of granules may be applied to the soil later in the season. Consult your State Agricultural Experiment Station or Extension Service for proper timing of applications.
		80 1bs. per acre	BROADCAST APPLICATION: Apply specified dosage per acre as a broadcast application over new or established plantings. Cultivate or otherwise work granules into top 2 to 3 inches of soil. A second broadcast application may be made later in the season. Consult your State Agricultural Experiment Station or Extension Service for proper timing of application

^{*}ON ROW CROPS WHERE ROW SPACING IS EXTREMELY NARROW, DO NOT PLACE TREATED ZONES (EAND OR FURROW) CLOSER TOGETHER THAN 6 INCHES.