

U.S. LABEL

Reason to Issue: To revise application rates to one to three week intervals.

Date of Draft: 4/20/71 (Pre-Reg.) (L)
Supersedes Pre-Reg. Draft: 8/27/70

USDA Reg. No. 3125-76

(R)
DYLOX
5% GRANULAR
CROP INSECTICIDE

AMENDMENT
To Previously Registered Label

ADD THE FOLLOWING:

RECOMMENDED APPLICATIONS

CROP	PEST	Pounds DYLOX 5% Gran.	REMARKS
<u>ORNAMENTALS</u>			
Lawns and Turf	Sod Webworm (Lawn moths)	2 1/2	Apply specified dosage uniformly over 1,000 sq. ft. of lawn or turf area with any suitable lawn spreader that can be accurately calibrated. For best results, mow the lawn and rake dead grass from damaged spots before applying. After the granules are uniformly applied, water the lawn using 15 to 30 gallons per 1,000 sq. ft. Do not water again for at least three days. Repeat applications as necessary at one to three week intervals. In most areas the first of these applications should be made in May or June. Consult your State Agricultural Experiment Station or State Extension Service Specialists for more specific information regarding timing of applications.

292

ACCEPTED
JUN 17 1971
U.S. DEPARTMENT OF AGRICULTURE
FUNGICIDE AND RODENTICIDE ACT
FOR REGISTRATION PURPOSES
ED UNDER ACT SUBJECT
TO ATTACHED COMMENTS.

3125-76

44-1111

EW-68