Ry " 3120.20

P111 21 656 <u>168705</u> 17 <u>6</u>

MAR 2 4 1986

Nobay Chemical Corporation Agricultural Chemicals P.O. Box 4913 Kansas City, NO 64120

Gentlemen:

Subject: Dyrene Turf Fungicide 50% Wettable Powder EPA Registration No. 3125-80 Dyrene 20% Wettable Powder Poliage Fungicide EPA Registration No. 3125-50 Your Submissions Dated November 27, 1985 and February 18, 1985

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, is acceptable subject to the comments listed below. Five copies of the finished labeling must be submitted.

- 1. Remove the word "corrosive" as your submission did not indicate that the product was actually corrosive.
- 2. Add a Statement of Practical Treatment for oral ingestion.

Sincerely yours

Product Manager (21) Punyicide-Merbicide Branch Registration Division (75-767C)

88888:Forrest:J-1:KENCO:3/10/86:3/19/86:ab:vo

9

BLD3

ACTIVE INGREDIENT:

INERT INGREDIENTS:

EPA Est. 3125-M0-1

EPA Reg. No. 3125-80-AA

STORE IN A COOL, DRY PLACE

Nuse Reg. (5789)

Reason to Issue: To revise chemical name; clarify use directions; modify corporate name.

U.S. LABEL1Date of Draft: 1/22/86 (S)fySupersedes Draft Dated: 11/21/85 (S)

2,4-Dichloro-6-(o-chloroanilino)-s-

triazine

ACCEPTED THE COMMENTS In RTA Letter Dated:

P ... 2.1

144

(B) NYRENE

TURF FUNGICIDE

50% WETTABLE POWDER

MAR 2 4 1986 Under the Federal Insecticide, Fungicide, and Rodenticide Act amended, for the pesticide registered under EPA Reg. No. 3125-80

50%

50%

100%

ONLY FOR SALE TO, USE, AND STORAGE BY QUALIFIED PEST CONTROL OPERATORS, COMMERCIAL APPLICATORS, AND OTHER SERVICEPERSONS

FOR CONTROL OF TURF DISEASES

NET WEIGHT POUNDS

KEEP OUT OF REACH OF CHILDREN

DANGER

(See Rear Panel for Statements of Practical Treatment and Other Precautionary Statements)

PELIGRO PRECAUCION AL USUARIO: Si usted no puede leer o entender inglés, no use este producto hasta que la etiqueta le haya sido explicada ampliamente.

٠,

(TO THE USER: If you cannot read or understand English, do not use this product until the label has been fully explained to you.)

STOP - READ THE LABEL BEFORE USE

MOBAY CORPORATION AGRICULTURAL CHEMICALS DIVISION Box 4913, Kansas City, Missouri 64120

DYRENE Turf Fungicide 50% WP

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Keep children and pets off treated areas until foliage is dry.

Do not graze treated areas. Do not feed clippings to livestock.

IMPORTANT: Read these entire Directions and Conditions of Sale before using DYRENE Turf Fungicide 50% Wettable Powder.

CONDITIONS OF SALE: THE DIRECTIONS ON THIS LABEL WERE DETERMINED THROUGH RESEARCH TO BE APPROPRIATE FOR THE CORRECT USE OF THIS PRODUCT. THIS PRODUCT HAS BEEN TESTED UNDER DIFFERENT ENVIRONMENTAL CONDITIONS BOTH INDOORS AND OUTDOORS UNDER CONDITIONS SIMILAR TO THOSE THAT ARE ORDINARY AND CUSTOMARY WHERE THE PRODUCT IS TO BE USED. INSUFFICIENT CONTROL OF PESTS OR PLANT INJURY MAY RESULT FROM THE OCCURRENCE OF EXTRAORDINARY OR UNUSUAL CONDITIONS, OR FROM FAILURE TO FOLLOW LABEL DIRECTIONS. IN ADDITION, FAILURF TO FOLLOW LABEL DIRECTIONS MAY CAUSE INJURY TO ANIMALS, MAN, AND DAMAGE TO THE ENVIRONMENT. MOBAY OFFERS, AND THE BUYER ACCEPTS AND USES, THIS PRODUCT SUBJECT TO THE CONDITIONS THAT EXTRAORDINARY OR UNUSUAL ENVIRONMENTAL CONDITIONS, OR FAILURE TO FOLLOW LABEL DIRECTIONS ARE BEYOND THE CONTROL OF MOBAY AND ARE, THEREFORE, THE RESPONSIBILITY OF THE BUYER.

DYRENE Turf Fungicide 50% Wettable Powder effectively protects grasses from various destructive diseases. Complete and thorough coverage of area is necessary for satisfactory control. For a preventive program, begin applications before diseases appear and repeat treatments as needed, usually at intervals of 10 to 14 days, except during extended periods of cool, moist conditions, when applications every 7 days may be advisable. The spray program should be continued through the spring and summer months.

For control of snow mold, apply DYRENE Turf Fungicide 50% Wettable Powder at lower specified rate after the first killing frost in the fall. A second application should be made when the lawn is free of snow in mid-winter, and this should be followed by a third application after the final melting of snow in late winter or early spring.

For control of diseases other than snow mold, use the higher rate in areas with history of severe infestations or when disease symptoms are visible. Use low rate on a preventive schedule prior to any infections.

Schedule applications in accordance with local conditions. Consult your State Agricultural Experiment Station or Extension Service for specific use information and for State regulations which may contain additional restrictions or requirements.

		RECOMMENDED APPLICATIONS	
CROP	DISEASE	Pounds DYRENE 50% W.P.	REMARKS
Lawrence	Brown patch Copper'spot Dollar'spot Leaf'spot Melting-out Rust Snow'mold (Typhula)	1/4 to 1/2	Apply specified dosage in 5 gallons of water per 1,000 square feet. Repeat at 1 to 2 week intervals throughout the spring and summer months.

Page 2 of 3

×.

DYRENE Turf Fungicide 50% WP

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER

Corrosive: Causes irreversible eye damage. Harmful if swallowed or inhaled. Do not get in eyes or on clothing. Avoid contact with skin. Wear goggles, face shield or safety glasses. Avoid breathing of dust or spray mist. Wash thoroughly with soap and water after handling. Wash contaminated clothing with soap and hot water before reuse.

NOTE: Protective clothing should be worn during periods of exposure, such as during application, or when contacting treated foliage. DYRENE may cause an allergic skin reaction in some susceptible persons. This condition should be treated as an allergic dermatitis.

Keep out of reach of children.

STATEMENTS OF PRACTICAL TREATMENT

If in eyes: Hold eyelids open and flush with steady, gentle stream of water for 15 minutes. Get medical attention.

If on skin: Wash immediately with soap and warm water. If irritation occurs, get medical attention.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and aquatic invertebrates. Do not apply directly to water or wetlands. Drift and runoff from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water by cleaning of equipment or disposal of wastes. Cover or incorporate spills.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on i site or at an approved waste disposal facility.

<u>Container Disposal</u>: Do not use container in connection with food, feed, or drinking water. Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

Store in a cool, dry place and in such a manner as to prevent cross contamination with other pesticides, fertilizers, food, and feed. Store in original container and out of the reach of children, preferably in a locked storage area.

Handle and open container in a manner as to prevent spillage. If the container is leaking or material spilled for any reason or cause, carefully sweep material into a pile. Refer to Precautionary Statements on label for hazards associated with the handling of this material. Do not walk through spilled material. Dispose of pesticide as directed above. In spill or leak incidents, keep unauthorized people away. You may contact the Mobay. Emergency Response Team for decontamination procedures or any other assistance that may be necessary. The Mobay Kansas City Emergency Response Telephone No. is 816-242-2582, or contact Chemtrec at 800-424-9300.

DYRENE is a Reg. TM of Mobay Chemical Corporation.

Page 3 of 3