

# GUTHION 2L

102-8268.YLD

PK 19 3125-102

pg 1 of 2  
Base Pre-Reg. (8268)

U. S. LABEL

Reason to Issue: To propose 45-day PHI for  
filberts and pecans.

Date of Draft: 07/19/94(Pre-Reg)(C)

## RESTRICTED USE PESTICIDE

Due to Acute Toxicity

For retail sale to and use only by Certified Applicators or persons under their direct supervision and only for those uses covered by the Certified Applicator's certification.

# GUTHION 2L

## Emulsifiable Insecticide

For effective economical insect control.

### ACTIVE INGREDIENT:

*O,O*-Dimethyl S-[(4-oxo-1,2,3-benzotriazin-3(4*H*)-yl)methyl]phosphorodithioate..... 22.2%

INERT INGREDIENTS: ..... 77.8%  
100.0%

Contains 2 lbs *O,O*-Dimethyl S-[(4-oxo-1,2,3-benzotriazin-3(4*H*)-yl)methyl]phosphorodithioate per gallon.

Do Not Store Below 45°F.


Protect from heat. Keep away from open flame. Do not heat.

EPA Reg. No. 3125-102

Net Contents \_\_\_\_ Gallons

## AMENDMENT TO PREVIOUSLY REGISTERED LABELING:

Revise as follows:



RECOMMENDED APPLICATIONS			
CROP	INSECT	PINTS GUTHION 2L	REMARKS
<b>NUTS</b> Filberts (Pacific Northwest only)	Apple mealybug Filbert worm Filbert aphid Filbert leaf roller	6 to 8	<p>Apply specified dosage per acre as a full coverage spray.</p> <p>A total of 3 applications may be made per crop season regardless of rate or formulation used.</p> <p>Allow at least 14 days between applications and at least 45 days between last application and harvest.</p> <p>Do not graze livestock in treated groves for 21 days after treatment.</p> <p>Restricted entry interval -- 48 hours.</p>
<b>Pecans</b>	Aphids* Fall webworm Hickory shuckworm Leafminers May beetles Pecan casebearer Southern green stink bug Spittlebugs Twig girdlers Walnut caterpillars	6 to 8	<p>Apply specified dosage per acre as a full coverage spray.</p> <p>A total of 3 applications may be made per crop season regardless of rate or formulation used.</p> <p>Allow at least 7 days between applications and at least 45 days between last application and harvest.</p> <p>Livestock may be grazed in treated groves after a 21-day post-treatment interval.</p> <p>*In some areas, these species may have developed resistance to organophosphate insecticides. GUTHION insecticide used alone may not provide satisfactory control in those areas.</p> <p>Consult your local agricultural advisor or cooperative extension service for recommendations.</p> <p>Restricted entry level -- 48 hours.</p>

Miles Inc.  
Crop Protection Products  
P.O. Box 4913, Kansas City, Missouri 64120-0013