


DRUM HANDLING

1. Handle drums of GUTHION carefully so as to avoid damage and prevent leakage.
2. Store drums of GUTHION in a cool, well-ventilated place.
3. Open drums of GUTHION only when set on end and under a ventilated hood. Open slowly to release any internal pressure.
4. Drums that have contained GUTHION should NEVER be reused. Empty drums should be decontaminated by washing with hot, 5% caustic soda solution. They should then be perforated to prevent further use and be discarded in safe place.



Chemagro

GUTHION

TECHNICAL



POISON



TO PHYSICIAN:

ANTIDOTE—Administer atropine sulfate in large therapeutic doses. Repeat as necessary to the point of tolerance. 2-PAM is also antidotal and may be used in conjunction with atropine.

Compound inhibits cholinesterase resulting in stimulation of the central nervous system, the parasympathetic nervous system, and the somatic motor nerves. Do not give morphine. Watch for pulmonary edema, which may develop in serious cases of poisoning even after 12 hours. At first sign of pulmonary edema, the patient should be placed in an oxygen tent and treated symptomatically.

GUTHION is a Reg. TM of the Parent Company of Farbenfabriken Bayer GmbH, Leverkusen. EPA Est. 3125-MO-1 909002 776130

This drum is dangerous if evidence of leakage is present. Read warning instructions and handle with extreme care, observing all precautions recommended.



POISON



DANGER

**KEEP OUT OF REACH
OF CHILDREN**

NET CONTENTS 250 POUNDS

STOP — READ THE LABEL BEFORE USE

Chemagro

Agricultural Division
Möbay Chemical Corporation
Box 4913, Kansas City, Missouri 64120

DANGER

POISONOUS BY SKIN CONTACT OR IF INHALED OR SWALLOWED.

Do not breathe fumes. Wear a mask or respirator effective for protection against Guthion. Information as to suitable types of masks or respirators is available from the U.S. Bureau of Mines.

Do not get in eyes or on skin. Wear clean, heavy, natural rubber gloves and clean, waterproof, or freshly laundered protective clothing (coveralls, rubber boots, cap, etc.). Destroy and replace gloves frequently. Bathe immediately after work and change all clothing. Wash clothing thoroughly with soap and hot water before reuse.

In case of contact, immediately remove contaminated clothing and wash thoroughly with soap and warm water. For eyes, flush with water for 15 minutes.

In case of spillage, cover with an absorbent such as soda ash, clay, or sawdust. Sweep up and bury. Wash area thoroughly with strong lye solution.

This product is toxic to fish and wildlife. Keep out of any body of water.

SYMPTOMS OF POISONING: A sense of "tightness" in the chest. Sweating. Contracted pupils. Stomach pains. Vomiting and diarrhea.

TREATMENT: In case of poisoning call a physician immediately. Have patient lie down and keep quiet. If swallowed, administer milk or water freely and induce vomiting by giving one dose (1/2 oz. or 15 ml.) of syrup of ipecac. If vomiting does not occur within 30 minutes, administer second dose. If syrup of ipecac is not available, induce vomiting by sticking finger down throat. Repeat until vomit fluid is clear. Professional medical assistance should be secured immediately. If on skin, remove contaminated clothing and wash skin immediately with soap and warm water. If eyes are contaminated, wash with flowing water for at least 15 minutes.

110 100

110 100

3125-108

11-22-1977

1/1