C-483565

U.S. LABEL-(S)

Base Reg. (4544)

Reason to Issue: To revise and update in line with PCNB RPAR notice. Date of Draft: 3/3/82 (Pre-Reg.)(G) Supersedes Draft Dated: 9/13/74

5 - 5 GRANULAR

DEXON - TERRACLOR®

SOIL FUNGICIDE

FOR CONTROL OF PLANT DISEASES

NET WEIGHT

POUNDS

ACTIVE INGREDIENTS:

Sodium [4-(dimethylamino)phenyl]

CAUTION

diazenesulfonate 5% Pentachloronitrobenzene 5%

KEEP OUT OF REACH OF CHILDREN

(See rear panel for caution statements)

INERT INGREDIENTS 902

EPA Reg. No. 3125-109

STOP - READ THE LABEL BEFORE USE

ACCEPTED APR 1 2 1982

the Federal Insections 4 decreases the rest in

MOBAY CHEMICAL CORPORATION AGRICULTURAL CHEMICALS DIVISION Box 4913, Kansas City, MO. 64120

Page 1 or 3

DIRECTIONS FOR USE

IMPORTANT: Read these entire Directions and Conditions of Sale, before using DEXON - TERRACLOR 5 - 5 Granular.

CONDITIONS OF SALE: THE DIRECTIONS ON THIS LABEL WERE DETERMINED THROUGH RESEARCH TO BE THE DIRECTIONS FOR CORRECT USE OF THIS PRODUCT. THIS PRODUCT HAS BEEN TESTED FOR A RANGE OF WEATHER CONDITIONS SIMILAR TO THOSE WEATHER CONDITIONS THAT ARE ORDINARY AND CUSTOMARY IN THE GEOGRAPHIC AREA WHERE THE PRODUCT IS USED. INSUFFICIENT CONTROL OF PESTS MAY RESULT FROM THE OCCURRENCE OF EXTRAORDINARY OR UNUSUAL WEATHER, OR FROM FAILURE TO FOLLOW LABEL DIRECTIONS. IN ADDITION, FAILURE TO FOLLOW LABEL DIRECTIONS MAY CAUSE INJURY TO THE CROP TO WHICH THE PRODUCT IS APPLIED, OTHER CROPS, ANIMALS, MAN, OR THE ENVIRONMENT. MOBAY AND THE SELLER OFFER, AND THE BUYER ACCEPTS AND USES, THIS PRODUCT SUBJECT TO THE CONDITIONS THAT EXTRAORDINARY OR UNUSUAL WEATHER, OR FAILURE TO FOLLOW LABEL DIRECTIONS ARE BEYOND THE CONTROL OF MOBAY AND ARE, THEREFORE, THE RESPONSIBILITY OF THE BUYER.

DEXON - TERRACLOR 5 - 5 Granular is recommended as a scil treatment for the control of root and stem rot diseases incited by species of Pythium, Phytophthora, and Rhizoctolia. The granular should be broadcast over bench or bed area and thoroughly worked into the soil, or used as a total incorporation by mixing soil and granular thoroughly in any suitable mixing equipment.

RECOMMENDED APPLICATIONS

CROP	DISEASE	Ounces DEX TERRACLOR 5-5	
Ornamental Flowers & Shrubs	Root rot Stem rot (Pythium Phytophthora Rhizoctonia)	1 to 1-1/2	Apply specified dosage per square foot of bench or bed area prior to planting. Mix thoroughly into the top 6 inches of soil. (This dosagequivalent to 2 to 3 ozs. of DEXON TERRACLOR 5-5 Granular per cubic toot of soil or approximately 65 to 100 ppm of each active ingredient. by weight in soil).

RESTRICTIONS

This product is toxic to fish and wildlife. Birds and other wildlife in treated areas may be killed. Keep out of lakes, streams, or ponds. Do not apply directly adjacent to potable water supplies. Do not contaminate water by cleaning of equipment or disposal of waste. Apply this product only as specified on this label.

Do not reuse container. Destroy when empty.

CAUTION

Harmful if swallowed. Do not breathe dust. May cause skin irritation.

Do not contaminate feed or food. Keep out of reach of children. Wash hands, arms, and face thoroughly with soap and warm water after use and before eating or making. Wash all contaminated clothing with soap and hot water before reuse. Avoid contact with skin by wearing long sleeved shirt, long pants, socks & shoes.

DEXON is a Reg. TM of the Parent Company of Farbenfabriken Bayer GmbH, Leverkusen.

Terraclor is a Reg. Trademark of Olin Mathieson Chemical Corporation.