

Reg no: 3125-123

11-12

121

123-6464.YLD

Base Pre-Reg. (6464)

U.S. LABEL

Reason to Issue: To clarify for use on Southern Pine Orchards.

Date of Draft: 6/17/88 (Pre-Reg) (B)

EPA Reg. No. 3125-123

RESTRICTED USE PESTICIDE
Due to Acute Toxicity

For retail sale to and use only by Certified Applicators or persons under their direct supervision and only for those uses covered by the Certified Applicator's certification.

GUTHION[®] 2S

EMULSIFIABLE INSECTICIDE

ACCEPTED

MAR - 8 1988

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 3125-123

ACTIVE INGREDIENT:
 O,O-Dimethyl S-[(4-oxo-1,2,3-benzotriazin-3(4H)-yl)methyl] phosphorodithioate 22%

AMENDMENT

To the Previously Registered Labeling

Revise as Follows:

RECOMMENDED APPLICATIONS

CROP	INSECT	Pints GUTHION 2S	REMARKS
ORNAMENTALS			
Southern Pine Orchards	Coneworm Seedworm	See Remarks	Use 6 pints per 100 gallons of water (0.2% dilution) as a full coverage spray*. Use 3 pints per 10 gallons of water (1% dilution) for low volume sprayers. Apply first application within 30 days following conelet closure, followed by 3 to 5 applications (at least 30 days apart). Apply approximately 5 to 10 gallons of the 0.2% dilution with high volume sprayers or approximately 1 to 2 gallons of the 1% dilution with low volume sprayers per tree. Thorough coverage of cones is necessary for maximum control.

*This concentration is calculated for conventional hydraulic-type sprayers. When lower volumes of spray are applied per acre with concentrate sprayers, increase the concentration of GUTHION 2S insecticide in the spray mixture in order to apply amount of GUTHION 2S insecticide per acre equivalent to a full coverage spray. Where conditions dictate an air application, apply dosage per acre equivalent to a full coverage ground spray in not less than one gallon of water per acre.

121