$\mathsf{M}q$

AUG 2 5 1994

John S. Thornton Miles Inc. P.O. Box 4913 8400 Hawthorn Road Kansas City, MO 64120-0013

Dear Mr. Thornton:

Revised PHI of fiberts and pecans Subject: Guthion^(R) 2S EPA Registration No. 3125-123 Amendment application of August 3, 1994

The amendment referred to above, submitted in connection with registration under FIFRA, is acceptable provided that you:

Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 Enclosure for a further description of final printed labeling

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product bearing the amended labeling constitutes acceptance of these conditions.

A stamped copy of the labeling is enclosed for your records.

Sincerely yours

DATE

Dennis H. Edwards, Jr. Product Manager (19) Insecticide Rodenticide Branch **Registration** Division

Enclosure

1

U.S. LABEL

Base Pre-Reg. (8271)

2

Reason to Issue: To propose 45-day PHI for filberts and pecans.

Date of Draft: 07/19/94(Pre-Reg)(C)

RESTRICTED USE PESTICIDE

Due to Acute Toxicity

For retail sale to and use only by Certified Applicators or persons under their direct supervision and only for those uses covered by the Certified Applicator's certification.

GUTHION[®] 2S

Emulsifiable Insecticide

For effective economical insect control.

Contains 2 lb 0,0-Dimethyl S-[(4-oxo-1,2,3-benzotriazin-3(4H)-yl)methyl] phosphorodithioate per gallon.

DO NOT STORE BELOW 25°F. PROTECT FROM HEAT. KEEP AWAY FROM OPEN FLAME. DO NOT HEAT.

EPA Reg. No. 3125-123

NET CONTENTS: ____ GALLONS

AMENDMENT TO PREVIOUSLY REGISTERED LABELING:

Revise as follows:

ACCEPTED with COMMENTS in EPA Lotter Dated

AUG 2 5 1994

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide, registered under EPA Reg. No. 3/2-5 - 123



ť

3 9

ک.

ĺ

(

ł

(

| CROP | INSECT | PINTS GUTHION 2S | REMARKS |
|--|--|---------------------|--|
| NUTS Filberts (Pecific Northwest only) | Apple mealybug Filbert worm Filber* aphid Filbert leaf roller | 6 to 8 | Apply specified dosage per acre as a full coverage spray. A total of 3 applications may be made per crop season regardless of rate or formulation used. Allow at least 14 days between applications and at least 45 days between last application and harvest. Do not graze livestock in treated groves for 21 days after treatment. |
| Pecans | Aphids* Fall webworm Hickory shuckworm Leaf miners May beetles Pecan casebearer Southern green stink bug Spittlebugs Twig girdlers Walnut caterpillars | 6 to 8 | Apply specified dosage per acre as a full coverage spray. A total of 3 applications may be made per crop season regardless of rate or formulation used. Allow at least 7 days between applications and at least 45 days between last application and harvest. Livestock may be grazed in treated groves after a 21-day post-treatment interval. |

recommendations.

BEST ANALABLE COMPY