U.S. LABET

Date of Draft; 12/15/86 (T) Supersedes Draft Dated: 4/10/86

Reason to Issue: To include additional "diseases controlled" and to change the chemical name to correspond to recently approved Chemical Abstracts nomenclature.

EPA Reg. No. 3125-125

**B**YRENE

**5Z GRANULAR** 

TURF FUNGICIDE

FOR CONTROL OF TURF DISEASES

ACTIVE INGREDIENT:

INERT INGREDIENTS: .....

4,6-Dichloro-N-(2-chlorophenyl)-1,2,5-triazin-2-amine ........

. 5%

95%

KEEP OUT OF REACH OF CHILDREN

POUNDS

CAUTION

NET WEIGHT

(See Rear Panel for Statements of Practical Treatment and Other Precautionary Statements)

EPA Reg. No. 3125-125

EPA Est. 3125-IA-1

ACCEPTED

JUN 2 5 1987

Under the Federal Insecticité. Fungicide, and Refer divide Act, as amended, in the posicide registered under RPA Reg. No. 2195-125

STOP - READ THE LABEL BEFORE USE

MOBAY CORPORATION
AGRICULTURAL CHEMICALS DIVISION
P. O. Box 4913, Kansas City, MO 64120

Note: Underlined letters in chemical nomenclature should be italicized when printed, not underlined.

# DYREMS 5% Granular Turf Fungicide

**AVISO** 

PRECAUCION AL USUARIO: Si usted no puede leer o entender ingles, no use este producto hasta que la etiqueta le haye sido explicada ampliamente.

(TO THE USER: If you cannot read or understand English, do not use this product until the label has been fully explained to you.)

#### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Keep children and pets off treated areas until foliage is dry.

Do not use on seed crops intended to be used for feed or forage. Do not graze treated areas. Do not feed clippings to livestock.

IMPORTANT: Read these entire Directions for Use and Conditions of Sale before using DYRENE 5% Granular.

CONDITIONS OF SALE: THE DIRECTIONS ON THIS LABEL WERE DETERMINED THROUGH RESEARCH TO BE APPROPRIATE FOR THE CORRECT USE OF THIS PRODUCT. THIS PRODUCT HAS BEEN TESTED UNDER DIFFERENT ENVIRONMENTAL CONDITIONS BOTH INDOORS AND OUTDOORS UNDER CONDITIONS SIMILAR TO THOSE THAT ARE ORDINARY AND CUSTOMARY WHERE THE PRODUCT IS TO BE USED. INSUFFICIENT CONTROL OF PESTS OR PLANT INJURY MAY RESULT FROM THE OCCURRENCE OF EXTRAORDINARY OR UNUSUAL CONDITIONS, OR FROM FAILURE TO FOLLOW LABEL DIRECTIONS. IN ADDITION, FAILURE TO FOLLOW LABEL DIRECTIONS MAY CAUSE INJURY TO ANIMALS, MAN, AND DAMAGE TO THE ENVIRONMENT. MOBAY OFFERS, AND THE BUYER ACCEPTS AND USES, THIS PRODUCT SUBJECT TO THE CONDITIONS THAT EXTRAORDINARY OR UNUSUAL ENVIRONMENTAL CONDITIONS, OR FAILURE TO FOLLOW LABEL DIRECTIONS ARE BEYOND THE CONTROL OF MOBAY AND ARE, THEREFORE, THE RESPONSIBILITY OF THE BUYER.

DYRENE 5% Granular Turf fungicide effectively protects grasses from various destrictive diseases. Uniform distribution of granular material is necessary for maximum control. For a preventative program begin applications before diseases appear and repeat treatments as needed, usually at intervals of 10 to 14 days, except during extended periods of cool, moist conditions, when applications every 7 days may be advisable. Applications should be continued through the spring and summer months.

For control of Typhula snow mold, apply DYRENE 5% Granular at the lower specified rate after the first killing frost in the fall. A second application should be made when the lawn is free of snow in mid-winter, and this should be followed by a third application after the final melting of snow in late winter or early spring.

For control of diseases other than snow mold, use the higher rate in areas with history of severe infestations or when disease symptoms are visible. Use low rate on a preventive schedule prior to any infections.

RECOMMENDED APPLICATIONS

Pounds			
CRUP	D1FEASE	DYRENE 5% Granular	REMARKS
Lovins	Brown patch		Apply specified dosage uniformly
and	Copper spot	4 to 6	per 1,000 square feet (50 x 20
Turc	Dollar spot		feet). Apply 1/8 to 1/4 inch
	leaf spot and melting-out		of water immediately after
	(helminthosporium spp.)		treatment*. Repeat at 1 to
* * * * * * * * * * * * * * * * * * *	Snow mold (Typhulla)		2-week intervals throughout
·		_	the apring and summer months.

<sup>\*</sup>If applications are made between snow covers or during periods of snow melting, irrigation with water need not be made.

## STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Household: Do not reuse empty container. Wrap and put in trash collection.

Pesticide Disposal (Except Household): Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Container Disposal (Except Household): Do not use container in connection with food, feed, or drinking water. Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

Store in a cool, dry place and in such a manner as to prevent cross contamination with other pesticides, fertilizers, food, and feed. Store in original container and out of the reach of children, preferably in a locked storage area.

Handle and open container in a manner as to prevent spillage. If the container is leaking or material spilled for any reason or cause, carefully sweep material into a pile. Refer to Precautionary Statements on label for hazards associated with the handling of this material. Do not walk through spilled material. Dispose of pesticide as directed above. In spill or leak incidents, keep unauthorized people away. You may contact the Mobay Emergency Response Team for decontamination procedures or any other assistance that may be necessary. The Mobay Kansas City Emergency Response Telephone No. is 816-242-2582, or contact Chemtree at 800-424-9300.

#### PRECAUTIONARY STATEMENTS

## HAZARDS TO HUMANS AND DOMESTIC ANIMALS

### CAUTION

Harmful if swallowed. Avoid contact with eyes, skin, and clothing. Avoid breathing of dust. Wash thoroughly with soap and warm water after handling. Wash contaminated clothing with soap and hot water before reuse.

NOTE:

Protective clothing should be worn during periods of exposure, such as during application, or when contacting treated foliage. DYRENE may cause an allergic skin reaction in some susceptible persons. This condition should be treated as an allergic dermatitis.

Keep out of reach of children.

#### STATEMENTS OF PRACTICAL TREATMENT

If on skin, wash immediately with soap and warm water. If irritation occurs, get medical attention.

If swallowed, administer water freely and induce vomiting by giving one dose (1/2 oz. or 15 ml.) of syrup of ipecac. If vomiting does not occur within 10 to 20 minutes, .... administer second dose. If syrup of ipecac is not available, induce vomiting by sticking finger down throat. Repeat until vomit fluid is clear. Never give anything by mouth to an unconscious person. Get medical attention immediately.

# DYRENE 5% Gramiler Port Pungicide

u/a

# ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and aquatic invertebrates. Do not apply directly to water or wetlands. Drift and runoff from treated areas may be Lazardous to aquatic organisms in neighboring areas. Do not contaminate water by cleaning of equipment or disposal of wastes. Cover or incorporate spills.

DYRENE is a Reg. TM of Mclay Corporation.