

BLD3

Base Reg. (5870)

U.S. LABEL (S)

Reason to Issue: To update label and revise in accordance with Registration Standard.

Date of Draft: 4/10/86 (S)
Supersedes Draft Dated: 7/14/75

EPA Reg. No. 3125-127

® DYRENE

LAWN FUNGICIDE

ONLY FOR SALE TO, USE, AND STORAGE BY QUALIFIED PEST CONTROL OPERATORS, COMMERCIAL APPLICATORS, AND OTHER SERVICEPERSONS

COVERS UP TO 4,000 SQUARE FEET

NET WEIGHT 1 POUND

ACTIVE INGREDIENT:

KEEP OUT OF REACH OF CHILDREN

2,4-Dichloro-6-(o-chloroanilino)-s-triazine 50%

DANGER

INERT INGREDIENTS: 50%
100%

(See Rear Panel for Statements of Practical Treatment and Other Precautionary Statements)

EPA Reg. No. 3125-127


EPA Est. 3125-MO-1

PELIGRO


PRECAUCION AL USUARIO: Si usted no puede leer o entender inglés, no use este producto hasta que la etiqueta le haya sido explicada ampliamente.

(TO THE USER: If you cannot read or understand English, do not use this product until the label has been fully explained to you.)

STOP - READ THE LABEL BEFORE USE



MOBAY CORPORATION
AGRICULTURAL CHEMICALS DIVISION
Box 4913, Kansas City, Mo. 64120



Note: Underlined letters in chemical nomenclature should be italicized when printed, not underlined.

2014
16

DYRENE LAWN FUNGICIDE

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Keep children and pets off treated areas until foliage is dry.

Do not graze treated areas. Do not feed clippings to livestock.

IMPORTANT: Read these entire Directions and Conditions of Sale before using DYRENE Lawn Fungicide.

CONDITIONS OF SALE: THE DIRECTIONS ON THIS LABEL WERE DETERMINED THROUGH RESEARCH TO BE APPROPRIATE FOR THE CORRECT USE OF THIS PRODUCT. THIS PRODUCT HAS BEEN TESTED UNDER DIFFERENT ENVIRONMENTAL CONDITIONS BOTH INDOORS AND OUTDOORS UNDER CONDITIONS SIMILAR TO THOSE THAT ARE ORDINARY AND CUSTOMARY WHERE THE PRODUCT IS TO BE USED. INSUFFICIENT CONTROL OF PESTS OR PLANT INJURY MAY RESULT FROM THE OCCURRENCE OF EXTRAORDINARY OR UNUSUAL CONDITIONS, OR FROM FAILURE TO FOLLOW LABEL DIRECTIONS. IN ADDITION, FAILURE TO FOLLOW LABEL DIRECTIONS MAY CAUSE INJURY TO ANIMALS, MAN, AND DAMAGE TO THE ENVIRONMENT. MOBAY OFFERS, AND THE BUYER ACCEPTS AND USES, THIS PRODUCT SUBJECT TO THE CONDITIONS THAT EXTRAORDINARY OR UNUSUAL ENVIRONMENTAL CONDITIONS, OR FAILURE TO FOLLOW LABEL DIRECTIONS ARE BEYOND THE CONTROL OF MOBAY AND ARE, THEREFORE, THE RESPONSIBILITY OF THE BUYER.

DYRENE Lawn Fungicide gives effective control of Rhizoctonia brown patch, Sclerotinia dollar spot, copper spot, rust, snow mold (Typhula), and Helminthosporium diseases, such as melting-out of Kentucky bluegrass, red leaf spot of bentgrasses, leaf blotch of Bermuda grass, Helminthosporium blight of fescues, brown blight of rye grasses, zonate eye spot, and Helminthosporium leaf spot of bluegrasses, bentgrasses, and fescues.

HOW TO USE:

In Garden Hose Sprayers: Put DYRENE Lawn Fungicide into sprayer jar, fill with water and stir until a uniform mixture is obtained. Apply spray mixture uniformly to lawn area. For disease prevention, use 4 ounces (approximately 1 cup) DYRENE Lawn Fungicide and spray to cover 1,000 square feet. For spot treatment of diseased areas, use 6 ounces (approximately 1 1/2 cupfuls) DYRENE Lawn Fungicide and thoroughly wet these areas.

In Compressed Air Sprayers: For use in hand or knapsack-type sprayers, add 4 ounces (approximately 1 cup) of DYRENE Lawn Fungicide to 2 1/2 gallons of water and apply to 1,000 square feet (50 ft. x 20 ft.) of lawn or other turf area. For spot treatment of heavily diseased areas, add 6 ounces (approximately 1 1/2 cupfuls) to 2 1/2 gallons of water and thoroughly wet these areas.

WHEN TO APPLY:

For Foliar Turfgrass Diseases: Begin applications in the spring before diseases appear and repeat at 10 to 14 day intervals. During extended periods of wet weather, applications every 7 days may be required. Continue treatments throughout the spring and summer months. If necessary, water the lawn before applying DYRENE Lawn Fungicide.

For Control of Snow Mold: Apply after the first killing frost in the fall. A second application should be made when the lawn or other turfgrass area is free of snow in mid-winter. Apply a third application after the final melting of snow in late winter or early spring.

3034

DYRENE LAWN FUNGICIDE

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Container Disposal: Do not use container in connection with food, feed, or drinking water. Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

Store in a cool, dry place and in such a manner as to prevent cross contamination with other pesticides, fertilizers, food, and feed. Store in original container and out of the reach of children, preferably in a locked storage area.

Handle and open container in a manner as to prevent spillage. If the container is leaking or material spilled for any reason or cause, carefully sweep material into a pile. Refer to Precautionary Statements on label for hazards associated with the handling of this material. Do not walk through spilled material. Dispose of pesticide as directed above. In spill or leak incidents, keep unauthorized people away. You may contact the Mobay Emergency Response Team for decontamination procedures or any other assistance that may be necessary. The Mobay Kansas City Emergency Response Telephone No. is 816-242-2582, or contact Chemtrec at 800-424-9200.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER

Causes irreversible eye damage. Harmful if swallowed. Do not get in eyes or on clothing. Avoid contact with skin. Wear goggles, face shield or safety glasses. Wash thoroughly with soap and water after handling. Remove and wash contaminated clothing with soap and hot water before reuse.

NOTE: Protective clothing should be worn during periods of exposure, such as during application, or when contacting treated foliage. DYRENE anilazine may cause an allergic skin reaction in some susceptible persons. This condition should be treated as an allergic dermatitis.

Keep out of reach of children.

STATEMENTS OF PRACTICAL TREATMENT

If in eyes: Hold eyelids open and flush with steady, gentle stream of water for 15 minutes. Get medical attention.

If on skin: Wash immediately with soap and warm water. If irritation occurs, get medical attention.

If swallowed, drink promptly a large quantity of milk or, if milk is not available, large quantities of water. Avoid alcohol. Note to Physician: Probable mucosal damage may contraindicate the use of gastric lavage.

4354
DYRENE LAWN FUNGICIDE

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and aquatic invertebrates. Do not apply directly to water or wetlands. Drift and runoff from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water by cleaning of equipment or disposal of wastes. Cover or incorporate spills.

DYRENE is a Reg. TM of MOBAY Corporation.