U.S. LABEL

Reason to Issue: To revise "Remarks"; to clarify the distinction between use of undiluted L.C. and use in oil and to delete reference to altitude of aircraft flight.

Date of Draft: 8/11/67 (Pre-Reg.)
Supersedes Drafts Dated: 5/24/67 & 6/27/67
(Pre-Reg.)

USDA Reg. No. 3125-148

R BAYTEX

LIQUID CONCENTRATE

INSECTICIDE

AMENDMENT
To Previously Registered Label

ACCEPTED

SEP 6 1967

UNDER THE FEDERAL INSECTICIDE FUNGICIDE AND RODENTICIDE ACT FOR ECONOMIC POISON REGISTERED UNDER NO. 3/25-/48

Add the following:

## RECOMMENDED BAYTEX APPLICATIONS

	Fluid Ounces	
INSECT	BAYTEX Conc.	REMARKS
Mosquitoes (Larvae and Adults)	0.8 to 1.6	ULTRA LOW VOLUME SPRAY: For control of mosquito larvae and adults, BAYTEX Liquid Concentrate may be applied undiluted in any aircraft equipment that has been adapted and calibrated for applying ultra low volumes of spray material. Planes must be equipped with accepted low volume devices that will produce droplets within the range of 30 to 100 microns in size. Apply specified dosage (0.05 to 0.1 lb. active) per acre using the liquid concentrate in undiluted form with aircraft equipment capable of applying the proper volume per acre. Allow at least 3 weeks between application NOTE: BAYTEX Liquid Concentrate may cause spotting of automobile paint surfaces if prolonged exposure is permitted. Avoid direct spraying of automobiles. If accidental exposure does occur, cars should be washed immediately.  LOW VOLUME SPRAY: Apply specified dosage (0.05 to 0.1 lb. active) per acre using the liquid concentrate in not more than two quarts of fuel oil per acre. Allow at least 3 weeks between applications.

The above amendment supersedes and cancels amendments dated 4/13/66, 5/12/66, 5/24/67, and 6/27/67 (Pre-Reg.), previously submitted with this application.