

Code: 30014

**Net Weight
50 Pounds**

BX 2 COATED GRANULES

Contains 2% [®]BAYTEX

DIRECTIONS FOR USE

May be applied by ground or air.

BX 2 Coated Granules are especially prepared coated granules containing 2% Baytex for use as a mosquito larvicide only by MOSQUITO ABATEMENT DISTRICTS AND OTHER OFFICIAL AGENCIES. These granules are formulated to release their coating upon contact with water.

For the control of Mosquito Larvae — Use 5 to 10 pounds per acre. Repeat as necessary.

INSECTICIDE

EPA REGISTRATION NO. 279-2267 AA

ACTIVE INGREDIENT:	BY WT.
Fenthion; O,O-Dimethyl O[4-(methylthio)- m-tolyl] phosphorothioate†	2.00%
INERT INGREDIENTS:	98.00%
	100.00%

†U.S. Patent No. 3,042,703

CAUTION

KEEP OUT OF REACH OF CHILDREN

Harmful if swallowed, inhaled or absorbed through the skin. Do not get in eyes, on skin, or on clothing. Do not breathe dust. Wash thoroughly with soap and warm water after handling. Wash clothing with soap and hot water before reuse. Avoid contamination of feed or food.

ANTIDOTE: Administer atropine sulfate in large therapeutic doses. Repeat as necessary to the point of tolerance. Liberal doses of glucose appear to enhance the antidotal properties of atropine.

**For Emergency Assistance Call
716-735-3765**

Dealer Should Sell in Original Packages Only.

WARRANTY: FMC warrants that this product, as of the time of sale by FMC, (1) conforms to the ingredient statement on the label, and (2) is reasonably fit for the purposes set forth in the Directions for Use. EXCEPT AS SO WARRANTED THE PRODUCT IS SOLD AS IS. FMC MAKES NO OTHER WARRANTY EXPRESS OR IMPLIED.

RESTRICTIONS

Do not use inside homes, in dairy barns, poultry houses, or buildings where food is processed.

Do not use on crops used for food or forage.

Do not use in a manner or at a time other than in accordance with label directions because animal, plant, or crop injury, illegal residues or other undesirable results may occur.

ENVIRONMENTAL AND DISPOSAL CAUTIONS

This product is toxic to juvenile shrimp, fish and wildlife. Keep out of lakes, ponds and streams. Do not use this product in tidal marshes and estuaries. Birds feeding on treated areas may be killed. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not apply when weather conditions favor drift from the areas treated. Do not apply when run-off is likely to occur. Apply this product only as specified on this label.

This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

DISPOSE OF WASTES by burying in non-crop lands away from water supplies. Empty containers should be buried with wastes or burned. Keep out of smoke.

[®]Baytex is a registered TM of Farbenfabriken Bayer A.G., Chemagro Corporation licensee.

ACCEPTED

AUG 23 1974

UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTERED
UNDER NO. 3125-148 SUBJECT
TO ATTACHED COMMENTS.

024W

MANUFACTURED IN U.S.A. BY

FMC CORPORATION

AGRICULTURAL CHEMICAL DIVISION

MIDDLEPORT, N.Y.
FRESNO, CA.

YAKIMA, WA
RICHMOND, CA

FMC Chemicals

EPA EST., 279-CA-1 Printed in U.S.A.