

RESTRICTED USE PESTICIDE

Due to Very High Toxicity to Birds, Fish and Aquatic Invertebrates

For retail sale to and use only by certified applicators or persons under their direct supervision and only for those uses covered by the certified applicator's certification. Certified applicators must also ensure that all persons involved in these activities are informed of the precautionary statements.

Baytex

Liquid Concentrate Insecticide

For adult mosquito control in Florida only. Consult with the Florida Department of Agriculture and Consumer Services before applying this product

For effective control of adult mosquitoes

Keep out of reach of children.

WARNING

(See side panel for Statements of Practical Treatment and Other Precautionary Statements)

ACTIVE INGREDIENT:

Chlorpyrifos [O,O-Dimethyl O-(3-methyl-4- (methylthio)phenyl) phosphorothioate]	93%
INERT INGREDIENTS:	7%
	100%

DO NOT STORE BELOW 45° F.
KEEP IN A COOL, DRY PLACE


One gallon contains 9.67 lbs. O,O-Dimethyl O-[3-methyl-4-(methylthio)phenyl] phosphorothioate.

STOP - READ THE LABEL BEFORE USE

EPA Reg. No. 3125-148
EPA Est. 3125-MO-1

NET CONTENTS 52.9 GALLONS

NET WEIGHT 550 POUNDS



MILES



PRECAUCION AL USUARIO: Si usted no puede leer o entender inglés, no use este producto hasta que la etiqueta le haya sido explicada ampliamente.

(TO THE USER: If you cannot read or understand English, do not use this product until the label has been fully explained to you.)

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

IMPORTANT: Read these entire Directions and Conditions of Sale before using BAYTEX Liquid Concentrate.

CONDITIONS OF SALE: THE DIRECTIONS ON THIS LABEL WERE DETERMINED THROUGH RESEARCH TO BE THE DIRECTIONS FOR CORRECT USE OF THIS PRODUCT. THIS PRODUCT HAS BEEN TESTED FOR A RANGE OF WEATHER CONDITIONS SIMILAR TO THOSE WEATHER CONDITIONS THAT ARE ORDINARY AND CUSTOMARY IN THE GEOGRAPHIC AREA WHERE THE PRODUCT IS USED. INSUFFICIENT CONTROL OF PESTS AND/OR INJURY TO THE CROP TO WHICH THE PRODUCT IS APPLIED MAY RESULT FROM THE OCCURRENCE OF EXTRAORDINARY OR UNUSUAL WEATHER, OR FROM FAILURE TO FOLLOW LABEL DIRECTIONS. IN ADDITION, FAILURE TO FOLLOW LABEL DIRECTIONS MAY CAUSE INJURY TO OTHER CROPS, ANIMALS, MAN, OR THE ENVIRONMENT. MILES OFFERS, AND THE BUYER ACCEPTS AND USES, THIS PRODUCT SUBJECT TO THE CONDITIONS THAT EXTRAORDINARY OR UNUSUAL WEATHER, OR FAILURE TO FOLLOW LABEL DIRECTIONS ARE BEYOND THE CONTROL OF MILES AND ARE, THEREFORE, THE RESPONSIBILITY OF THE BUYER.

BAYTEX Liquid Concentrate is recommended for use wherever adult mosquitoes are a problem.

MIXING FOR ULV APPLICATIONS: BAYTEX Liquid Concentrate contains **no emulsifying agent** and should be applied with Ultra Low Volume equipment capable of accurately and uniformly applying the designated amount of BAYTEX Liquid Concentrate per acre. (See NOTE)

RESTRICTIONS

1. Do not apply over food crops, forage crops or rice. 2. Do not use inside homes or in buildings where food is processed or stored. 3. Do not apply directly to animals. 4. Do not use on or allow spray treatment to drift onto potable water supplies. Do not contaminate feed, drinking water, milk or milk-handling equipment. 5. Do not apply this product through any type of irrigation system. 6. Do not apply when temperature inversions exist. 7. Apply during early morning or late evening.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

WARNING

May be fatal if swallowed, inhaled, or absorbed through the skin. Rapidly absorbed through the skin. Do not get in eyes, on skin, or on clothing. Do not breathe spray mist. Avoid contamination of feed

INSECT	Fluid Ounces BAYTEX L.C.
Mosquitoes (Adults Only) (Florida Only)	0.66 - 1.3
	0.4
INSECT GROUND APPLICATION Mosquitoes (Adults Only) (Florida Only)	Ground ULV Concentrate lands. Do not apply to any 1.5 fluid ounce/minute at 10 pounds active ingredient per CAUTION - SPECIAL INST tutions is to be avoided. (2) A ditioned, or equipped with a

NOTE: Spray droplets should have a median drop size range or may cause permanent damage to automobile paint finishes

or food. Keep out of reach of children. Wear protective rubber gloves. Wash thoroughly with soap and water and before eating and smoking.

STATEMENTS OF PRACTICAL TREATMENT

If swallowed, vomiting should be induced freely and induce vomiting by giving one dose, syrup of ipecac. If vomiting does not occur within administer second dose. If syrup of ipecac is not vomiting by sticking finger down throat. Repeat clear. Do not give anything by mouth to an unconscious. Professional medical assistance should be sought. Wash thoroughly with soap and warm water as clothing with soap and hot water before reuse. Use plenty of soap and water. Get medical attention.

NOTE TO PHYSICIAN: Fenthion is an organophosphate. If symptoms of cholinesterase inhibition are present, atropine sulfate by injection is antidotal. 2-PAM is also administered, but only in conjunction with atropine.

ENVIRONMENTAL HAZARDS

This pesticide is highly toxic to shrimp, fish, and crabs in treated areas may be where these are important resources. Drift from treated areas may be hazardous to aquatic sites. Do not contaminate untreated aquatic sites. Do not contaminate untreated equipment washwaters.

This product is highly toxic to bees exposed on blooming crops or weeds. Do not apply or allow it to drift to blooming crops or weeds in the treatment area.

RECOMMENDED APPLICATIONS

Fluid Ounces BAYTEX L.C.	REMARKS
0.66 - 1.3	ULTRA LOW VOLUME SPRAY: For control of mosquito adults, BAYTEX Liquid Concentrate may be applied undiluted in any aircraft equipment that has been adapted and calibrated for applying ultra low volumes of spray material. Apply specified dosage (0.05 to 0.1 lb active ingredient) per acre using the liquid concentrate in undiluted form with aircraft equipment capable of applying the proper volume per acre. Use lower rate when applying to open non-canopied areas; use higher rate when applications are made in areas having a vegetation canopy. No more than 5% of the droplets should exceed 80 MMD.
0.4	THERMAL FOG: For control of mosquito adults apply specified dosage (0.03 lb active ingredient) per acre using the product mixed in 0.2 to 0.8 quarts of oil per acre. Apply as a thermal fog by injecting solution into FAA approved engine exhaust system. Repeat applications as necessary.

Ground ULV Concentrate Application: Applications can be made in residential areas, municipalities, tidal marshes, swamps and woodlands. Do not apply to any agricultural crops. Apply BAYTEX Liquid Concentrate undiluted at the rate of 0.8 fluid ounce/minute at 5 mph; 1.5 fluid ounce/minute at 10 mph and 2.0 fluid ounce/minute at 15 mph, applying a 300 foot swath. These flow rates are equivalent to 0.03 pounds active ingredient per acre.

CAUTION - SPECIAL INSTRUCTIONS: This application can be made only under the following conditions: (1) Application in calm air conditions is to be avoided. (2) Application is not to be made in the immediate vicinity of pedestrians. (3) Vehicles used to apply must be air conditioned, or equipped with automatic speed control flow device. See NOTE

ive a median droplet size range from 5 to 20 microns with a Mass Median Diameter (MMD) not to exceed 15 microns. Droplets 45 microns or large to automobile paint finishes

ch of children. Wear protective clothing and roughly with soap and water after handling noking.

RACTICAL T ATMENT

ng should be induced. Administer water ing by giving one dose, (½ oz. or 15 ml.) of ling does not occur within 10 to 20 minutes. a. If syrup of ipecac is not available, induce ger down throat. Repeat until vomit fluid is hing by mouth to an unconscious person. assistance should be secured immediately. soap and warm water after handling. Wash l hot water before use. If on skin: Wash l water. Get medical attention.

AN: Fenthion is an organophosphate insect. holinesterase inhibition are present, atropin antidotal. 2-PAM is also antidotal and may be in conjunction with atropine.

HAZARDS

ghly toxic to shrimp, fish, and wildlife. Birds, s in treated areas may be killed. Do not apply ortant resources. Drift and aquatic transport y be hazardous. Aquatic organisms in adja o not contaminate untreated water when dis- washwaters.

hly toxic to bees exposed to direct treatment r weeds. Do not apply this product over or cming crops or weeds while bees are visiting

PROTECTIVE CLOTHING AND WORK SAFETY STATEMENTS

USE ONLY WHEN WEARING THE FOLLOWING PERSONAL PROTECTIVE EQUIPMENT DURING MIXING/LOADING, APPLI- CATION, REPAIR AND CLEANING OF MIXING, LOADING, AND APPLICATION EQUIPMENT, DISPOSAL OF THE PESTICIDE: Protective suit of one or two pieces that covers all parts of the body except heads, hands, and feet; chemical-resistant gloves; chemi- cal-resistant shoes (or chemical-resistant shoe coverings or chemi- cal-resistant boots); and a NIOSH or MSHA approved respiratory protection device. In addition, mixers/loaders must wear a chemical resistant apron. During equipment repair and cleaning, the respira- tor need not be worn.

IF MIXING/LOADING IS PERFORMED USING A CLOSED SYS- TEM, THE FOLLOWING PROTECTIVE CLOTHING AND EQUIP- MENT MAY BE WORN AS AN ALTERNATIVE: Long-sleeve shirt; long-legged pants; chemical-resistant gloves; chemical-resistant apron, shoes and socks. Goggles or face shield must be worn when the system is under pressure. All other protective clothing and equipment required for use with open systems must be avail- able nearby.

IF APPLICATION IS PERFORMED USING AN ENCLOSED CAB OR COCKPIT, THE FOLLOWING PROTECTIVE CLOTHING AND EQUIPMENT MAY BE WORN AS AN ALTERNATIVE: Long- sleeve shirt and long-legged pants; shoes and socks. Chemical- resistant gloves must be available in the cab or cockpit and must be worn during entry to and exit from the application vehicle. All other protective clothing and equipment required for use during application must be available in the cab and must be worn when exiting the cab into treated area. When used for this purpose, con- taminated clothing may not be brought back into the cab unless in an enclosure such as a plastic bag. REMEMBER - THIS CLOTH- ING IS INADEQUATE TO PROTECT YOU DURING REPAIR AND

CLEANING OF PROTECTIVE CLO ABOVE.

IMPORTANT with soap and wash hands, fa eating, drinking.

AFTER WOP and water. Take and water. Wea ing. Personal c rately from hou from personal e each use. Resp ing to instructi becomes heavil destroyed acco TAMINATED C QUATELY DEC

STORAGE AND

Do not contain

Storage: Sto

prevent cross c and feed. Store dren, preferably

Pesticide Dis uct may be dis facility.

Container D recycling or rec landfill, or by authorities.

Handle and c container is lea leaking or mate up spilled ma Statements on this material. D material with ab for pesticides a people away. Team for decor may be neces Telephone N at 800-424-930 909135

Miles Inc. Specialty Pro Box 4913, Kar

APPLICATIONS

REMARKS
<p>SPRAY: For control of mosquito adults, BAYTEX Liquid Concentrate may be applied by aircraft equipment that has been adapted and calibrated for applying ultra low volume (ULV) spray (0.05 to 0.1 lb active ingredient) per acre using the liquid concentrate in undiluted form. Equipment capable of applying the proper volume per acre. Do not apply to open non-canopied areas; use higher rate when applications are made from aircraft. Droplets should exceed 80 MMD.</p> <p>For control of mosquito adults apply specified dosage (0.03 lb active ingredient) per acre mixed in 0.2 to 0.8 quarts of oil per acre. Apply as a thermal fog by injecting into engine exhaust system. Repeat applications as necessary.</p> <p>Do not be made in residential areas, municipalities, tidal marshes, swamps and woodlands. BAYTEX Liquid Concentrate undiluted at the rate of 0.8 fluid ounce/minute at 5 mph; rate at 15 mph; applying a 300 foot swath. These flow rates are equivalent to 0.03 lb active ingredient per acre.</p> <p>Do not be made only under the following conditions: (1) Application in calm air conditions in the immediate vicinity of pedestrians. (3) Vehicles used to apply must be air conditioned. See NOTE.</p> <p>Note: Median Diameter (MMD) not to exceed 15 microns. Droplets 45 microns or larger.</p>

PROTECTIVE CLOTHING AND WORK SAFETY STATEMENTS

USE ONLY WHEN WEARING THE FOLLOWING PERSONAL PROTECTIVE EQUIPMENT DURING MIXING/LOADING, APPLICATION, REPAIR AND CLEANING OF MIXING, LOADING, AND APPLICATION EQUIPMENT, DISPOSAL OF THE PESTICIDE:

Protective suit of one or two pieces that covers all parts of the body except heads, hands, and feet; chemical-resistant gloves; chemical-resistant shoes (or chemical-resistant shoe coverings or chemical-resistant boots); and a NIOSH or MSHA approved respiratory protection device. In addition, mixers/loaders must wear a chemical-resistant apron. During equipment repair and cleaning, the respirator need not be worn.

IF MIXING/LOADING IS PERFORMED USING A CLOSED SYSTEM, THE FOLLOWING PROTECTIVE CLOTHING AND EQUIPMENT MAY BE WORN AS AN ALTERNATIVE: Long-sleeve shirt; long-legged pants; chemical-resistant gloves; chemical-resistant shoes and socks. Goggles or face shield must be worn when the system is under pressure. All other protective clothing and equipment required for use with open systems must be available nearby.

IF APPLICATION IS PERFORMED USING AN ENCLOSED CAB OR COCKPIT, THE FOLLOWING PROTECTIVE CLOTHING AND EQUIPMENT MAY BE WORN AS AN ALTERNATIVE: Long-sleeve shirt and long-legged pants; shoes and socks. Chemical-resistant gloves must be available in the cab or cockpit and must be worn during entry to and exit from the application vehicle. All other protective clothing and equipment required for use during application must be available in the cab and must be worn when entering the cab into treated area. When used for this purpose, contaminated clothing may not be brought back into the cab unless in an enclosure such as a plastic bag. REMEMBER - THIS CLOTHING IS INADEQUATE TO PROTECT YOU DURING REPAIR AND

CLEANING OF APPLICATION EQUIPMENT! REFER TO PROTECTIVE CLOTHING AND EQUIPMENT REQUIREMENTS ABOVE.

IMPORTANT! If pesticide comes in contact with skin, wash off with soap and water and contact a physician immediately. Always wash hands, face, and arms with soap and water before smoking, eating, drinking, or using the toilet.

AFTER WORK: Before removing gloves, wash them with soap and water. Take off all work clothes and shoes. Shower using soap and water. Wear clean clothes. Do not reuse contaminated clothing. Personal clothing worn during work must be laundered separately from household articles. Store protective clothing separately from personal clothing. Clean or launder protective clothing after each use. Respirators must be cleaned and filters replaced according to instructions included with the respirators. Clothing that becomes heavily contaminated or drenched with Fenthion must be destroyed according to State and local regulations. **HEAVILY CONTAMINATED OR DRENCHED CLOTHING CANNOT BE ADEQUATELY DECONTAMINATED.**

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Storage: Store in a cool, dry place and in such a manner as to prevent cross contamination with other pesticides, fertilizers, food, and feed. Store in original container and out of the reach of children, preferably in a locked storage area.

Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Container Disposal: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

Handle and open container in a manner as to prevent spillage. If container is leaking invert to prevent leakage. If the container is leaking or material spilled for any reason or cause, carefully dam up spilled material to prevent runoff. Refer to Precautionary Statements on label for hazards associated with the handling of this material. Do not walk through spilled material. Absorb spilled material with absorbing type compounds and dispose of as directed for pesticides above. In spill or leak incidents keep unauthorized people away. You may contact the Miles Emergency Response Team for decontamination procedures or any other assistance that may be necessary. The Miles Kansas City Emergency Response Telephone No. is 816-242-2582, or contact Chemtrec at 800-424-9300.

909135

293040

Miles Inc.
Specialty Products
Box 4913, Kansas City, Mo. 64120-0013

110 616

RESTRICTED USE PESTICIDE

Due to Very High Toxicity to Birds, Fish and Aquatic Invertebrates

AVISO
PRECAUC
der ingles. r
sido explic

DIRECTION

IMPORTA

CONDITIO

Baytex

Liquid Concentrate Insecticide

adult mosquito control in Florida

Consult with the Florida Department of Agriculture and Consumer Affairs before applying this product.

Effective control of adult mosquitoes

Keep out of reach of children.


WARNING

DO NOT STORE BELOW 45°F
KEEP IN A COOL DRY PLACE

RESTRICT

NET CONTENTS 52.9 GALLONS

NET WEIGHT 550 POUNDS



MILES



PRECAUT
HAZARDS

WARN

IF APPLICATION IS PERFORMED IN THE CAB OR COCKPIT, THE FOLLOWING EQUIPMENT AND CLOTHING MAY BE WORN: long-sleeved shirt and long-legged pants; chemical-resistant gloves must be available for use during entry to and exit from the cab; other protective clothing and equipment for application must be available in the cab; exiting the cab into treated area. Contaminated clothing may not be brought into an enclosure such as a plastic bag. THIS IS INADEQUATE TO PROTECT

	Fluid Ounces BAYTEX L.C.	REMARKS
	0.66 - 1.3	ULTRA LOW VOLUME SPRAY: For control of mosquito adults, BAYTEX Liquid Concentrate may be applied undiluted in any aircraft equipment that has been adapted and calibrated for applying ultra low volumes of spray material. Apply specified dosage (0.05 to 0.1 lb active ingredient) per acre using the liquid concentrate in undiluted form with aircraft equipment capable of applying the proper volume per acre. Use lower rate when applying to open non-canopied areas, use higher rate when applications are made in areas having a vegetation canopy. No more than 5% of the droplets should exceed 80 MMD.
	0.4	THERMAL FOG: For control of mosquito adults apply specified dosage (0.03 lb active ingredient) per acre using the product mixed in 0.2 to 0.8 quarts of oil per acre. Apply as a thermal fog by injecting solution into FAA approved engine exhaust system. Repeat applications as necessary.
	Ground ULV Concentrate Application: Applications can be made in residential areas, municipalities, tidal marshes, swamps and woodlands. Do not apply to any agricultural crops. Apply BAYTEX Liquid Concentrate undiluted at the rate of 0.8 fluid ounce/minute at 5 mph, 1.5 fluid ounce/minute at 10 mph and 2.0 fluid ounce/minute at 15 mph, applying a 300 foot swath. These flow rates are equivalent to 0.03 pounds active ingredient per acre. CAUTION - SPECIAL INSTRUCTIONS: This application can be made only under the following conditions: (1) Application in calm air conditions is to be avoided. (2) Application is not to be made in the immediate vicinity of pedestrians. (3) Vehicles used to apply must be air conditioned, or equipped with automatic speed control flow device. See NOTE.	

Droplets should have a median droplet size range from 5 to 20 microns with a Mass Median Diameter (MMD) not to exceed 15 microns. Droplets 45 microns or larger cause permanent damage to automobile paint finishes.

out of reach of children. Wear protective clothing and Wash thoroughly with soap and water after handling and smoking.

SIGNS OF PRACTICAL TREATMENT

Induced vomiting should be induced. Administer water to induce vomiting by giving one dose, (½ oz. or 15 ml.) of water. If vomiting does not occur within 10 to 20 minutes, give second dose. If syrup of ipecac is not available, induce vomiting by giving finger down throat. Repeat until vomit fluid is clear. Do not give anything by mouth to an unconscious person. Medical assistance should be secured immediately. Wash thoroughly with soap and warm water after handling. Wash with soap and hot water before reuse. **If on skin:** Wash with soap and water. Get medical attention.

ANTIDOTE: Fenthion is an organophosphate insecticide. Signs of cholinesterase inhibition are present, atropine is antidotal. 2-PAM is also antidotal and may be used only in conjunction with atropine.

ENVIRONMENTAL HAZARDS

This material is highly toxic to shrimp, fish, and wildlife. Birds, and crabs in treated areas may be killed. Do not apply near important resources. Drift and aquatic transport of treated areas may be hazardous to aquatic organisms in adjacent areas. Do not contaminate untreated water when discharging washwaters.

This material is highly toxic to bees exposed to direct treatment of blooming crops or weeds. Do not apply this product over or near blooming crops or weeds while bees are visiting the area.

PROTECTIVE CLOTHING AND WORK SAFETY STATEMENTS

USE ONLY WHEN WEARING THE FOLLOWING PERSONAL PROTECTIVE EQUIPMENT DURING MIXING/LOADING, APPLICATION, REPAIR AND CLEANING OF MIXING, LOADING, AND APPLICATION EQUIPMENT, DISPOSAL OF THE PESTICIDE: Protective suit of one or two pieces that covers all parts of the body except heads, hands, and feet; chemical-resistant gloves, chemical-resistant shoes (or chemical-resistant shoe coverings or chemical-resistant boots); and a NIOSH or MSHA approved respiratory protection device. In addition, mixers/loaders must wear a chemical resistant apron. During equipment repair and cleaning, the respirator need not be worn.

IF MIXING/LOADING IS PERFORMED USING A CLOSED SYSTEM, THE FOLLOWING PROTECTIVE CLOTHING AND EQUIPMENT MAY BE WORN AS AN ALTERNATIVE: Long-sleeve shirt; long-legged pants; chemical-resistant gloves, chemical-resistant apron, shoes and socks. Goggles or face shield must be worn when the system is under pressure. All other protective clothing and equipment required for use with open systems must be available nearby.

IF APPLICATION IS PERFORMED USING AN ENCLOSED CAB OR COCKPIT, THE FOLLOWING PROTECTIVE CLOTHING AND EQUIPMENT MAY BE WORN AS AN ALTERNATIVE: Long-sleeve shirt and long-legged pants; shoes and socks. Chemical-resistant gloves must be available in the cab or cockpit and must be worn during entry to and exit from the application vehicle. All other protective clothing and equipment required for use during application must be available in the cab and must be worn when exiting the cab into treated area. When used for this purpose, contaminated clothing may not be brought back into the cab unless in an enclosure such as a plastic bag. **REMEMBER - THIS CLOTHING IS INADEQUATE TO PROTECT YOU DURING REPAIR AND**

PROTECTIVE CLOTHING AND EQUIPMENT REQUIRED ABOVE.

IMPORTANT! If pesticide comes in contact with skin, wash with soap and water and contact a physician immediately. Wash hands, face, and arms with soap and water before eating, drinking, or using the toilet.

AFTER WORK: Before removing gloves, wash thoroughly with soap and water. Take off all work clothes and shoes. Shower with soap and water. Wear clean clothes. Do not reuse contaminated clothing. Personal clothing worn during work must be laundered separately from household articles. Store protective clothing separately from personal clothing. Clean or launder protective clothing after each use. Respirators must be cleaned and filters replaced according to instructions included with the respirators. If clothing becomes heavily contaminated or drenched with Fenthion, it must be destroyed according to State and local regulations. **HEAVILY CONTAMINATED OR DRENCHED CLOTHING CANNOT BE ADEQUATELY DECONTAMINATED.**

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. **Storage:** Store in a cool, dry place and in such a manner as to prevent cross contamination with other pesticides, fertilizers, and feed. Store in original container and out of the reach of children, preferably in a locked storage area.

Pesticide Disposal: Wastes resulting from the use of this product may be disposed of on site or at an approved waste management facility.

Container Disposal: Triple rinse (or equivalent). Then recycle or recconditioning, or puncture and dispose of in a landfill, or by other procedures approved by state or local authorities.

Handle and open container in a manner as to prevent spillage. If the container is leaking invert to prevent leakage. If there is a spill or leakage or material spilled for any reason or cause, clean up spilled material to prevent runoff. Refer to Precautionary Statements on label for hazards associated with this material. Do not walk through spilled material. Absorb spilled material with absorbing type compounds and dispose of as waste for pesticides above. In spill or leak incidents keep people away. You may contact the Miles Emergency Response Team for decontamination procedures or any other assistance that may be necessary. The Miles, Kansas City Emergency Response Team Telephone No. is 816-242-2582, or contact MILES at 800-424-9300.

201315

Miles Inc.
Specialty Products
Box 4913, Kansas City, Mo. 64120-0013

110