

T-306
Ref. 6

Base Reg. (565)

U.S. LABEL

Reason to Issue: To add disclaimer
and container disposal statements.

Date of Draft: 8/21/67

Supersedes Draft Dated: 8/23/66

Reg. U.S. 9/21/64

TO BE PRINTED AS A SINGLE PANEL LABEL





GUTHION

25% WETTABLE POWDER
FOR REPACKAGING ONLY
NOT FOR RESALE

NET WEIGHT 125 POUNDS

Store in a cool dry place.

 POISON 

KEEP OUT OF REACH OF CHILDREN

ACCEPTED

FEB 19 1970

UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTER-
ED UNDER NO. 925-153

GUARANTEE

ACTIVE INGREDIENT:

O,O-Dimethyl S-[4-oxo-1,2,3-benzo-
triazin-3(4H)-ylmethyl] phosphoro-
dithioate 25%

INERT INGREDIENTS: $\frac{75\%}{100\%}$

U.S. Patent No. 2,758,115
Canadian Patent No. 552,660

USDA Reg. No. 3125-153

DANGER

Poisonous if swallowed, inhaled, or absorbed through the skin. Do not get in eyes or on skin. Wear protective clothing, natural rubber gloves, and goggles.

Do not breathe dust. Wear a mask or respirator effective for protection against GUTHION. Information as to suitable types of masks or respirators is available from the U.S. Department of Agriculture. In Canada obtain this information from your dealer.

Do not contaminate feed or food. Keep out of reach of children. Keep all unprotected persons out of the operating area or vicinity where there may be danger of drift. Wash hands, arms, and face thoroughly with soap and warm water before eating or smoking. Wash all contaminated clothing with soap and hot water before reuse. In case of spillage, cover with an absorbent such as soda ash, clay or sawdust. Sweep up and bury. Wash area thoroughly with strong lye solution.

CONTAINER DISPOSAL

DO NOT REUSE THE CONTAINER - Completely empty the contents and bury the unused chemical at least 18 inches deep in an isolated location away from water supplies.

Burn the empty container completely. Exercise extreme caution and stay well away from the smoke.

Do not use container in any connection with feed, food, and drinking water.

SYMPTOMS OF POISONING: A sense of "tightness" in the chest. Sweating. Contracted pupils. Stomach pains. Vomiting and diarrhea.