AUG 1 5 1991

1

ŗ

ł

12. 7557 8. 7987 9.4 M. B. M. Curyor (1997) M. C. 99 (1977) M. C. 40 (1977) M. C. 40 (1977)

Ņ

1

and the state of the second state of the state of the second state

in the second of the second state of the second second second second second second second second second second


and the provide the second second

Dennes H Farmer of

. . . .

# BEST AVAILABLE COPY

			CONCURRENC	ES		
SYMBOL						
		ł		}		ł
DATE						
EPA Form 1	1320-1 (12-70)			<u></u>	OFFICI	AL FILE COPY



{



GUTHION 25% Wettable Powder Insecticide

## PRECAUTIONARY STATEMENTS

# HAZARDS TO HUMANS

)

POISON DANGER

Poisonous if swallowed, inhaled, or absorbed through the skin. Do not get in eyes or on skin. Do not breathe dust.

When handling the powder at any time, wear protective clothing, natural rubber gloves and goggles. For protection against GUTHION, when handling the powder, wear a pesticide mask or respirator jointly approved by the Mining Enforcement and Safety Administration (formerly the U. S. Bureau of Mines) and by the National Institute for Occupational Safety and Health under the provisions of 30 CFR Part 11.

Do not contaminate feed or foodstuffs. Keep out of reach of children and domestic animals. Keep all unprotected persons out of the operating area. Wash hands, arms and face thoroughly with soap and warm water before eating or smoking. Wash all contaminated clothing with soap and hot water before reuse.

SYMPTOMS OF POISONING: A sense of "tightness" in the chest. Sweating. Contracted pupils. Stomach pains. Vomiting and diarrhea.

## STATEMENTS OF PRACTICAL TREATMENT

In case of poisoning call a physician or Poison Control Center immediately. Have patient lie down and keep quiet. <u>If swallowed, vomiting should be induced</u>. Administer water freely and induce vomiting by giving one dose (1/2 oz. or 15 ml.) of syrup of ipecac. If vomiting does not occur within 10 to 20 minutes, administer second dose. If syrup of ipecac is not available, induce vomiting by sticking finger down throat. Repeat until vomit fluid is clear. Never give anything by mouth to an unconscious person. Professional medical assistance should be secured immediately. <u>If on skin</u>, remove contaminated clothing and wash skin immediately with soap and warm water. <u>If eyes are contaminated</u>, wash with flowing water for at least 15 minutes.

TO PHYSICIAN:

ANTIDOTE - Administer atropine sulfate in large therapeutic doses. Repeat as necessary to the point of tolerance. 2-PAM is also antidotal and may be administered in conjunction with atropine.

Compound inhibits cholinesterase resulting in stimulation of the central nervous system, the parasympathetic nervous system, and the somatic motor nerves. Do not give morphine. Watch for pulmonary edema, which may develop in serious cases of poisoning even after 12 hours. At first sign of pulmonary edema, the patient should be placed in an exygen tent and treated symptomatically.

۰.

# ENVIRONMENTAL HAZARDS

This pesticide is extremely toxic to fish and wildlife. Do not discharge effluent containing this product directly into lakes, streams, ponds, estuaries, oceans or public waters unless this product is specifically identified and addressed in an NPDES permit. Do not discharge effluent containing this product into sewer systems without previously notifying the sewage treatment plant authority. For guidance, contact your State Water Board or Regional Office of the Environmental Protection Agency.

# DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

GUTHION 25% Wettable Powder insecticide is intended for repackaging into end use products for:

# TERRESTRIAL FOOD CROPS

(Agricultural Crops)

Alfalfa	Cherry	Pear			
Alfalfa-Grass Mixture	Citrus Fruits	Pecan			
Almond	Crabapple	Pepper			
Apple	Cranberry	Plum			
Artichokes	Cucumber	Potato			
Birdsfoot Trefoil	Eggplant	Prune			
Blackberry	Filbert	Quince			
Blueberry	Grapes	Raspberry			
Boysenberry	Loganberry	Rye			
Broccoli	Melons	Strawberry			
Brussels Sprouts	Nectarine	Tomato			
Cabbage	Onions, Dry	Walnuts			
Cauliflower	Onions, Green				
Celery	Peach				

## TERRESTRIAL NON-FOOD CHOP

(<u>Ornamental Plants</u>)

Ornamental Plants (including nursery stock) Slash Pine (seed orchards)

## STORAGE AND DISPOSAL

<u>Pesticide Disposal</u>: Do not contaminate water, food or feed by storage or disposal.

Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

<u>Container Disposal</u>: Do not use container in connection with food, feed, or drinking water. Completely empty bag into repackaging equipment. Then dispose of empty container in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

Store in a cool, dry place and in such a manner as to prevent cross contamination with other pesticides, fertilizers, food, and feed. Store in original container and out of the reach of children, preferably in a locked storage area.

Handle and open container in a manner as to prevent spillage. If container is leaking or material spilled for any reason or cause, carefully sweep material into a pile. Refer to Precautionary Statements on label for hazards associated with the handling of this material. Do not walk through spilled material. Dispose of pesticide as directed abov. In spill or leak incidents, keep unauthorized people away. You may contact the Mobay Emergency Response Team for decontamination procedures or any other assistance that may be necessary. The Mobay Kansas City Emergency Response Telephone No. is 8:6-242-2582, or contact Chemtrec at 800-424-9300.

GUTHION is a Reg. TM of Bayer AG, Germany.

# BEST AVAILABLE COPY

l