SPECIMEN LABEL - FOR INFORMATION ONLY

U.S. LABEL Date of Draft 12/6/65 Reason to Issue: To show federal Supersedes Draft Dated 6/23/65 (Pre Reg. registration. Pkg. Size_ FRONT PANEL

SCOPE

LAWN CHINCH BUG KILLER AND OUTDOOR PREMISE SPRAY

CONCENTRATED POWDER

FOR

EFFECTIVE CONTROL OF

INSECTS ON LAWNS AND

OTHER OUTDOOR AREAS

AROUND THE HOME

WARNING (See side panel for warning statements.)

KEEP OUT OF REACH OF CHILDREN

STOP - READ THE LABEL BEFORE USE (Optional placement)

GUARANTEE

ACTIVE INGREDIENT:

o-Isopropoxyphenyl methylcarbamate / 75%

ACCEPTED

AUG 7 1967

UNDER THE FEDERAL INSECTICIDE FUNGICIDE AND RODENTICIDE ACT

FOR ECONOMIC POISON REGISTER-ED UNDER NO.3/22/6.9 SUBJECT TO ATTACHED COMMENTS.

INERT INGREDIENTS:....

100%

U.S. Patent No. 3,111,539

USDA Reg. No. 3125-169

MANUFACTURED BY

CHEMAGRO CORPORATION

KANSAS CITY, MO.

NET WEIGHT OUNCES

Note: Underlined letter in chemical nomenclature should be italicized when printed, not underlined.

SCOPE Lawn Powder

dogot kojumente tip koje od to so spitović to so sistem i se denović primi od primi primi je od. Odrije i koje otio izali se dio site spitović koje od pospije i se denović ke koje se koje od primi primi

SIDE PANEL

DIRECTIONS FOR USE

SCOPE Lawn Chinch Bug Killer and Outdoor Premise Spray is recommended for use on lawns and other outdoor areas around the home where the insects listed below are a problem. It provides quick kill and gives long residual control. Both resistant and non-resistant strains of chinch bugs, cockroaches, and mosquitoes are effectively controlled.

Chinch bugs are very effectively controlled by SCOPE Lawn Chinch Bug Killer. For control of these and the other lawn pests listed below, sprays should be applied during spring and summer months or as recommended by local authorities. When applied as directed, SCOPE Lawn Chinch Bug Killer gives up to 8 weeks control of these lawn pests.

This product mixes readily with water and may be applied with all types of sprayers or with a watering can. For best results, water lawn before applying SCOPE.

CHINCH BUGS, BILLBUGS, MILLIPEDES, EARWIGS, FLEAS, AND TICKS (Florida Only):

Garden Hose-end Sprayers: Use the type which requires 20 gallons of water passing through the hose to empty the quart size jar. Supful of SCOPE Tawn Chinch Bug Killer in the jar, fill with water, and mix thoroughly. Spray the contents over 500 to 600 square feet of lawn. Repeat as necessary.

Watering Can for Spot Treatment: Mix SCOPE Lawn Chinch Bug Killer with water* at a rate of 1 tablespoon per gallon. Apply thoroughly to lawn area using 2 gallons of the mixture per 50 to 60 square feet. Repeat as necessary.

ANTS, COCKROACHES, EARWIGS, MILLIPEDES, AND SPIDERS (Outdoors-No Geographic Limitation): FLEAS AND TICKS (Outdoors - Florida Only):

Compressed Air Sprayer, Watering Can, or Paint Brush: Mix 3/4 cup of SCOPE Lawn Chinch Bug Killer per gallon of water and apply as a spray or brush into cracks, crevices, building foundations, and other places outside the home where these insects hide or where they may crawl when they come out of hiding. Apply to the point of run-off. Repeat as necessary. CAUTION: DO NOT TREAT PLANTS (LAWNS, FLOWERING PLANTS, SHRUBS, TREES, ETC.) WITH THIS CONCENTRATION.

MOSQUITOES (Outdoors):

Residual Treatment: Mix 3/4 cup of SCOPE Lawn Chinch Bug Killer per gallon of water* and apply as a coarse spray or by brush to the outside surfaces of buildings, porches, patios, screen doors, window frames, and garages. To obtain thorough coverage, apply to the point of run-off. Repeat as necessary. CAUTION: DO NOT TREAT PLANTS (LAWNS, FLOWERING PLANTS, SHRUBS, TREES, ETC.) WITH THIS CONCENTRATION.

PUNKIES, SAND FLIES (Culicoides Spp.):

Add 3/4 cup of SCOPE Lawn Chinch Bug Killer to 1 quart of water and apply with a paint brush to the outside surfaces of window screens or other screened areas. Thorough coverage is necessary for maximum control. Repeat as necessary. CAUTION: DO NOT TREAT PLANTS (LAWNS, FLOWERING PLANTS, SHRUBS, TREES, ETC.) WITH THIS CONCENTRATION.

*The use of this material in oil will result in crystallization in the spray tank.

SIDE PANEL

RESTRICTIONS

DO NOT TREAT FOOD OR PLANTS GROWN FOR FOOD. Birds feeding on treated areas may be harmed. Contamination of ornamental ponds may be harmful to fish.

WARRIED

May be fatal if swallowed, inhaled, or absorbed through the skin. Avoid repeated or prolonged inhalation or skin contact. Keep out of reach of children. Do not contaminate feed or food products. Wash hands, arms, and face thoroughly with soap and water after using. Wash all contaminated clothing with soap and hot water before re-use.

If misuse results in accidental illness, get prompt medical aid. To Physician - Atropine sulfate is antidotal.

NOTICE

Chemagro Corporation and the seller make no warranty of any kind, express or implied, on the use of this material and assume no responsibility whatsoever for any personal injury, property damage, or other type of loss resulting from the use or handling of this material. The user assumes all risks for use and handling whether in accordance with directions or not.

PATENT LICENSE

The principal active ingredient of this product is patented under U.S. Patent No. 3,111,539 of Chemagro Corporation, Kansas City, Missouri, and the purchase of this product includes a limited license under said patent to use or reformulate the product only in the manner provided by the recommended applications on the present label. The purchaser obligates itself to notify Chemagro Corporation of any proposed use or reformulation of such licensed product not provided by said recommended applications, and to obtain Chemagro's approval in writing before making any such use or reformulation of the licensed product.

