

Reason to Issue: To add grazing and feeding
restrictions requested by FDA.

Date of Draft: 12/18/69 (Pre-Reg.) / 1/1
Supersedes Pre-Reg. Draft Dated: 1/1/69

USDA Reg. No. 3125-172

3125-172

12-16-1970

1/1

®DI-SYSTON
15% Granular

SYSTEMIC INSECTICIDE

AMENDMENT
To Previously Registered Label

Add the Following:

RECOMMENDED APPLICATIONS

CROP	PEST	DOSAGE DI-SYSTON 15% Gran.	REMARKS
Hops	Aphids Mites	13.3 to 26.7 pounds per acre (See Remarks)	Uniformly spread the granules in a 6 inch square area at the base of each plant. For standard 7 ft. by 7 ft. hopyard spacing, the recommended dosage is equal to 0.24 oz. (2 level teaspoon- fuls) to 0.48 oz. (4 level teaspoonfuls) per plant. Apply in mid-to late June, just prior to hilling. Hilling operation should cover granules with soil. Irrigate as normal crop culture requires. Do not graze or feed crop refuse.

ACCEPTED

DEC 16 1970

U.S. DEPARTMENT OF AGRICULTURE
WASHINGTON, D.C. 20250
FEDERAL AGENCY FOR TOXIC SUBSTANCES
3125-172
TOXIC SUBSTANCES DIVISION