

3125-174

U.S. LABEL 10-31-75

Reason to Issue; To revise confidential ingredient statement to show higher minimum analysis, to update label in line with current requirements.

Date of Draft: 9/17/75 (Pre-Reg.)

Chicago Corp.
P.O. Box 4913
Kansas City, Mo.
64120

EPA Reg. No. 3125-174-AA

To Be Printed As A Single Panel Label

(R)

BAYGON
TECHNICAL

FOR USE ONLY IN THE MANUFACTURE OF ECONOMIC POISONS

ACCEPTED
OCT 31 1975
Under the Federal Insecticide, Fungicide, and Rodenticide Act.
EPA Reg. No. 3125-174

ACTIVE INGREDIENT:	
2-(1-Methylethoxy)phenol methylcarbamate + ...	96%
INERT INGREDIENTS:	4%
	<u>100%</u>

U.S. Patent No. 3,111,539
Canadian Patent No. 775,204

EPA Reg. No. 3125-174-AA

WARNING

KEEP OUT OF REACH OF CHILDREN

May be fatal if swallowed, inhaled, or absorbed through the skin. Do not get in eyes on skin, or on clothing. Wear natural rubber gloves, protective clothing, and goggles. In case of contact, wash immediately with soap and warm water. Wash hands, arms, and face thoroughly with soap and water before eating or smoking. Wash all contaminated clothing with soap and hot water before reuse.

DO NOT CONTAMINATE FOOD OR FEED

SYMPTOMS OF POISONING: A sense of "tightness" in the chest. Sweating. Contracted pupils. Stomach pains. Vomiting and diarrhea.

TREATMENT: In case of poisoning call a physician immediately. Have patient lie down and keep quiet. If swallowed, induce vomiting by giving a tablespoonful of salt in a glass of warm water. Administer milk or water freely and again induce vomiting until vomit fluid is clear. If on skin, remove contaminated clothing and wash skin immediately with soap and warm water. If eyes are contaminated, wash with flowing water for at least 15 minutes.

TO PHYSICIAN:

ANTIDOTE - Administer atropine sulfate in large therapeutic doses. Repeat as necessary to the point of tolerance.

Compound inhibits cholinesterase resulting in stimulation of the central nervous system, the parasympathetic nervous system, and the somatic motor nerves. Do not give morphine. Watch for pulmonary edema, which may develop in serious cases of poisoning, even after 12 hours. At first sign of pulmonary edema, the patient should be placed in an oxygen tent and treated symptomatically.

This product is toxic to fish and wildlife. Keep out of lakes, streams, and ponds. Do not contaminate water by cleaning of equipment, or disposal of wastes.

20/2

BAYGON Technical

In case of spillage, sweep up and dispose of in a landfill approved for pesticides or bury in a safe place away from water supplies. Wash area with strong lye solution. Do not reuse empty container. Dispose of empty container in an incinerator or landfill approved for pesticide containers, or bury in a safe place.

Directions for Use

Detailed information on chemical and physical properties and other formulating recommendations for BAYGON are available upon request from Chemagro. Obtain and read this manual before undertaking the formulation of BAYGON in order to avoid formulation hazards and insure a satisfactory finished product.

Labeling for products formulated from this product must conform to that which is currently registered with the U.S. Environmental Protection Agency. For specific information on federally registered uses, contact Chemagro. Any variance from the federally registered labeling for products containing BAYGON will have to be supported by data provided by the formulator.

BAYGON is a Reg. TM of the Parent Company of Farbenfabriken Bayer GmbH, Leverkusen.

NET CONTENTS _____ POUNDS

IMPORTED BY
CHEMAGRO AGRICULTURAL DIVISION
MOBAY CHEMICAL CORPORATION
Box 4913, Kansas City, Mo. 64120

