

Baygon

Technical

Under the Federal Insecticide, Fungicide, and Rodenticide Act or amended, its products are not to be used.
EPA Reg. No. 725-174

Directions for use.

Detailed information on chemical and physical properties and other formulating recommendations for BAYGON are available upon request from Chemagro. Obtain and read this manual before undertaking the formulation of BAYGON in order to avoid formulation hazards and insure a satisfactory finished product.

Labeling for products formulated from this product must conform to that which is currently registered with the U.S. Environmental Protection Agency. For specific information on federally registered uses, contact Chemagro. Any variance from the federally registered labeling for products containing BAYGON will have to be supported by data provided by the formulator.

211 308

To physician.

ANTIDOTE—Administer atropine sulfate in large therapeutic doses. Repeat as necessary to the point of tolerance.

Compound inhibits cholinesterase resulting in stimulation of the central nervous system, the parasympathetic nervous system and the somatic motor nerves. Do not give morphine. Watch for pulmonary edema, which may develop in serious cases of poisoning, even after 12 hours. At first sign of pulmonary edema, the patient should be placed in an oxygen tent and treated symptomatically.

This product is toxic to fish and wildlife. Keep out of lakes, streams, and ponds. Do not contaminate water by cleaning of equipment, or disposal of wastes.

In case of spillage, sweep up and dispose of in a landfill approved for pesticides or bury in a safe place away from water supplies. Wash area with strong lye solution. Do not reuse empty container. Dispose of empty container in an incinerator or landfill approved for pesticide containers, or bury in a safe place.

for use only in the manufacture of economic poisons.

ACTIVE INGREDIENT

2 (1-Methylethoxy)phenyl methylcarbamate

INERT INGREDIENTS

96%
4%
100%

U.S. Patent No. 3,111,503
Canadian Patent No. 775,284
EPA Reg. No. 309-017A

Net Contents 154 Lbs.



Imported by
Chemagro Agricultural Div. on
Mobay Chemical Corporation
Box 4913, Kansas City, Mo. 64120

WARNING—Keep out of reach of children

May be fatal if swallowed, inhaled, or absorbed through the skin. Do not get in eyes, on skin, or on clothing. Wear natural rubber gloves, protective clothing, and goggles. In case of contact, wash immediately with soap and warm water. Wash hands, arms, and face thoroughly with soap and water before eating or smoking. Wash all contaminated clothing with soap and hot water before reuse.

Do not contaminate food or feed.

SYMPTOMS OF POISONING: A sense of tightness in the chest. Sweating. Contracted pupils. Stomach pains. Vomiting and diarrhea.

TREATMENT: In case of poisoning call a physician immediately. Have patient lie down and keep quiet. If swallowed, administer milk or water freely and induce vomiting by giving one dose (½ oz. or 15 ml.) of syrup of ipecac. If vomiting does not occur within 30 minutes, ad-

minister second dose. If available, induce vomiting down throat. Repeat until Professional medical assistance is obtained. If on contaminated clothing and washed with soap and warm water, contaminated, wash with flow 15 minutes.

BEST AVAILABLE

BAYGON is a Reg. TM of the Patent Bayer GmbH, Leverkusen

Printed in U.S.A.