

U.S. LABEL

Reason to Issue: To specify the indoor use areas where application may be made.

Date of Draft: 8/14/90 Pre-Reg (S)

EPA Reg. No. 3125-174

To Be Printed As A Single Panel Label

BAYGON®
TECHNICAL
INSECTICIDE

FOR USE ONLY IN THE MANUFACTURE OF INSECTICIDES

ACTIVE INGREDIENT:

2-(1-Methylethoxy)phenol methylcarbamate 96%

INERT INGREDIENTS: 4%
100%

EPA Reg. No. 3125-174

KEEP OUT OF REACH OF CHILDREN



PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS



Fatal if swallowed. May be fatal if inhaled, or absorbed through the skin. Do not get in eyes, on skin, or on clothing. Wear natural rubber gloves, protective clothing, and goggles. In case of contact, wash immediately with soap and warm water. Wash hands, arms, and face thoroughly with soap and water before eating or smoking. Wash all contaminated clothing with soap and hot water before reuse.

NOT CONTAMINATE FOOD OR FEED

Symptoms of Poisoning: A sense of "tightness" in the chest. Sweating. Contracted pupils. Stomach pains. Vomiting and diarrhea.

STATEMENTS OF PRACTICAL TREATMENT

In case of poisoning call a physician immediately. Have patient lie down and keep quiet. If swallowed, vomiting should be induced. Administer water freely and induce vomiting by giving one dose (1/2 oz. or 15 ml.) of syrup of ipecac. If vomiting does not occur within 5 to 10 minutes, administer second dose. If syrup of ipecac is not available, induce vomiting by sticking finger down throat. Repeat until vomit fluid is clear. Never give anything by mouth to an unconscious person. Professional medical assistance should be secured immediately. If on skin, remove contaminated clothing and wash skin immediately with soap and warm water. If eyes are contaminated, wash with flowing water for at least 15 minutes.



STATEMENTS OF PRACTICAL TREATMENT (Continued)

NOTE TO PHYSICIAN:

ANTIDOTE - Administer atropine sulfate in large therapeutic doses. Repeat as necessary to the point of tolerance.

Compound inhibits cholinesterase resulting in stimulation of the central nervous system, the parasympathetic nervous system, and the somatic motor nerves. Do not give morphine. Watch for pulmonary edema, which may develop in serious cases of poisoning, even after 12 hours. At first sign of pulmonary edema, the patient should be placed in an oxygen tent and treated symptomatically.

ENVIRONMENTAL HAZARDS

This product is toxic to fish and wildlife. Keep out of lakes, streams, and ponds. Do not contaminate water by cleaning of equipment, or disposal of wastes. Do not contaminate water when disposing of equipment washwaters.

STORAGE AND DISPOSAL

Pesticide Disposal: Do not contaminate water, food or feed by storage or disposal.

Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at nearest EPA Regional Office for guidance.

Container Disposal: Do not use container in connection with food, feed, or drinking water. Completely empty container into processing equipment. Then dispose of empty container in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.


Store in a cool, dry place and in such a manner as to prevent cross contamination with other pesticides, fertilizers, food, and feed. Store in original container and out of the reach of children, preferably in a locked storage area.

Handle and open container in a manner as to prevent spillage. If the container is leaking or material spilled for any reason or cause, carefully sweep material into a pile. Refer to Precautionary Statements on label for hazards associated with the handling of this material. Do not walk through spilled material. Dispose of pesticide as directed above. In spill or leak incidents, keep unauthorized people away. You may contact the Mobay Emergency Response Team for decontamination procedures or any other assistance that may be necessary. The Mobay Kansas City Emergency Response Telephone No. is 816-242-2582, or contact Chemtrec at 800-424-9300.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

BAYGON Technical Insecticide is intended for formulation into end use products for:



2 of 3

DIRECTIONS FOR USE (Continued)

Indoor Use: all residential indoor, food, non-food, and institutional use areas.

Outdoor uses restricted to (1) residential applications to surfaces of buildings, and (2) around patios, driveways, sidewalks, and foundations.

Detailed information on chemical and physical properties and other formulating recommendations for BAYGON insecticide are available upon request from Mobay. Obtain and read this manual before undertaking the formulation of BAYGON insecticide in order to avoid formulation hazards and insure a satisfactory finished product.

Labeling for products formulated from this product must conform to that which is currently registered with the U.S. Environmental Protection Agency. For specific information on federally registered uses, contact Mobay. Any variance from the federally registered labeling for products containing BAYGON will have to be supported by data provided by the formulator.

BAYGON is a Reg. TM of Bayer AG, Germany.

NET CONTENTS _____ POUNDS

IMPORTED BY

MOBAY CORPORATION
A Bayer USA INC. COMPANY
AGRICULTURAL CHEMICALS DIVISION
Specialty Products Group
Box 4913, Kansas City, Mo. 64120

