

1M C 1
1735 183
01/20/99

183-9177183-9252-BLBYLD

Base Reg Pre-Reg (91779252)

U.S. LABEL

Reason to Issue: To revise active ingredient Date of Draft: 09/01/98 (H)
concentration and the container disposal statement. Supersedes Pre-Reg Draft Dated: 04/20/98 11/16/98
(H)

Di-Syston Technical

Insecticide

An insecticide for formulating use for use only by approved formulators.

ACTIVE INGREDIENT:

Disulfoton, O,O-Diethyl S-[2-(ethylthio)ethyl]phosphorodithioate	98.5%
INERT INGREDIENTS:	1.5%
	100.0%

Atropine sulfate is antidotal. Consult physician for emergency supply.

EPA Reg. No. 3125-183
EPA Est. 3125-MO-1

Net Contents: ___ Pounds

STOP - Read The Label Before Use
KEEP OUT OF REACH OF CHILDREN



DANGER

POISON

This container is dangerous if evidence of leakage is present.
Read Precautionary and Storage and Disposal Statements
and handle with extreme care, observing all precautions recommended.

ACCEPTED
JAN 20 1999
3125-183

PELIGRO

PRECAUCION AL USUARIO: Si usted no puede leer o entender inglés, no use este producto hasta que la etiqueta le haya sido explicada ampliamente.

(TO THE USER: If you cannot read or understand English, do not use this product until the label has been fully explained to you.)

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: POISONOUS IF SWALLOWED, INHALED, OR ABSORBED THROUGH THE SKIN: RAPIDLY ABSORBED THROUGH THE SKIN, REPEATED EXPOSURE MAY, WITHOUT SYMPTOMS, BE INCREASINGLY HAZARDOUS.

Do not get in eyes or on skin. Wear clean, heavy, natural rubber gloves and clean waterproof, or freshly laundered protective clothing (coveralls, rubber boots; cap, etc.) Wear goggles or face shield. Destroy and replace gloves frequently. Bathe immediately after work and change all clothing. Wash clothing thoroughly with soap and hot water before reuse.

Do not breathe fumes. Wear a mask or respirator effective for protection against DI-SYSTON which is jointly approved by the Mining Enforcement and Safety Administration (formerly the U.S. Bureau of Mines) and by the National Institute for Occupational Safety and Health under the provisions of 30 CFR Part II.

In case of contact, immediately remove contaminated clothing and wash thoroughly with soap and warm water.

SYMPTOMS OF POISONING: A sense of

Di-Syston Technical

DI-SYSTON Technical Insecticide

"tightness" in the chest. Sweating. Contracted pupils. Stomach pains. Vomiting and diarrhea.

HANDLING OF CONTAMINATED ARTICLES: Clothing and rags receiving undiluted DI-SYSTON Technical as a result of leaks, spills, or mishaps should be removed immediately and not reused. These contaminated articles should be disposed of in the same manner as the empty container; see Container Disposal section for directions. (Contaminated articles which should be discarded would include: hats, gloves, aprons,

coats, boots, etc. not made of rubber or coated with rubber or other similar material). Protective clothing and equipment should be washed down with detergent or soap and bleach in water. Wash water from the cleaning of protective clothing, or equipment should not be allowed to runoff or otherwise enter water supplies.

STATEMENTS OF PRACTICAL TREATMENT

In case of poisoning call a physician immediately. Have patient lie down and keep quiet. **If swallowed:** Vomiting should be induced. Administer water freely and induce vomiting by giving one dose (1/2 oz or 15 mL) of syrup of ipecac. If vomiting does not occur within 10 to 20 minutes, administer second dose. If syrup of ipecac is not available, induce vomiting by sticking finger down throat. Repeat until vomit fluid is clear. Never give anything by mouth to an unconscious person. Professional medical assistance should be secured immediately. **If on skin:** Remove contaminated clothing and wash skin immediately with soap and water. Get medical attention immediately. **If in eyes:** Wash with plenty of flowing water. Get medical attention immediately. **If inhaled:** Remove victim to fresh air. Apply artificial respiration if necessary. Get medical attention immediately.

To Physician: ANTIDOTE - Administer atropine sulfate in large therapeutic doses. Repeat as necessary to the point of tolerance. 2-PAM is also antidotal and may be administered in conjunction with atropine.

Compound inhibits cholinesterase resulting in stimulation of the central nervous system, the parasympathetic nervous system, and the somatic motor nerves. Do not give morphine. Watch for pulmonary edema, which may develop in serious cases of poisoning even after 12 hours. At first sign of pulmonary edema, the patient should be placed in an oxygen tent and treated symptomatically.

ENVIRONMENTAL HAZARDS

This product is toxic to fish and wildlife. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting

authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

DIRECTIONS FOR USE

DRUM HANDLING

1. Handle drums carefully so as to avoid damage and prevent leakage.
2. Store drums in a cool, well-ventilated place.
3. Open drums only when set on end and under a ventilated hood. Unscrew bungs slowly to release any internal pressure. Then fit both bungs with valves.
4. To empty drums, connect one valve to an open vent pipe and the other to a closed storage or impregnation system.
5. Drums that have contained DI-SYSTON Technical are either disposable or reusable drums. Refer to STORAGE AND DISPOSAL STATEMENTS on this label.

Brussels sprouts, cabbage, cauliflower, coffee, corn, cotton, lettuce, peanuts, peas, pecans, peppers, potato, sorghum, soybeans, strawberries (propagating plants), tomatoes, and wheat.

Terrestrial, non-domestic, non-food uses on: Non-bearing fruit trees (apple, apricot, cherry, crabapple, peach, pear, plum and prune), raspberry (nursery stock), tobacco, and ornamentals (herbaceous plants, woody shrubs, trees).

Domestic outdoor uses on: Potted plants, ornamentals (herbaceous plants, flowers, woody shrubs, trees).

Domestic indoor use on: Potted plants, ornamentals (specified above).

Greenhouse non-food use on: Ornamentals (specified above).

(2) uses for which USEPA has accepted the required data

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Only for formulation into an insecticide, for (1) the following uses: Terrestrial, non-domestic, food uses on: Barley, beans (dry, snap, lima), bermudagrass [seed crop (24(C))], broccoli,

DI-SYSTON Technical Insecticide

and/or citations of data that the formulator has submitted in support of registration; and (3) uses for experimental purposes that are in compliance with USEPA requirements.

WITH A USE NOT SPECIFICALLY LISTED ON THIS LABEL.

Detailed formulating recommendations for DI-SYSTON Technical Insecticide are contained in a manual available on request from Bayer. Obtain and read this manual before undertaking the formulation of DI-SYSTON Technical to gain knowledge of physical and chemical properties, to avoid formulation hazards, and to assure a satisfactory finished product. This technical is recommended for impregnation of inert granules, dry fertilizer, etc. For specific information on federally registered uses for DI-SYSTON Insecticide, contact Bayer. Any variance from the federally registered labeling for products containing DI-SYSTON will have to be supported by data provided by the formulator.

BAYER CORPORATION DISCLAIMS ALL LIABILITY BASED ON BREACH OF WARRANTY, NEGLIGENCE, STRICT TORT LIABILITY, OR ANY OTHER THEORY OF LIABILITY FOR CROP DAMAGE OR FAILED EFFICACY RESULTING FROM THE USE OF THIS BAYER CORPORATION PRODUCT AS AN INGREDIENT IN ANY FORMULATION

STORAGE AND DISPOSAL

Pesticide Disposal: Do not contaminate water, food or feed by storage or disposal.

Store in a cool, dry place and in such a manner as to prevent cross contamination with other pesticides, fertilizers, food, and feed. Store in original container and out of the reach of children, preferably in a locked storage area.

Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Handle and open container in a manner as to prevent spillage. If container is leaking invert to prevent leakage. If the container is leaking or material spilled for any reason or cause, carefully dam up spilled material to prevent runoff. Refer to Precautionary Statements on label for hazards associated with the handling of this material. Do not walk through spilled material. Absorb spilled material with absorbing type compounds and dispose of as directed for pesticides above. Wash area with strong lye solution. In spill or leak incidents, keep unauthorized people away. You may contact the Bayer Emergency Response Team for decontamination procedures or any other assistance that may be necessary. The Bayer Kansas City Emergency Response Telephone No. is 800-414-0244 or contact Chemtrec at 800-424-9300.

Container Disposal: Drums that have contained DI-SYSTON Technical are either disposable or reusable drums.
Disposable Drums: Drums that have contained DI-SYSTON should NEVER be reused. Empty drums should be decontaminated by washing with hot, 5% caustic soda solution. They should then be perforated to prevent further use and disposed of in a sanitary landfill, or by other procedures approved by state and local authorities.
Reusable Drums: Do not rinse drums. Do not break seals. Replace the dust cover cap and return drums intact to point of purchase.