

3/25-184

3/20/1973

Page 1 of 2

U.S. LABEL

Reason to Issue: To add new use on grasses, and certain new insects to alfalfa and clover; increase number of applications on alfalfa, clover, and corn; delete PHI on alfalfa, clover, corn and cereal forage; and note alfalfa and clover to include mixed stands with grasses.
6/29/72 draft: to recommend minimum of 1 pound active for armyworms in alfalfa and clover, and for armyworms, fall armyworms, and plant bugs in grasses.

Date of Draft: 6/29/72 (Pre-Reg.) (S)

Supersedes Pre-Reg. Draft: 7/25/71.

EPA Reg. No. 3125-184


®DYLOX

80% SOLUBLE POWDER

CROP INSECTICIDE


AMENDMENT

To Previously Registered Label

ADD THE FOLLOWING:

RECOMMENDED APPLICATIONS

CROP	INSECT	Ounces DYLOX 80% SP	REMARKS
FIELD CROPS			
Alfalfa Clover (including <u>mixed stands with grasses</u>)	Alfalfa caterpillar	7-1/2 to 10	Apply specified dosage per acre using sufficient water for complete cover- age but not less than 1 gallon per acre. <u>Three applications may be made per cutting with the last appli- cation up to the day of cutting.</u>
	Alfalfa webworm	5 to 20	
	Western yellow- striped armyworm	10	
	Beet armyworm	10 to 20	
	Leafhoppers		
	Variegated cutworm		
	Armyworm	20	
Alfalfa Plant bug			
Lygus bugs			
Stink bugs			
	Tarnished plant bug		



292

RECOMMENDED APPLICATIONS
(Continued)

CROP	INSECT	Ounces DYLOX 80% SP	REMARKS
FIELD CROPS (Cont'd)			
Corn	Armyworms Cutworms	10 to 20	Apply specified dosage per acre in sufficient water for complete coverage but not less than 1 gallon per acre. Three applications may be made per season. For early application, when plants are 3 to 12 inches high, direct the spray to the lower portions of plants and to the soil around the base of the plants. Later applications may be made as full coverage spray up to day of harvest.
Barley Flax Oats Wheat	Armyworms Beet webworm Variegated cutworm Bertha armyworm Diamondback moth	10 to 20 20	Apply specified dosage per acre using sufficient water for complete coverage but not less than 1 gallon per acre. Three applications may be made per season but not within 21 days of harvest. NOTE: Applications may be made without removal of grazing livestock.
Grasses (Including Rangeland & Pastures)	Range Caterpillar Leafhoppers Armyworm Fall Armyworm Plant bugs	10 to 20 20	Apply specified dosage per acre using sufficient water for complete coverage but not less than 1 gallon per acre. Three applications may be made per cutting with the last application up to the day of cutting. Do not apply more than 3 times per season if crop is not cut for hay. NOTE: Applications may be made without removal of grazing livestock.

ALL LABEL TEXT ABOVE, EXCEPT THAT WHICH IS UNDERLINED, HAS HAD PREVIOUS REGISTRATION ACCEPTANCE.

292

84-843