U.S. LABEL

Reason to Issue: To expand definition of the crop "beans" and change "dry" to "succulent". Date of Draft: 12/7/82 (Pre-Reg) (B)

EPA Reg. No. 3125-184-AA

 $\mathfrak{B}_{\mathtt{DYLOX}}$

80% Soluble Powder

Crop Insecticide

ACCEPTED

GOVERNMENTS

FOR PAR Letter 10 of de

3125-184

ACTIVE INGREDIENT:
Dimethyl (2,2,2-trichloro-1
-hydroxyethyl) phosphonate ... 80%

Amendment to Previously Registered Labeling

RECOMMENDED APPLICATIONS

		Ounces	
CROP	INSECT	DYLOX 80% SP	REMARKS
VEGETABLES Beans (Dry & Succulent)*	Westerm beam cutworm Armyworms Dipterous leaf miners Lygus bugs Mexican bean beetle Stink bugs Variegated cutworm	10 to 20 20 to 30	Apply specified dosage per acre using sufficient water for complete coverage but not less than I gallon per acre. Repeat as necessary. Do not apply within 14 days of harvest. *Identified as Cicer sp. (including chickpeas and garbanzo beans); Glycine sp. (including soybeans); Phaseolus sp. (including soybeans); Phaseolus sp. (including kidney beans, lima beans, mung beans, navy beans, pinto beans, snap beans, and wax beans); Vicia sp. (including broad beans, fava beans); Vigna sp. (including asparagus, beans,
			blackeyed peas and cowpeas).

71.5-134. 3125 184 143.

JAN 3, 1983.
300 8199

Mobay Chemical Corp. Agricultural Chemicals Division P.O. Box 4913 Kansas City, MO 64120

Gentlemen:

Subject: Dylox 80% Soluble Powder EPA Registration No. 3125-184 Your Application of December 7, 1982

The amendment referred to above, submitted in connection with registration under FIFRA sec. 3(c)(7)(A), is acceptable, provided that you:

Submit five (5) copies of your final printed labeling before you release the product for shipment.

If this condition is not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product bearing the amended labeling constitutes acceptance of this condition.

A stamped copy of the label is enclosed for your records.

Sincerely yours,

William H. Miller Product Manager (16) Insecticide-Rodenticide Branch

Registration Division (TS-767)

Enclosure

753

U.S. LABEL

Reason to Issue: To expand definition of the crop "beans" and change "dry" to "succulent".

EPA Reg. No. 3125-184-AA

BDYLOX

80% Soluble Powder

Crop Insecticide

with COMMENTS in EPA Letter Dated:

Function 1933

Functi

ACTIVE INGREDIENT:
Dimethyl (2,2,2-trichloro-1-hydroxyethyl) phosphonate ... 80%

Date of Draft: 12/7/82 (Pre-Reg) (B)

Amendment to Previously Registered Labeling

RECOMMENDED APPLICATIONS

CROP	INSECT	Ounces DYLOX 80% SP	REMARKS
VEGETABLES Beans (Dry & Succulent)*	Westerm beam cutworm Armyworms Dipterous leaf miners Lygus bugs Mexican bean beetle Stink bugs Variegated cutworm	10 to 20 20 to 30	Apply specified dosage per acre using sufficient water for complete coverage but not less than I gallon per acre. Repeat as necessary. Do not apply within 14 days of harvest. *Identified as Cicer sp. (including chickpeas and garbanzo beans); Glycine sp. (including soybeans); Phaseolus sp. (including soybeans); Phaseolus sp. (including kidney beans, lima beans mung beans, navy beans, pinto beans, snap beans, and wax beans); Vicia sp. (including broad beans, fava beans); Vigna sp. (including asparagus, beans, blackeyed peas and cowpeas).

Reason to Issue: To propose statements concerning damage to painted metal finishes and tree injury.

EPA Reg. No. 3125-184-AA

Date of Draft: 6/29/82 (Pre-Reg) (T)

R

80% Soluble Powder

ACTIVE INGREDIENT:
Dimethyl (2,2,2-trichloro-1
-hydroxyethyl) phosphonate.... 80%

AMENDMENT
To Previously Registered Labeling

Revise As Follows:

SPRAYING: Complete coverage and thorough application are essential for most effective results. Schedule applications in accordance with local conditions. Consult your State-Agricultural Extension Service or Experiment Station for specific timing of applications in your area.

NOTE: Spray droplets from applications of DYLOX 80% Soluble Powder may cause spotting of paint finishes on aluminum and steel siding, automobiles, trucks and tractors. Do not allow spray droplets to contact metal painted surfaces. If accidental exposure does occur, the painted surface should be thoroughly washed immediately after exposure.

RECOMMENDED APPLICATIONS

CROP	INSECT	Ounces DYLOX 80% SP	REMARKS
ORNAMENTALS Flowers, Shrubs, & Trees	Nantucket pine tip moth Zimmerman pine moth Armyworms Bagworms Climbing cutworms Dipterous leaf miners Lygus bugs Stink tugs Tarnished plant bud Tobacco budworm Webworms	20 20 to 30	Mix specified dosage in 100 gallons of water and spray plants until they are thoroughly wet. Repeat as necessary. CAUTION: Phytotoxicity has occurred on certain varieties of carnations and zinnias. When large plantings of these flowers are to be sprayed for the first time, treat only a few plant and observe for 4 to 5 days before spraying the entire planting. Injury from spray droplets may occur on leaves of certain trees.

ALL COPY EXCEPT THAT WHICH IS UNDERSCORED HAS BEEN PREVIOUSLY REGISTERED.

Page 1 of 1



AUG 1 8 1982