

PM 16

3125-184

300	220744
405	215097
300	220737
300	210024
310	204106
656	207558
300	201913

1 of 5

JUL 28 1988

Mobay Chemical Corporation
 Agricultural Chemicals Division
 P.O. Box 4913
 Kansas City, MO 64120-0013

Gentlemen:

Subject: Dylox 80% Soluble Powder
 EPA Registration No. 3125-184
 Your Letters Dated July 28, August 24, and November 6, 1987
 and January 12 and 15, and February 25, 1988

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), is acceptable subject to the comments listed below.

- The following text for Birdsfoot trefoil may be added to your label:

Crop	Insect	Ounces DYLOX 80% SP	Remarks
Seed Field Crops			
Birdsfoot trefoil	Armyworms Lygus bugs Stink bugs Variegated cutworm	20 to 30	Apply specified dosage per acre using sufficient water for complete coverage but not less than 1 gallon per acre. Repeat as necessary up to 7 days before harvest. Chaff and hay may be used for feed or forage; however, <u>do not</u> cut green crop for these purposes. <u>Note:</u> Due to lygus bug resistance in certain areas, DYLOX used alone may not provide satisfactory control. Consult your local agricultural advisor or Extension Service for recommendations.

53208:I:Peacock:CBI-08:KENCO:7/12/88:8/22/88:CS:VO:EK

CONCURRENCES

SYMBOL							
SURNAME							
DATE							

2 of 5

2. Your revised Precautionary Statements (Copy A) are acceptable.

Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Sincerely yours,



John T. Tice
Acting Product Manager (16)
Insecticide-Rodenticide Branch
Registration Division (TS-757C)

Enclosures

APPLICATION INFORMATION

<u>Number</u>	<u>Date</u>	<u>Subject</u>	<u>Record No.</u>
12	07/28/87	Deletion of uses	207558
25	07/28/87	Deletion of uses	201913
36	08/24/87	Add Birdsfoot trefoil	204106
26	11/06/87	87-1	210024
	01/12/88	87-1, 87-5	220737
31	01/05/88	84-4	215097
35	02/25/88	Precautionary labeling	220741

184-6374.YLD

Base Pre-Reg (6374)

U.S. LABEL

Reason to Issue: To change Toxicity
Category from WARNING to DANGER.

Date of Draft: 2/25/88 (Pre-Reg) (B)

EPA Reg. No. 3125-184

DYLOX[®]

80% SOLUBLE POWDER

CROP INSECTICIDE

Not for Sale or Use in the State of Maine

ACCEPTED
with COMMENTS
in EPA Label Draft

JUL 25 1988

Under the
Fungicide,
as amended,
registered in
3125-184

ACTIVE INGREDIENT

Dimethyl (2,2,2-trichloro-1
-hydroxyethyl) phosphonate 80%

INERT INGREDIENTS 20%
100%

AMENDMENT TO

Previously Registered Labeling

Revise as Follows:

COPY A

KEEP OUT OF REACH OF CHILDREN

DANGER

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Corrosive. Causes irreversible eye damage. May be fatal if swallowed. Harmful if inhaled or absorbed through skin. Prolonged or frequently repeated skin contact may cause allergic reactions in some people.

Do not get in eyes or on clothing. Avoid breathing dust and avoid contact with skin. Wear goggles, face shield, or safety glasses. Wash thoroughly with soap and water after handling, and before eating, drinking, or using tobacco. Remove contaminated clothing and wash before reuse.

BEST AVAILABLE COPY

5 of 5

STATEMENTS OF PRACTICAL TREATMENT

If in eyes: Hold eyelids open and flush with plenty of water for 15 minutes. Seek medical attention immediately. If on skin: Remove contaminated clothing. Wash affected areas with plenty of soap and water. Get medical attention if irritation develops and persists. If signs of intoxication (poisoning) occur, get medical attention immediately. If inhaled: First, remove victim to fresh air or uncontaminated area. If not breathing, give artificial respiration, preferably mouth-to-mouth. Get medical attention as soon as possible. If swallowed: Call a physician or Poison Control Center. If medical assistance cannot be given immediately, induce vomiting and get to a hospital. To induce vomiting, administer 1 or 2 glasses of water and stick finger down throat. Repeat until vomitus is clear. Or, if available, administer syrup of ipecac (1/2 oz. or 15 ml). If vomiting does not occur within 5 to 10 minutes, administer a second dose of ipecac. Do not attempt to give anything by mouth or induce vomiting in an unconscious or convulsing person.

NOTE TO PHYSICIAN:

ANTIDOTE - Administer atropine sulfate in large therapeutic doses. Repeat as necessary to the point of tolerance. 2-PAM is also antidotal and may be administered in conjunction with atropine.

Compound inhibits cholinesterase resulting in stimulation of the central nervous system, autonomic nervous system, and skeletal muscle. Do not give morphine. Watch for pulmonary edema which may develop in serious cases of poisoning even after 24 to 48 hours. At first sign of pulmonary edema, the patient should be placed in an oxygen tent and treated symptomatically.

In case of poisoning, it is also requested that Mobay Corporation, Agricultural Chemicals Division, Kansas City, Missouri, be notified. Telephone 816-242-2000 or 816-242-2582 (week-ends).