

Do not inhale
vapors or dust.

Do not use in confined spaces.
Keep away from fire and heat.
Keep away from children.


To Be Printed As A Single Panel Label

Ⓢ OTHER

90 CONCENTRATE

FOR USE ONLY IN THE MANUFACTURE OF ECONOMIC PESTICIDES

This drum is dangerous if evidence of leakage is present. Read warning instructions and handle with extreme care, observing all precautions recommended.



DANGER

KEEP OUT OF REACH OF CHILDREN

USDA Reg. No. 3425-1

CONTAINS IN VARIOUS
SIZES AND QUANTITIES.
STANDARD 100% STRENGTH
dithiobate
INERT INGREDIENTS
A. S. PATENT NO. 2,722,125
Canadian Patent No. 522,800

NET CONTENTS

POUNDS

100

STOP - READ THE LABEL BEFORE USE

MANUFACTURED BY

CHEMURCO CORPORATION

KANSAS CITY, MO.

Note. Underlined letters in chemical name indicate amount to be used. All other letters are not underlined.

GUTHION 90 Concentrate

DRUM HANDLING

1. Handle drums of GUTHION carefully so as to avoid damage and prevent leakage.
2. Store drums of GUTHION in a cool, well-ventilated place.
3. Open slowly to release any internal pressure.
4. Drums that have contained GUTHION should NEVER be reused. Empty drums should be decontaminated by washing with hot, 5% caustic soda solution. They should then be perforated to prevent further use and be discarded in a safe place.

WARNING

POISONOUS BY SKIN CONTACT OR IF INHALED OR SWALLOWED.

Do not breathe fumes. Wear a mask or respirator effective for protection against GUTHION. Information as to suitable types of masks or respirators is available from the U.S. Department of Agriculture.

Do not get in eyes or on skin. Wear clean, heavy, natural rubber gloves and clean, waterproof, or freshly laundered protective clothing (coveralls, rubber boots, cap, etc.). Destroy and replace gloves frequently. Bathe immediately after work and change all clothing. Wash clothing thoroughly with soap and hot water before reuse.

In case of contact, immediately remove contaminated clothing and wash thoroughly with soap and warm water. For eyes, flush with water for 15 minutes.

In case of spillage, cover with an absorbent such as soda ash, clay, or sawdust. Sweep up and bury. Wash area thoroughly with strong lye solution.

This product is toxic to fish and wildlife. Keep out of any body of water.

SYMPTOMS OF POISONING: A sense of "tightness" in the chest. Sweating. Constricted pupils. Stomach pains. Vomiting and diarrhea.

TREATMENT: In case of poisoning call a physician immediately. Have patient lie at rest. Keep quiet. If swallowed, induce vomiting by giving a tablespoonful of salt in a glass of warm water. Administer milk or water freely and again induce vomiting until vomit fluid is clear. If on skin, remove contaminated clothing and wash skin immediately with soap and warm water. If eyes are contaminated, wash with flowing water for at least 15 minutes.

~~POISON~~

TO PHYSICIAN:

ANTIDOTE - Administer atropine sulfate in large therapeutic doses. Repeat as necessary to the point of tolerance. 2-PAM is also antidotal and may be used in conjunction with atropine.

TO PHYSICIAN (Continued)

Compound inhibits cholinesterase resulting in stimulation of the central nervous system, the parasympathetic nervous system, and the somatic motor nerves. Do not give morphine. Watch for pulmonary edema, which may develop in serious cases of poisoning even after 12 hours. At first sign of pulmonary edema, the patient should be placed in an oxygen tent and treated symptomatically.

NOTICE

Chemagro Corporation and the seller make no warranty of any kind, express or implied, on the use of this material and assume no responsibility whatsoever for any personal injury, property damage, or other type of loss resulting from the use or handling of this material. The user assumes all risks for use and handling whether in accordance with directions or not.

GUTHION is Reg. TM in U.S. and Canadian Pat. Offs. by Farbenfabriken Bayer A.G., Chemagro Corporation licensee.

5-11-67
3125 190