

Aug-21-1969

3125-192



POISON

ANTIDOTE: If swallowed, give a tablespoonful of salt in a glass of warm water and repeat until the vomit fluid is clear. Have patient lie down and keep quiet. Call a physician immediately. Although atropine may be less effective as an antidote with this than with some other organic phosphorus compounds, it should be used in large therapeutic doses in cases of acute poisoning. Repeat as necessary to the point of tolerance.

TO PHYSICIAN: Compound inhibits cholinesterase resulting in stimulation of the central nervous system, the parasympathetic nervous system, and the somatic motor nerves. Do not give morphine. If the compound is retained, a gastrointestinal lavage may be indicated. Watch for pulmonary edema, which may develop in serious cases of poisoning even after 12 hours. At first sign of pulmonary edema, the patient should be placed in an oxygen tent and treated symptomatically.

FISH AND WILDLIFE CAUTION

This product is toxic to fish and wildlife. Keep out of any body of water.

CONTAINER DISPOSAL

Do not re-use the container. Completely empty the contents and bury the unused chemical at least 18 inches deep in an isolated location away from water supplies. Punch holes in can, crush, and bury deeply in an isolated location. Do not use container in any connection with feed, food, or drinking water.

NOTICE

Seller's guarantee shall be limited to the terms of the label and, subject thereto, the buyer assumes any risk to persons or property rising out of the use or handling and accepts the product on these conditions.

GOPHACIDE is Reg. TM in U. S. Pat. Offs. by Farbenfabriken Bayer A G., Chemagro Corporation licensee. 909128 764250



GOPHACIDE
TECHNICAL

FOR USE ONLY IN THE MANUFACTURE OF ECONOMIC POISONS

NET CONTENTS
1 POUND 2 OUNCES
(18 ozs.)



DANGER
KEEP OUT OF REACH
OF CHILDREN

ACTIVE INGREDIENT:
O,O bis(p-chlorophenyl) acetimidoylphosphoramidothioate ... 95%
INERT INGREDIENTS: ... 5%
100%

USDA Reg. No. 3125-192

CHEMAGRO CORPORATION
KANSAS CITY MISSOURI

Det
on
esse
GO
haz

MA
GE

Do
pha
clot
wit
clot

GO
for
witi

In
Wa

Do
acc

SY
pu

TRE
kee
wa
is

744-31-1969

3125-197



GOPHACIDE

TECHNICAL

FOR USE ONLY IN THE MANUFACTURE OF ECONOMIC POISONS

NET CONTENTS
1 POUND 2 OUNCES
(18 ozs.)



DANGER
KEEP OUT OF REACH
OF CHILDREN

ACTIVE INGREDIENT:
O,O bis,p-chlorophenyl acetimidoylphosphoramidothioate ... 95%
INERT INGREDIENTS: 5%
100%

USDA Reg. No. 3125-192

 **CHEMAGRO CORPORATION**
KANSAS CITY MISSOURI

FORMULATING

Detailed formulating recommendations for GOPHACIDE are contained in a manual available on request from Chemagro Corporation. Due to the toxicity of this technical material it is essential that you obtain and read this manual before undertaking the formulation of GOPHACIDE to gain knowledge of the physical and chemical properties, to avoid formulation hazards, and to assure a satisfactory finished product.

DANGER

MAY BE FATAL IF SWALLOWED, INHALED, OR ABSORBED THROUGH THE SKIN. DO NOT GET ON SKIN OR IN EYES.

Do not breathe dust. Wear a mask or respirator effective for protection against organic phosphorus compounds. Wear clean, heavy, natural rubber gloves and clean protective clothing. Bathe immediately after work and change all clothing. Wash clothing thoroughly with soap and hot water before reuse. In case of contact, immediately remove contaminated clothing and wash thoroughly with soap and water.

GOPHACIDE has a highly cumulative toxic effect and the toxic symptoms may be delayed for a considerable time after exposure. Therefore, it is **VERY IMPORTANT** that contamination with this compound be avoided.

In case of spillage, cover with an alkali compound such as soda ash. Sweep up and bury. Wash area thoroughly with strong lye solution.

Do not store or use in an area where there is possibility of children or animals gaining access to the material.

SYMPTOMS OF POISONING: A sense of "tightness" in the chest. Sweating. Contracted pupils. Vomiting and diarrhea.

TREATMENT: In case of poisoning call a physician immediately. Have patient lie down and keep quiet. If swallowed, induce vomiting by giving a tablespoonful of salt in a glass of warm water. Administer milk or water freely and again induce vomiting until vomit fluid is clear. If eyes are contaminated wash with flowing water for at least 15 minutes.