

LD

U.S. LABEL

Reason to Issue: To propose use for  
grape bud beetle control.

Date of Draft: 8/30/82 (Pre-Reg) (T)

EPA Reg. No. 3125-193-AA

® GUTHION

50% Wettable Powder

ACTIVE INGREDIENT:

O,O-Dimethyl S-[(4-oxo-1,2,3-benzo-  
triazin-3(4H)-yl)methyl]phosphoro-  
dithioate ..... 50%

AMENDMENT

To Previously Registered Labeling

REVISE AS FOLLOWS:

RECOMMENDED APPLICATIONS

CROP	INSECT	Pounds GUTHION 50%	REMARKS
Grapes	Grape berry moth Grape bud beetle Grape cane girdlers Grape mealybug Leafhoppers Mites Red-banded leaf roller Thrips	1/2 to 1	Apply specified dosage in 100 gallons of water as a full coverage spray* using not more than 300 gallons of finished spray per acre. Repeat as necessary but not more than 3 times per season. Minimum dosage specified may be applied up to harvest. Higher rates up to 3/4 pound require a 10-day interval to harvest and above 3/4 pound a 28-day interval to harvest.

\*This concentration is calculated for conventional hydraulic-type sprayers. When lower volumes of spray are applied per acre with concentrate sprayers, increase the concentration of GUTHION 50% W.P. in the spray mixture in order to apply amount of GUTHION 50% W.P. per acre equivalent to a full coverage spray.

Labeling except that underlined has been previously registered.

3125-193-AA