

Technical

FOR USE ONLY IN THE MANUFACTURE OF ECONOMIC POISONS

NET WEIGHT 312 POUNDS WARNING

KEEP OUT OF REACH OF CHILDREN

ACTIVE INGREDIENT:

O.O-Dimethyl O-[4-methylthio, mitaly phosphorothioate:

93°.

INERT INGREDIENTS:

730

U.S. Patent No. 3,042,703 Canadian Patent No. 631,472

USDA Reg No 3125 197

May be fatal if swallowed, inhaled, or absorbed through the skin. Do not get in eyes, on skin, or on clothing. Wear natural rubber gloves, protective clothing, and goggles. In case of contact, wash immediately with soap and warm water. Wash hands, arms, and face thoroughly with soap and water before eating or smoking. Wash all contaminated clothing with soap and hot water before reuse.

If poisoning occurs obtain prompt medical aid. In case of spillage cover with an absorbent such as soda ash, clay or sawdust. Sweep up and bury. Wash area with strong lye solution. Do not re-use container for any purpose. Destroy empty container.

SYMPTOMS OF POISONING: A sense of 'tightness' in the chest, Sweating. Contracted pupils. Stomach pains. Vomiting and diarrhea.

TO PHYSICIAN:

ANTIDOTE Administer atropine sulfate in large therapeutic doses. Repeat as necessary to the point of tolerance. 2-PAM is also antidatal and may be administered in conjunction with atropine.

Compound inhibits cholinesterase resulting in stimulation of the central nervous system, the parasympathetic nervous system, and the somatic motor nerves. Do not give morphine. Watch for pulmonary edema, which may develop in serious cases of poisoning, even after 12 hours. At first tign of pulmonary edema, the patient should be placed in an oxygen tent and treated symptomatically.

NOTICE

Seller's guarantee shall be limited to the terms of the label and, subject thereto, the buyer assumes any risks to persons or property rising out of the use or handling and accepts the product on these conditions.

BAYTEX is Reg. TM in U.S. and Canadian Pat. Offs by Farbenfabriken Bayer A.G. Chemagro Corporation Licensee. 862210

MANUFACTURED BY

