

T-319
Ref 6

Base Pre-Reg. (601)

U.S. LABEL

Reason to Issue: To initiate label.

Date of Draft: 9/26,67 (Pre-Reg.)

To Be Printed As A Single Panel Label

Ethyl [®]GUTHION

TECHNICAL

FOR USE ONLY IN THE MANUFACTURE OF ECONOMIC POISONS

This drum is dangerous if evidence of leakage is present. Read warning instructions and handle with extreme care, observing all precautions recommended.



KEEP OUT OF REACH OF CHILDREN

GUARANTEE

ACTIVE INGREDIENT:
O,O-Diethyl S-[4-oxo-1,2,3
-benzotriazin-3(4H)-ylmethyl]
phosphorodithioate + 85%

INERT INGREDIENTS: 15%
100%

U.S. Patent No. 2,758,115
Canadian Patent No. 552,660

USDA Reg. No. 3125-__

NET CONTENTS POUNDS

STOP - READ THE LABEL BEFORE USE

MANUFACTURED BY
CHEMAGRO CORPORATION
KANSAS CITY, MO.

Note: Underlined letters in chemical nomenclature should be italicized when printed, not underlined.

Ethyl GUTHION Technical

DRUM HANDLING

1. Handle drums of Ethyl GUTHION carefully so as to avoid damage and prevent leakage
2. Store drums of Ethyl GUTHION in a cool, well-ventilated place
3. Open drums of Ethyl GUTHION only when set on end and under a ventilated hood. Open slowly to release any internal pressure
4. Drums that have contained Ethyl GUTHION should NEVER be reused. Empty drums should be decontaminated by washing with hot, 5% caustic soda solution. They should then be perforated to prevent further use and be discarded in a safe place.

WARNING

POISONOUS BY SKIN CONTACT OR IF INHALED OR SWALLOWED.

Do not breathe fumes. Wear a mask or respirator effective for protection against Ethyl GUTHION. Information as to suitable types of masks or respirators is available from the U.S. Department of Agriculture.

Do not get in eyes or on skin. Wear clean, heavy, natural rubber gloves and clean, waterproof, or freshly laundered protective clothing (coveralls, rubber boots, cap, etc.). Destroy and replace gloves frequently. Bathe immediately after work and change all clothing. Wash clothing thoroughly with soap and hot water before reuse.


In case of contact, immediately remove contaminated clothing and wash thoroughly with soap and warm water. For eyes, flush with water for 15 minutes.

In case of spillage, cover with an absorbent such as soda ash, clay, or sawdust. Sweep up and bury. Wash area thoroughly with strong lye solution.

This product is toxic to fish and wildlife. Keep out of any body of water.

SYMPTOMS OF POISONING. A sense of "tightness" in the chest. Sweating. Contracted pupils. Stomach pains. Vomiting and diarrhea.

TREATMENT: In case of poisoning call a physician immediately. Have patient lie down and keep quiet. If swallowed, induce vomiting by giving a tablespoonful of salt in a glass of warm water. Administer milk or water freely and again induce vomiting until vomit fluid is clear. If on skin, remove contaminated clothing and wash skin immediately with soap and warm water. If eyes are contaminated, wash with flowing water for at least 15 minutes.



TO PHYSICIAN:

ANTIDOTE - Administer atropine sulfate in large therapeutic doses. Repeat as necessary to the point of tolerance. 2-1AM is also antidotal and may be used in conjunction with atropine.

Ethyl GUTHION Technical

TO PHYSICIAN (Continued)

Compound inhibits cholinesterase resulting in stimulation of the central nervous system, the parasympathetic nervous system, and the somatic motor nerves. Do not give morphine. Watch for pulmonary edema, which may develop in serious cases of poisoning, even after 12 hours. At first sign of pulmonary edema, the patient should be placed in an oxygen tent and treated symptomatically.

NOTICE

Seller's guarantee shall be limited to the terms of the label and, subject thereto, the buyer assumes any risks to persons or property rising out of the use or handling and accepts the product on these conditions

GUTHION is Reg. TM in U.S. and Canadian Pat. Offs. by Farbenfabriken Bayer A.G.

