

T-322
Ref. 1


Base Pre-Reg. (609)

U.S. LABEL

Reason to Issue: To initiate label.

Date of Draft: 9/29/67 (Pre-Reg.)

To Be Printed As A Single Panel Label



3125-206

®

MATACIL

TECHNICAL

FOR USE ONLY IN THE MANUFACTURE OF ECONOMIC POISONS

This drum is dangerous if evidence of leakage is present. Read warning instructions and handle with extreme care, observing all precautions recommended.

ACTIVE INGREDIENT:

4-Dimethylamino-m-tolyl
methylcarbamate / 96%

INERT INGREDIENTS: 4%
100%

U.S. Patent No. 3,134,806

USDA Reg. No. 3125-__

 P O I S O N  (in red)
D A N G E R

KEEP OUT OF REACH OF CHILDREN

NET CONTENTS

POUNDS

CONTAINER DISPOSAL

DO NOT REUSE THE CONTAINER - Completely empty the contents and bury the unused chemical at least 18 inches deep in an isolated location away from water supplies.

Burn the empty container completely. Exercise extreme caution and stay well away from the smoke.

Do not use container in any connection with feed, food, or drinking water.

WARNING

POISONOUS BY SKIN CONTACT OR IF INHALED OR SWALLOWED.

Do not breathe fumes. Wear a mask or respirator effective for protection against MATACIL. Information as to suitable types of masks or respirators is available from the U.S. Department of Agriculture.

Do not get in eyes or on skin. Wear clean, heavy, natural rubber gloves and clean, waterproof, or freshly laundered protective clothing (coveralls, rubber boots, cap, etc.). Destroy and replace gloves frequently. Bathe immediately after work and change all clothing. Wash clothing thoroughly with soap and hot water before reuse.

MATACIL Technical

WARNING (Continued)


In case of contact, immediately remove contaminated clothing and wash thoroughly with soap and warm water. For eyes, flush with water for 15 minutes.

In case of spillage, cover with an absorbent such as soda ash, clay, or sawdust. Sweep up and bury. Wash area thoroughly with strong lye solution.

This product is toxic to fish and wildlife. Keep out of any body of water.

SYMPTOMS OF POISONING: A sense of "tightness" in the chest. Sweating. Contracted pupils. Stomach pains. Vomiting and diarrhea.

TREATMENT: In case of poisoning call a physician immediately. Have patient lie down and keep quiet. If swallowed, induce vomiting by giving a tablespoonful of salt in a glass of warm water. Administer milk or water freely and again induce vomiting until vomit fluid is clear. If on skin, remove contaminated clothing and wash skin immediately with soap and warm water. If eyes are contaminated, wash with flowing water for at least 15 minutes.



TO PHYSICIAN: ANTIDOTE - Administer atropine sulfate in large therapeutic doses. Repeat as necessary to the point of tolerance.

Compound inhibits cholinesterase resulting in stimulation of the central nervous system, the parasympathetic nervous system, and the somatic motor nerves. Do not give morphine. Watch for pulmonary edema, which may develop in serious cases of poisoning even after 12 hours. At first sign of pulmonary edema, the patient should be placed in an oxygen tent and treated symptomatically.

NOTICE

Seller's guarantee shall be limited to the terms of the label and, subject thereto, the buyer assumes any risks to persons or property rising out of the use or handling and accepts the product on these conditions.


MATACIL is Reg. TM in U.S. Pat. Off. by Farbenfabriken Bayer A.G., Chemagro Corporation licensee. Trademark in Canada.

STOP - READ THE LABEL BEFORE USE

IMPORTED BY

CHEMAGRO CORPORATION

KANSAS CITY, MO.



Note: Underlined letters in chemical nomenclature should be italicized when printed, not underlined.