

• • •

; ; ·

BAYLUSCIDE - TFM WP

DIRECTIONS FOR USE

INPORTANT: Read these entire Directions and Conditions of Sale before using BAYLUSCIDE - TFM Wettable Powder.

CONDITIONS OF SALE: THE DIRECTIONS ON THIS LABEL WERE DETERMINED THROUGH RESEARCH TO BE THE DIRECTIONS FOR CORRECT USE OF THIS PRODUCT. THIS PRODUCT HAS BEEN TESTED FOR A RANGE OF WEATHER CONDITIONS SIMILAR TO THOSE WEATHER CONDITIONS THAT ARE ORDINARY AND CUSTOMARY IN THE GEOGRAPHIC AREA WHERE THE PRODUCT IS USED. IN-SUFFICIENT CONTROL OF PESTS MAY RESULT FROM THE OCCURRENCE OF EXTRAORDINARY OR UNUSUAL WEATHER, OR FROM FAILURE TO FOLLOW LABEL DIRECTIONS. IN ADDITION, FAILURE TO FOLLOW LABEL DIRECTIONS MAY CAUSE INJURY TO THE CROP TO WHICH THE PRODUCT IS APPLIED, OTHER CROPS, ANIMALS, MAN, OR THE ENVIRONMENT. MOBAY AND THE SELLER OFFER, AND THE BUYER ACCEPTS AND USES, THIS PRODUCT SUBJECT TO THE CONDITIONS THAT EXTRAORDINARY OR UNUSUAL WEATHER OR FAILURE TO FOLLOW LABEL DIRECTIONS ARE BEYOND THE CONTROL OF MOBAY AND ARE, THEREFORE, THE RESPONSIBILITY OF THE BUYER.

BAYLUSCIDE - TFM Wettable Powder has proved to be an excellent treatment for control of sea lamprey eel laivae (Petromyzon marinus) in tributaries flowing into the Great Lakes. Each stream selected for treatment must first be bioassayed to determine both the minimum concentration of BAYLUSCIDE-TFM required to kill lamprey larvae and the maximum concentration that can be applied without causing fish mortality. Lethal concentrations will vary, depending upon water hardness and temperature. Carefully calculate stream flow-rate and add the concentration of BAYLUSCIDE-TFM necessary to kill lamprey larvae, providing such concentration falls below that which can be applied without killing fish. Applications of BAYLUSCIDE will kill fresh water clams and mussels. Consult your State Fish and Game Agency before applying this product. Use only as directed on this label.

<u>DO NOT RE-USE CONTAINER</u> - Destroy container by burying with waste or by burning. Stay away from smoke or fumes.

DANGER

For use by trained operators only. May be fatal if swallowed or absorbed through skin. Avoid contact with skin and eyes. May produce severe burns; care must be exercised in handling the concentrated forms of the larvicide. Protective clothing, rubber gloves, and face masks are necessary for the minimum protection of handlers. Wesh thoroughly after handling.

NO KNOWN EFFECTIVE ANTIDOTE:

Π

...

In case of poisoning, call a physician immediately. Have patient lie down and keep quiet. If swallowed, vomiting should be induced. Administer milk or water freely and induce womiting by giving one dose (1/2 oz. or 15 ml.) of syrup of ipecac. If vomiting .does not eccur within 10 to 20 minutes, administer second dose. If syrup of ipecac is .pot available, induce vomiting by sticking finger down throat. Repeat until vomit fluid .is clear. Never give anything by mouth to an unconscious person. Professional medical .essistance should be secured immediately.

••• SAFLUSCIDE is a Reg. TM of the Parent Company of farbenfabriken Bayer GmbH, Leverkusen.

Page 2 of 2

18