

RESTRICTED USE PESTICIDE

For retail sale to and use only by Certified Applicators or persons under their direct supervision and only for those uses covered by the Certified Applicator's certification.

Systemox 6

909121

81111

Emulsifiable Systemic Insecticide for effective systemic crop protection.

AVISO.

AL USUARIO: Si usted no puede leer o entender Inglés, no use este producto hasta que la etiqueta le haya sido explicada ampliamente.

(TO THE USER: If you cannot read or understand English, do not use this product until the label has been fully explained to you.)

ACTIVE INGREDIENTS

Demeton
O,O-Diethyl O-(2-ethylthio)ethyl phosphorothioate mixture with O,O-diethyl S-(2-ethylthio)ethyl phosphorothioate
Aromatic Petroleum Distillate
INERT INGREDIENTS

EPA Reg No 3125-221-ZA
EPA Est 3125-MO-1

Contains 6 lbs. demeton per gallon.

STOP—Read the label before use

DANGER POISON

Keep out of reach of children.

(See Backside for Statements of Practical Treatment and other Precautionary Statements)

Do not use, pour, spill, or store near heat or open flame. Do not store in or around the home environment.


DIRECTIONS FOR USE.

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

IMPORTANT

CONDITIONS OF SALE:

The directions on this label were determined through research to be the directions for correct use of this product. This product has been tested for a range of weather conditions similar to those weather conditions that are ordinary and customary in the geographic area where the product is used. Insufficient control of pests may result from the occurrence of extraordinary or unusual weather or from failure to follow label directions. In addition, failure to follow label directions may cause injury to the crop to which the product is applied, other crops, animals, man, or the environment. Mobay and the seller offer, and the buyer accepts and uses, this product subject to the conditions that extraordinary or unusual weather or failure to follow label directions are beyond the control of Mobay and are, therefore, the responsibility of the buyer.



BEST DOCUMENT AVAILABLE

RECOMMENDED APPLICATIONS.

CROP	INSECT	PINTS SYSTEMOX 6	REMARKS
FIELD CROPS	Apply	1.0	Apply specified dosage per acre by air or ground equipment with 100 gallons of water for complete coverage. Do not apply more than once per acre. Repeat as necessary. Do not apply within 15 days of harvest for fresh market crops.
	Apply	1.0	Apply specified dosage per acre by air or ground equipment with 100 gallons of water for complete coverage. Do not apply more than once per acre. Repeat as necessary. Do not apply within 15 days of harvest for fresh market crops.
	Apply	1.0	Apply specified dosage per acre by air or ground equipment with 100 gallons of water for complete coverage. Do not apply more than once per acre. Repeat as necessary. Do not apply within 15 days of harvest for fresh market crops.
	Apply	1.0	Apply specified dosage per acre by air or ground equipment with 100 gallons of water for complete coverage. Do not apply more than once per acre. Repeat as necessary. Do not apply within 15 days of harvest for fresh market crops.
SEED FIELD CROPS	Apply	1.0	Apply specified dosage per acre by air or ground equipment with 100 gallons of water for complete coverage. Do not apply more than once per acre. Repeat as necessary. Do not apply within 15 days of harvest for fresh market crops.
	Apply	1.0	Apply specified dosage per acre by air or ground equipment with 100 gallons of water for complete coverage. Do not apply more than once per acre. Repeat as necessary. Do not apply within 15 days of harvest for fresh market crops.
	Apply	1.0	Apply specified dosage per acre by air or ground equipment with 100 gallons of water for complete coverage. Do not apply more than once per acre. Repeat as necessary. Do not apply within 15 days of harvest for fresh market crops.
	Apply	1.0	Apply specified dosage per acre by air or ground equipment with 100 gallons of water for complete coverage. Do not apply more than once per acre. Repeat as necessary. Do not apply within 15 days of harvest for fresh market crops.
FRUITS	Apply	1.0	Apply specified dosage per acre by air or ground equipment with 100 gallons of water for complete coverage. Do not apply more than once per acre. Repeat as necessary. Do not apply within 15 days of harvest for fresh market crops.
	Apply	1.0	Apply specified dosage per acre by air or ground equipment with 100 gallons of water for complete coverage. Do not apply more than once per acre. Repeat as necessary. Do not apply within 15 days of harvest for fresh market crops.
	Apply	1.0	Apply specified dosage per acre by air or ground equipment with 100 gallons of water for complete coverage. Do not apply more than once per acre. Repeat as necessary. Do not apply within 15 days of harvest for fresh market crops.
	Apply	1.0	Apply specified dosage per acre by air or ground equipment with 100 gallons of water for complete coverage. Do not apply more than once per acre. Repeat as necessary. Do not apply within 15 days of harvest for fresh market crops.
NON-BEARING FRUITS	Apply	1.0	Apply specified dosage per acre by air or ground equipment with 100 gallons of water for complete coverage. Do not apply more than once per acre. Repeat as necessary. Do not apply within 15 days of harvest for fresh market crops.
	Apply	1.0	Apply specified dosage per acre by air or ground equipment with 100 gallons of water for complete coverage. Do not apply more than once per acre. Repeat as necessary. Do not apply within 15 days of harvest for fresh market crops.
	Apply	1.0	Apply specified dosage per acre by air or ground equipment with 100 gallons of water for complete coverage. Do not apply more than once per acre. Repeat as necessary. Do not apply within 15 days of harvest for fresh market crops.
	Apply	1.0	Apply specified dosage per acre by air or ground equipment with 100 gallons of water for complete coverage. Do not apply more than once per acre. Repeat as necessary. Do not apply within 15 days of harvest for fresh market crops.

RECOMMENDED APPLICATIONS.

CROP	INSECT	PINTS SYSTOX 6	REMARKS
VEGETABLES			
Beans	Aphids	1.0	Apply to foliage and soil.
Brussels Sprouts	Aphids	1.0	Apply to foliage and soil.
Cabbages	Aphids	1.0	Apply to foliage and soil.
Celery	Aphids	1.0	Apply to foliage and soil.
Lettuces	Aphids	1.0	Apply to foliage and soil.
Peas	Aphids	1.0	Apply to foliage and soil.
Eggplants	Aphids	1.0	Apply to foliage and soil.
Peppers	Aphids	1.0	Apply to foliage and soil.
Potatoes	Aphids	1.0	Apply to foliage and soil.
Tomatoes	Aphids	1.0	Apply to foliage and soil.
MELONS			
Muskmelons	Aphids, Beet Leafhoppers, Mites	1.0	Apply to foliage and soil.
ORNAMENTALS	FOR USE BY COMMERCIAL APPLICATORS AND COMMERCIAL GROWERS ONLY		
Flowers, Shrubs & Trees	Aphids, Mealybugs, Mites, Whiteflies	1.0	FOLIAR SPRAY
	Blattellid, Fleas, Ground Squirrels, House Flies, Leafhoppers	1.0	SOIL DRENCH
	Caterpillars, Fleas, Ground Squirrels, House Flies, Leafhoppers	1.0	SOIL DRENCH
Citrus, Pineapple, Peaches, Apples, Prunes	Aphids, Fleas, Ground Squirrels, House Flies, Leafhoppers	1.0	Apply to foliage and soil.

RESTRICTIONS.

Do not use on crops listed in the Restricted Use section of the label. Do not use on crops listed in the Restricted Use section of the label. Do not use on crops listed in the Restricted Use section of the label. Do not use on crops listed in the Restricted Use section of the label.

PRECAUTIONARY STATEMENTS. HAZARDS TO HUMANS AND DOMESTIC ANIMALS.

DANGER POISON

Persons should avoid contact with treated plants. Do not eat, drink, or use treated plants for food. Do not use treated plants for animal feed. Do not use treated plants for medicinal purposes.

Persons should avoid contact with treated plants. Do not eat, drink, or use treated plants for food. Do not use treated plants for animal feed. Do not use treated plants for medicinal purposes.

HANDLING OF CONTAMINATED ARTICLES

Persons should avoid contact with treated plants. Do not eat, drink, or use treated plants for food. Do not use treated plants for animal feed. Do not use treated plants for medicinal purposes.

SYMPTOMS OF POISONING

STATEMENTS OF PRACTICAL TREATMENT.

Persons should avoid contact with treated plants. Do not eat, drink, or use treated plants for food. Do not use treated plants for animal feed. Do not use treated plants for medicinal purposes.

Persons should avoid contact with treated plants. Do not eat, drink, or use treated plants for food. Do not use treated plants for animal feed. Do not use treated plants for medicinal purposes.

TO PHYSICIAN

ANTIDOTE - Administer atropine sulfate in large therapeutic doses. Repeat as necessary to the point of tolerance. 2-PAM is also antidotal and may be administered in conjunction with atropine.

ENVIRONMENTAL HAZARDS.

This product is toxic to fish, shrimp, birds, and other wildlife. Keep out of lakes, streams, or ponds, tidal marshes, and estuaries. Do not apply where runoff is likely to occur.

PHYSICAL AND CHEMICAL HAZARDS.

Do not use, pour, spill, or store near heat or open flame.

STORAGE AND DISPOSAL

Pesticide Disposal: Pesticide spray mixture or rinse water that cannot be used according to label instructions must be disposed of according to Federal or approved state provisions under Section of the Resource Conservation and Recovery Act.

Container Disposal: Triple rinse for equipment. Then offer for recycling or reconditioning, repair, reuse, and dispose of in a sanitary manner by either approved state and local provisions.

Do not use in any connection with food, feed, and drinking water.

BEST DOCUMENT AVAILABLE