

DRUM HANDLING

Handle drums of GUTHION carefully so as to avoid damage and prevent leakage.

Store drums of GUTHION in a cool, well-ventilated place.

Open slowly to release any internal pressure.

Drums that have contained GUTHION should NEVER be reused. Empty drums should be decontaminated by washing with hot, 5% caustic soda solution. They should then be perforated to prevent further use and be discarded in a safe place.

DANGER  **POISON**

POISONOUS BY SKIN CONTACT OR INHALED OR SWALLOWED.

Do not breathe fumes. Wear a mask or respirator effective for protection against GUTHION. Information as to suitable types of masks or respirators is available from the U.S. Bureau of Mines.

Do not get in eyes or on skin. Wear clean, heavy, natural rubber gloves, goggles, and apron, waterproof, or freshly laundered protective clothing (coveralls, rubber boots, cap, etc.). Destroy and replace gloves frequently. Wash immediately after work and change protective clothing. Wash clothing thoroughly with soap and hot water before reuse.

In case of contact immediately remove contaminated clothing and wash thoroughly with soap and warm water. For eyes flush with water for 15 minutes.

In case of spillage cover with an absorbent such as soda ash, clay, or sawdust. Sweep up and bury. Wash area thoroughly with strong lye solution.

This product is toxic to fish and will be harmful to many body of water.

Symptoms of Poisoning: A sense of tightness in the chest. Sweating. Contracted pupils. Stomach pains, vomiting and diarrhea.

ACCEPTED
OCT 18 1978
Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, or its successor registered under 3155-223
EPA Reg. No. 3125-223-AA

GUTHION

22 CONCENTRATE

AN INSECTICIDE FOR FORMULATING USE

DO NOT STORE BELOW 55°F.

Protect From Extreme Heat

Keep Away From Open Flame

This drum is dangerous if evidence of leakage is present. Read warning instructions and handle with extreme care observing all precautions indicated.

ACTIVE INGREDIENTS	
1,1-Dimethyl-4,4-diphenyl-2,2-bis(4-chlorophenyl) ethane	22%
Aromatic Petroleum Distillate	74%
INERT INGREDIENTS	
	4%
	100%

 **POISON** 

DANGER

KEEP OUT OF REACH OF CHILDREN

EPA Reg. No. 3125-223-AA

NET CONTENTS 50 GALLONS

STOP - READ THE LABEL BEFORE USE

GUTHION is a Reg. TM of the Parent Company of Farbenfabriken Bayer GmbH, Leverkusen
EPA Est. 3125-MO-1 909127

773220

TREATMENT: In case of poisoning call a physician immediately. Have patient lie down and keep quiet. If swallowed, administer milk or water freely and induce vomiting by giving one dose (1/2 oz. or 15 ml.) of syrup of ipecac. If vomiting does not occur within 30 minutes, administer second dose. If syrup of ipecac is not available, induce vomiting by sticking finger down throat. Repeat until vomit fluid is clear. Professional medical assistance should be secured immediately. If on skin, remove contaminated clothing and wash skin immediately with soap and warm water. If eyes are contaminated, wash with flowing water for at least 15 minutes.

TO PHYSICIAN:

ANTIDOTE - Administer atropine sulfate in large therapeutic doses. Repeat as necessary to the point of tolerance. 2-PAM is also antidotal and may be used in conjunction with atropine.

Compound inhibits cholinesterase resulting in stimulation of the central nervous system, the parasympathetic nervous system, and the somatic motor nerves. Do not give morphine. Watch for pulmonary edema, which may develop in serious cases of poisoning even after 12 hours. At first sign of pulmonary edema, the patient should be placed in an oxygen tent and treated symptomatically.

DIRECTIONS FOR USE

Formulation of Finished Pesticide Products. Detailed formulating recommendations for GUTHION are contained in a manual available through your Chemagro Sales Representative. Obtain and read this manual before undertaking the formulation of GUTHION 22 Concentrate to gain knowledge of physical and chemical properties, to avoid formulation hazards and to assure a satisfactory finished product.

Labeling for products manufactured from GUTHION 22 Concentrate must conform to the federally registered labeling for products containing GUTHION. Contact your Chemagro Sales Representative for information on and assistance in developing labeling for formulated products. Any variance from accepted label uses may have to be supported by additional data submitted by the formulator.

3125-223-AA

773220