

# BOIPTEREX

80% Soluble Powder CROP INSECTICIDE

NET WEIGHT 50 LBS.

WARNING

OF CHILDREN

(See rear panel for warning statements.)

### —GUARANTEE

#### ACTIVE !NGREDIENT:

INERT INGREDIENTS: ..... 20.0% 100%

÷U.S. Patent No. 2,701,225 Canadian Patent No. 529,379

USDA Reg. No. 3125-227

#### DIRECTIONS FOR USE

IMPORTANT: Read these entire Directions and Conditions of Sale, including the Warranty and Limitation of Damages provision, before using DIPTEREX 80% Soluble Powder.

CONDITIONS OF SALE: These Directions for Use reflect the opinion of experts based on tests of effectiveness, of toxicity to plants and laboratory animals and of residues on or in food and feed under normal conditions of use. However, because of the wide range of conditions under which this product may be used, even though label directions are followed, it is impossible to eliminate all risks associated with its use because of abnormal conditions beyond the control of the seller. Chemagro Corporation and the Seller offer, and the Buyer uses, this product subject to the understanding that the Buyer assumes all such risks.

MIXING: DIPTEREX Soluble Powder dissolves readily in water and is suitable for use in all power-operated ground sprayers and aircraft sprayers. To dissolve in water, pour the required amount of DIPTEREX Soluble Powder into full amount of water and then agitate.


DCSAGE: Use specified dosage of DIPTEREX Soluble Powder in the amount of water necessary to give complete coverage of foliage. The type of equipment used will determine the concentration required.

**SPRAYING:** When low volumes of spray are applied, complete coverage and thorough application are essential for most effective results. Schedule applications in accordance with local conditions.

## RECOMMENDED DIPTEREX APPLICATIONS

CROP	INSECT	Ounces DIPTEREX 80%	REMARKS
Bananos	Banana coterpillar (Cramulia viridis)	8 to 10	Apply specified dos age per acre using sufficient water for complete coverage but not less than I gallon per acre Repeat as necessary but not more after than every 2 weeks

Treated crops, other than those for which DIPTEREX is labeled, should not be used for human or animal food.



CONTAINER AND WASTE DISPOSAL

Rinse equipment and containers and dispose of wastes by burying in non-crop land away from water supplies. Dispose of empty container by burying with wastes or by burning (keep out of smoke).

## WARNING

May be fatal if swallowed. Harmful if inhaled, or absorbed through the skin. Do not get in eyes or on skin. Do not breathe dust or spray mist. Always wash thoroughly with soap and warm water after handling. Wash contaminated clothing with soap and hot water before reuse.

Do not contaminate feed or fcod. Keep out of reach of children.

Should poisoning occur, obtain prompt medical aid. Prolonged exposure will result in cholinesterase depression.

To Physician — Atropine sulfate is antidotal. 2-PAM is also antidotal and may be administered in conjunction with atropine.

## WARRANTY AND LIMITATION OF DAMAGES

Chemagro Corporation warrants that this material conforms to the chemical description on the label and is reasonably fit for the purposes referred to in the Directions for Use and Conditions of Sale; subject to the risks referred to therein. Chemagro Corporation makes no other express or implied warranty, including any other exp ess or implified warranty of FITNESS or or MERCHANTABILITY and no agent of Chemagro Corporation is authorized to do so except in writing, with a specific reference to this warranty. Any damages arising from a breach of this warranty shall be limited to direct damages, and shall not include consequential commercial damages such as loss of profits or values, etc.

DIPTEREX is Reg. in U.S. and Canadian Pat. Offs. by Farbenfabriken Bayer A.G., Chemagro Corporation licensee. 964180 all such risks.

MIXING: DIPTEREX Soluble Powder dissolves readily in water and is suitable for use in all power-operated ground sprayers and aircraft sprayers. To dissolve in water, pour the required amount of DIPTEREX Soluble Powder into full amount of water and then agitate.

DOSAGE: Use specified dosage of DIPTEREX Soluble Powder in the amount of water necessary to give complete coverage of foliage. The type of equipment used will determine the concentration required.

**SPRAYING:** When low volumes of spray are applied, complete coverage and thorough application are essential for most effective results. Schedule applications in accordance with local conditions.

## RECOMMENDED DIPTEREX APPLICATIONS

CROP	INSECT	Ounces DIPTEREX 80%	REMARKS
Bananas	Banana caterpillar (Ceramidia viridis)	8 to 10	Apply specified dosage per acre using sufficient water for complete coverage but not less than 1 gallon per acre. Repeat as necessary but not more often than every 2 weeks.

Treated crops, other than those for which DIPTEREX is labeled, should not be used for human or animal food.

of reach of children.

Should poisoning occur, obtain prompt medical aid. Prolonged exposure will result in cholinesterase depression.

To Physician — Atropine sulfate is antidotal. 2-PAM is also antidotal and may be administered in conjunction with atropine.

# WARRANTY AND LIMITATION OF DAMAGES

Chemagro Corporation warrants that this material conforms to the chemical description on the label and is reasonably fit for the purposes referred to in the Directions for Use and Conditions of Sale; subject to the risks referred to therein. Chemagro Corporation makes no other express or implied warranty, including any other express or implied war. ranty of FITNESS or of MERCHANTABILITY, and no agent of Chemagro Corporation is authorized to do so except in writing, with a specific reference to this warranty. Any damages arising from a breach of this warranty shall be limited to direct damages, and shall not include consequential commercial damages such as loss of profits or values, etc.

DIPTEREX is Reg. in U.S. and Canadian Pat. Offs. by Farbenfabriken Bayer A.G., Chemagro Corporation licensee. 964180