PM 12 3125-237 53

Miles Inc.
Agriculture Division
Box 4913, Kansas City, MO 64120

MILES

PRODUCT BULLETIN

March 10, 1995

NEMACUR 3 TURF NEMATICIDE (EPA REG. NO. 3125-283)

NEMACUR 10% TURF AND ORNAMENTAL NEMATICIDE (EPA REG. NO. 3125-237)

For Use On Golf Course Turf In Florida

The information and instructions herein are to be followed when applying NEMACUR to golf course turf. These measures are designed to reduce the risk of exposure to birds and aquatic organisms, including fish, following NEMACUR applications.

APPLICATION:

1) No more than 10 acres per golf course per day may be treated with NEMACUR, with a waiting period of three (3) days before an additional 10 acres may be treated.

2) NEMACUR may not be applied closer than 10 feet from bodies of water and surface fairway drains.

3) NEMACUR may not be applied to golf course turf between noon and sunset from June 1 through September 30.

4) Do not use NEMACUR to control Mole Crickets.

This information is in addition to that contained within the federal label and, in addition to the label, must be in the possession of the user at time of pesticide application.

IMPORTANT: Before using the product, read and carefully observe directions, cautionary statements and other information appearing on the EPA registered product label. This product is sold subject to the Conditions of Sale set forth on the container label.

PB: 95-018

ACCEPTED
8 1995
Under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 3125-237-283

Miles Inc.
Agriculture Division
P. O. Box 4913
Kansas City, MO 64120

NEMACUR 10% T&O

Reason to Issue: To revise use on turf per mitigation measures.

Date of Draft: 04/19/95(Pre-Reg)(T)

RESTRICTED USE PESTICIDE

Due to High Acute Toxicity and Toxicity to Wildlife

For Sale to and Use Only by a Certified Applicator for Uses Authorized by His Certification, or by Persons Under His Direct Supervision.

NEMACUR® 10%

Turf and Ornamental Nematicide

For effective control of nematodes in ornamentals, nursery stock, and turfgrasses.

ACTIVE INGREDIENT:	
Ethyl 3-methyl-4-(methylthio)phenyl(l-methylethyl)phosphoramidate	10%
INERT INGREDIENTS:	90%
	100%

EPA Reg. No. 3125-237

Net Weight: ___ Pounds

AMENDMENT TO PREVIOUSLY REGISTERED LABELING

ACCEPTED

NOV - 8 1995

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 3125-237

Bayer

Redline text is not registered. ~~Strikeout~~ text is being deleted.

RECOMMENDED APPLICATIONS			
USE	PEST	DOSAGE NEMACUR 10% T&O NEMATICIDE	REMARKS
Turfgrasses FOR USE ONLY ON GOLF COURSES, CEMETERIES, SOD FARMS, AND INDUSTRIAL GROUNDS. In California, only for use on golf courses and sod farms.	Nematodes ~~Mole crickets (except California)~~	2.3 lb per 1000 sq ft or 100 lb/acre	Distribute specified dosage evenly over area to be treated. Irrigate the treated area immediately following application. Apply a minimum of 1/2 inch of water to move the product into the soil. The total irrigation must be completed within 6 hours of application. Apply irrigation only so that puddling or runoff does not occur. On golf course fairways apply across fairways within irrigation zones. Irrigation should be applied by zone immediately following application within that zone. Do not apply to more fairway irrigation zones than can be irrigated upon completion of application and finished within 6 hours after treatment. Do not treat more than 10 acres of turf on any golf course in a single 24-hour period. Any application, regardless of acreage, must be followed by a three-day minimum interval before an additional 10 acres or less may be treated. Do not apply within 10 feet of any surface body of water or fairway surface drains. Do not apply NEMACUR between noon and sunset during the heavy thunderstorm season (June through September). Do not apply product after soil has become saturated with water (reached field capacity). Do not treat newly seeded areas until the plants have developed good root systems. Do not apply more than 200 lb of product per acre per year. Do not use on residential lawns or public recreational areas other than golf courses. On sod farms, treated turf should not be cut for sod or sod handled for 30 days after treatment.

Bayer Corporation
Specialty Products
Box 4913, Kansas City, MO 64120-0013