NET CONTENTS

POUNDS

MESUROL 75% Concentrate

AN INSECTICIDE - MOLLUSCICIDE FOR FORMULATING USE ONLY

FOR USE IN THE MANUFACTURE OF ECONOMIC POISONS

EPA Reg. No. 3125-257

U.S. Patent No 3,313,684 Canadian Patent No. 761,440 ACTIVE INGREDIENT:

3,5-Dimethyl-4-(methylthio)phenol methylcarbamate

75%

INERT INGREDIENTS:

25%

WARNING KEEP OUT OF REACH OF CHILDREN

Poisonous if swallowed, inhaled, or absorbed through the skin. Rapidly absorbed through the skin. Do not get in eyes or on skin. Wear protective clothing, natural rubber gloves and goggles. Do not breathe dust, or spray mist. Wear a mask or respirator similar to those used for protection against organocarbamate insecticides. Information as to suitable types of mask or respirators is available from the U.S. Bureau of Mines. Do not contaminate feed or food. Keep out of reach of children. Keep all unprotected persons out of the operating area or vicinity where there may be danger of drift. Wash hands, arms, and face thoroughly with soap and warm water before eating or smoking. Wash all contaminated clothing with soap and hot water before reuse.

In case of spillage, sweep up and bury. Wash area with strong tye solution. Do not reuse the container for any purpose. Destroy empty container by burying or burning (keep out of smoke).

SYMPTOMS OF POISONING: A sense of "tightness" in the chest. Sweating. Contracted pupils. Stomach pains. Vomiting and diarrhea.

TREATMENT: In case of poisoning, call a physician immediately. Have patient lie down and keep quiet. If swallowed, induce vomiting by giving a tablespoonful of salt in a glass of warm water. Administer milk or water freely and again induce vomiting until vomit fluid is clear. If on skin, remove contaminated clothing and wash skin immediately with soap and warm water. If eyes are contaminated, wash with flowing water for at least 15 minutes.

TO PHYSICIAN:

ANTIDOTE: Administer atropine sulfate in large therapeutic dosss. Repeat as necessary to the point of tolerance.

Compound inhibits cholinesterase resulting in stimulation of the central nervous system the parasympathetic nervous system, and the somatic motor nerves. Do not give morphine. Watch for pulmonary edema, which may develop in serious cases of poisoning, even after 12 hours. At first sign of pulmonary edema, the patient should be placed in an oxygen tent and treated symptomatically.

ENVIRONMENTAL CAUTIONS: This product is toxic to fish, birds, and other wildlife. Keep out of any body of water. Do not contaminate water by cleaning of equipment or disposal of wastes.

NOTICE: Information pertinent to the manufacturing use of this product may be obtained from your Chemagro Sales, Representative. Labeling for products made from MESUROL 75% Concentrate must conform to the registered labeling for MESUROL 50% Hopper-Box Treater, EPA Reg. No. 3125-309 or MESUROL 2% Bait, EPA Reg. No 3125-234. Any variance from the labeling for these products may have to be supported by data submitted by the formulator.

MESUROL is a Reg. TM of the Parent Company of Farbenfabriken Bayer GmbH, Leverkusen.

EPA Est. No. 3125-MO-1