

262-6386.YLD

Base Pre-Reg (6386)

Reason to Issue: To update label; to delete use on ant hills.

U.S. LABEL-(S)

Date of Draft: 3/14/88 (Pre-Reg) (S)

EPA Reg. No. 3125-262

BAYGON® 1%

HOUSEHOLD INSECT RESIDUAL SPRAY
(Pressurized)

KILLS ANTS, ROACHES, SPIDERS
OTHER CRAWLING INSECTS IN
AND AROUND THE HOME

ACTIVE INGREDIENTS:	
2-(1-Methylethoxy)phenol	
methylcarbamate	1.0%
Petroleum Distillate	76.5%

INSECT-KILLING POWER
LASTS FOR WEEKS


INERT INGREDIENTS:	22.5%
	<u>100.0%</u>

EPA Reg. No. 3125-262

SPRAY ONLY ON SURFACES
DO NOT USE AS A SPACE SPRAY

STOP - READ THE LABEL BEFORE USE

(FLAMMABLE - Contents under pressure.
Do not use or store near heat or open
flame. Do not puncture or incinerate
container. Exposure to temperature
above 130°F may cause bursting.)



KEEP OUT OF REACH OF CHILDREN

CAUTION

(See Side Panel for Statements of Practical
Treatment and Other Precautionary Statements)

NET CONTENTS _____ OUNCES

MOBAY CORPORATION
A Bayer USA INC. COMPANY
AGRICULTURAL CHEMICALS DIVISION
Specialty Products Group
Box 4913, Kansas City, Missouri 64120

BAYGON 1% Household Insect Residual Spray

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

IMPORTANT: Read these entire Directions and Conditions of Sale before using BAYGON 1% Household Insect Residual Spray.

CONDITIONS OF SALE: THE DIRECTIONS ON THIS LABEL WERE DETERMINED THROUGH RESEARCH TO BE THE DIRECTIONS FOR CORRECT USE OF THIS PRODUCT. THIS PRODUCT HAS BEEN TESTED FOR A RANGE OF WEATHER CONDITIONS SIMILAR TO THOSE WEATHER CONDITIONS THAT ARE ORDINARY AND CUSTOMARY IN THE GEOGRAPHIC AREA WHERE THE PRODUCT IS USED. INSUFFICIENT CONTROL OF PESTS AND/OR INJURY TO THE CROP TO WHICH THE PRODUCT IS APPLIED MAY RESULT FROM THE OCCURRENCE OF EXTRAORDINARY OR UNUSUAL WEATHER, OR FROM FAILURE TO FOLLOW LABEL DIRECTIONS. IN ADDITION, FAILURE TO FOLLOW LABEL DIRECTIONS MAY CAUSE INJURY TO OTHER CROPS, ANIMALS, MAN, OR THE ENVIRONMENT. MOBAY OFFERS, AND THE BUYER ACCEPTS AND USES, THIS PRODUCT SUBJECT TO THE CONDITIONS THAT EXTRAORDINARY OR UNUSUAL WEATHER, OR FAILURE TO FOLLOW LABEL DIRECTIONS ARE BEYOND THE CONTROL OF MOBAY AND ARE, THEREFORE, THE RESPONSIBILITY OF THE BUYER.

BAYGON 1% Household Insect Residual Spray is a highly effective formulation which provides rapid kill of such crawling insects as listed below, including those resistant to certain chlorinated hydrocarbon and phosphate insecticides:

Ants	Fleas	Saw-toothed grain beetle (exposed stage)
Brown dog ticks	Flies	Scorpions
Clover mites	Hornets	Silverfish
Crickets	Millipedes	Sowbugs
Earwigs	Mosquitoes	Spiders
	Roaches	Wasps

In addition to rapid initial kill, BAYGON 1% Household Insect Residual Spray stays on treated surfaces and kills insects many weeks after the spray deposit has dried.

HOW TO USE: Unlike most pressurized residual sprays, BAYGON Household Insect Residual Spray emits a pencil stream spray allowing the user to direct the spray to a distance of 6 feet. Cracks, crevices, and hard-to-reach locations can be reached without bending, crawling, or climbing. Spray infested surfaces until wet, moving the spray stream rapidly to prevent excessive wetting of surfaces, and waste of material. Point spray away from people, plants, and pets.

RESTRICTIONS: Do not apply to rugs, carpets, draperies, wallpaper, or similar materials that may be stained. Avoid excessive wetting of plastic, rubber, and asphalt surfaces such as tiles, and floor coverings.

Indoor Use:

ANTS, COCKROACHES, CRICKETS, SILVERFISH, SPIDERS, SCORPIONS, SAW-TOOTHED GRAIN BEETLES (EXPOSED STAGE), WATERBUGS: Spray into cracks, crevices, around baseboards, and other places where these insects hide. Apply behind and beneath cabinets, refrigerators, sinks, stoves, and in and around waste containers. For ants, spray trails and places where ants enter premises. Repeat as needed. Do not spray foodstuffs or house plants. Remove pets and cover fish bowls before spraying. Applications may be made to floor surfaces along baseboards and around air ducts, however, do not treat entire area of floor or floor coverings. Do not allow children to contact treated surfaces until surfaces are completely dry.

3-10-71

BAYGON 1% Household Insect Residual Spray

Indoor Use: (Continued)

BROWN DOG TICKS: Spray sleeping quarters of pets, around baseboards, window and door frames, wall cracks, and local areas of floors. Repeat as needed. Fresh bedding should be placed in animal quarters after spraying. Do not spray animals.

Outdoor Use:

ANTS, CLOVER MITES, CRICKETS, EARWIGS, FLEAS, FLIES, HORNETS, MILLIPEDES, MOSQUITOES, SOWBUGS, WASPS, AND BROWN DOG TICKS: Spray infested areas thoroughly including outside surfaces of screens, doors, window frames, foundations, patios, or other places where insects may enter. For ants, spray runways. For control of wasps and hornets apply after dark when all of the insects have returned to the nest. Repeat as necessary. Do not spray vegetation.

PRECAUTIONARY STATEMENT

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

May be harmful if swallowed, inhaled, or absorbed through the skin. Avoid breathing of spray mist and provide adequate ventilation of area being treated. Contact with skin, eyes, or clothing should also be avoided. Wash thoroughly after using. Avoid contamination of food, utensils, and food preparation areas.

Do not contaminate feed or food. Keep out of reach of children.

Wash hands, arms and face thoroughly with soap and warm water after handling. Wash contaminated clothing with soap and hot water before reuse.

Remove pets and cover fish aquariums before spraying. Do not allow children or pets to contact treated surfaces until they are dry.

STATEMENTS OF PRACTICAL TREATMENT

In case of poisoning, call a physician immediately. Have patient lie down and keep quiet.

If on skin, wash immediately with soap and warm water. If irritation occurs, get medical attention. If eyes are contaminated, wash with plenty of water for at least 15 minutes. Get medical attention. If inhaled, remove to fresh air. If not breathing, give artificial respiration, preferably mouth to mouth. Get medical attention. If swallowed: Call a physician or Poison Control Center. Do not induce vomiting. Vomiting may cause an aspiration hazard.

SYMPTOMS OF POISONING: A sense of "tightness" in chest. Sweating. Contracted pupils. Stomach pains. Vomiting and diarrhea.

BAYGON 1% Household Insect Residual Spray

STATEMENTS OF PRACTICAL TREATMENT (Continued)

NOTE TO PHYSICIAN:

ANTIDOTE - Administer atropine sulfate in therapeutic doses. Repeat as necessary to the point of tolerance.

Compound inhibits cholinesterase resulting in stimulation of the central nervous system, the parasympathetic nervous system and the somatic motor nerves. Do not give morphine. Watch for pulmonary edema which may develop in serious cases of poisoning even after 12 hours. At first sign of pulmonary edema, the patient should be placed in an oxygen tent and treated symptomatically.

PHYSICAL AND CHEMICAL HAZARDS

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperature above 130°F may cause bursting.

STORAGE AND DISPOSAL

Securely wrap original container in several layers of newspaper and discard in trash.

Replace cap and discard containers in trash. Do not incinerate or puncture.

Do not store near heat or open flame. Store in a cool, dry place and out of the reach of children, preferably in a locked storage area.

BAYGON is a Reg. TM of Bayer AG, Germany.