
#### **DIRECTIONS FOR USE**

IMPORTANT: Read these entire Directions and Conditions of Sale, including the Warranty and Limitation of Damages provision, before using DYLOX/MSR 1.5-0.5 Insecticide.

CONDITIONS OF SALE: These Directions for Use reflect the opinion of experts based on tests of effectiveness, toxicity to plants and laboratory animals under normal conditions of use. However, because of the wide range of conditions under which this product may be used, even though label directions are followed, it is impossible to eliminate all risks associated with its use because of abnormal conditions beyond the control of the seller. Chemagro and the Seller offer, and the Buyer uses, this product subject to the understanding that the Buyer assumes all such risks.

Sprays made from this concentrate will kill:



DYLOX/MSR 1.5-0.5 Insecticide provides plants with two-way protection from insect attack. The spray kills insects on contact. In addition, the spray is absorbed by the leaves and moves in the sap stream to all parts of the plant (systemic action). Working from inside the plant, the insecticide kills sucking insects that feed on the plant sap.

#### MIXING DIRECTIONS

The concentrate mixes readily with water and may be used in all types of sprayers. Use 2 tablespoonfuls (1 fluid ounce) of the concentrate for each gallon of water. Spray plants until they are thoroughly wet. Repeat applications as necessary to maintain insect control.

For hose-end type sprayers, measure 2 tablespoons into the sprayer jar for each gallon of final spray. Add water to the indicated level in the jar to give the desired number of gallons of final spray. Follow the recommendations of the manufacturer of your particular hose-end sprayer.

#### RESTRICTIONS

Plant injury from DYLOX/MSR 1.5-0.5 Insecticide applications has been observed on Royal Purple Smoke trees and on certain varieties of carnations and zinnias. For these three kinds of plants, treat only a few plants or one or two branches of a tree and observe for 4 to 5 days before spraying the entire planting.

Do not handle treated plants until the spray deposit has dried.



## DYLOX/MSR

# 1.5-0.5 INSECTICIDE

Contains ®DYLOX and ®META-SYSTOX-R

PROTECT YOUR ORNAMENTAL FLOWERS, SHRUBS, AND TREES
FROM INSECT DAMAGE

GUARANTEE: Contains 1.5 lbs. Dimethyl (2,2,2,2trichloro-1-hydroxyethyl) phosphonate plus 0.5 lb. S-[2-(ethylsulfinyl) ethyl] 0,0-Dimethyl phosphorothioate per gallon.

## WARNING KEEP OUT OF REACH

KEEP OUT OF REACH OF CHILDREN

(See side panel for additional warning statements)

ACTIVE INGREDIENTS:
Dimethyl (2,2,2-trichloro-1

-hydroxyethyl) phosphonatet...... 18.0% S-[2-(ethylsulfinyl)ethyl]

O,O-Dimethyl phosphorothioate11.. 6.0% Aromatic Petroleum Distillate....... 36.4%

INERT INGREDIENTS: .....39.6%

†Canadian Patent No. 529,379 100.0% ††U.S. Patent No. 2,791,599

Canadian Patent No. 534,370

EPA Reg. No. 3125-274

STOP - READ LABEL BEFORE USE

DO NOT USE, POUR, SPILL, OR STORE NEAR HEAT OR OPEN FLAME STORE IN A COOL PLACE BUT NOT BELOW 25° F.

MANUFACTURED BY CHEMAGRO

Division Of Baychem Corporation Box 4913, Kansas City, Mo. 64120

#### **RESTRICTIONS** (continued)

Do not use on plants used for food or forage. according to label directions.

This product is toxic to bees and should not be when bees are actively visiting area.

This product is toxic to fish and wildlife. Birds for treated areas may be killed. Keep out of lakes, a ponds. Do not contaminate water by cleaning of ex or disposal of wastes. Do not apply when weather a favor drift from areas treated. Do not apply where likely to occur. Apply this product only as specific label.

Do not reuse container for any purpose. Destro container.

#### WARNING

Causes eye irritation. Avoid contact with eyes. If a eyes, immediately flush eyes with plenty of wal least 15 minutes. For further treatment, get attention.

May be fatal if swallowed. May be absorbed the skin. Avoid exposure. Avoid contact with skin and In case of contact, wash with spap and water. It poisoning, call a physician immediately. Have p down and keep quiet. If swallowed, induce vor giving a tablespoonful of salt in a glass of warm was contaminated clothing with soap and hot water befind to not breathe spray mist. Do not contaminate food. Keep out of reach of children. Always thoroughly with soap and warm water after handling

NOTE TO PHYSICIAN: Atropine sulfate is antidotal is also antidotal and may be administered in cowith atropine.

### WARRANTY AND LIMITATION OF DAMAGES

Chemagro warrants that this material conforms chemical description on the label and is reasonable the purposes referred to in the Directions for Conditions of Sale; subject to the risks referred to CHEMAGRO MAKES NO OTHER EXPRESS OR WARRANTY, INCLUDING ANY OTHER EXPRESS OF IMPLIED WARRANTY OF FITNESS (MERCHANTABILITY, and no agent of Chemauthorized to do so except in writing, with a reference to this warranty. Any damages arising breach of this warranty shall be limited to direct and shall not include consequential commercial damages of profits or values, etc.

DYLOX and META-SYSTOX are Reg. 1 Farbenfabriken Bayer AG.

FOR USE

re Directions and Conditions and Limitation of Damages MSR 1.5-0.5 Insecticide.

i on tests of effectiveness, tory animals under normal peause of the wide range of product may be used, even ollowed, it is impossible to with its use because of the control of the seller. It is and the Buyer uses, this noting that the Buyer assumes

concentrate will kill:

Eminers De

Salt-marsh
caterpiller
Stink bygs
Tarnished plant
byg
Thrips
Tobacco bydworm
Wabwarms

Whiteflies

icide provides plants with ect attack. The spray kills, the spray is absorbed by the ream to all parts of the plant from inside the plant, the that feed on the plant sap.

#### **ECTIONS**

with water and may be used tablespoonfuls (1 fluid ounce) gallon of water. Spray plants wet. Repeat applications as introl.

final spray. Add water to the give the desired number of the recommendations of the rose-end sprayer.

#### IÓNS

X/MSR 1.5-0.5 Insecticide on Royal Purple Smoke trees rnations and zinnias. For these ally a few plants or one or two serve for 4 to 5 days before

s until the spray deposit has



## DYLOX/MSR

### 1.5-0.5 INSECTICIDE

Contains ®DYLOX and ®META-SYSTOX-R

PROTECT YOUR ORNAMENTAL FLOWERS, SHRUBS, AND TREES
FROM INSECT DAMAGE

GUARANTEE: Contains 1.5 lbs. Dimethyl (2,2,2,2) trichloro-1 -hydroxyethyl) phosphonate plus 0.5 lb. S-[2-(ethylsulfinyl) ethyl] 0,0-Dimethyl phosphorothioate per gallon.

## WARNING KEEP OUT OF REACH OF CHILDREN

(See side panel for additional warning statements)

Dimethyl (2,2,2-trichloro-1 -hydroxyethyl) phosphonate1...... 18.0% S-[2-(ethylsulfinyl)ethyl]

**ACTIVE INGREDIENTS:** 

O,O-Dimethyl phosphorothioatett.. 6.0% Aromatic Petroleum Distillate...... 36.4%

 INERT INGREDIENTS:
 39.6%

 †Canadian Patent No. 529,379
 100.0%

11U.S. Patent No. 2,791,599

Canadian Patent No. 534,370

EPA Reg. No. 3125-274

STOP - READ LABEL BEFORE USE

DO NOT USE, POUR, SPILL, OR STORE NEAR HEAT OR OPEN FLAME
STORE IN A COOL PLACE BUT NOT BELOW 25° F.

MANUFACTURED BY
CHEMAGRO

Division Of Baychem Corporation Box 4913, Kansas City, Mo. 64120

#### RESTRICTIONS (continued)

Do not use on plants used for food or forage. Use only according to label directions.

This product is toxic to bees and should not be applied when bees are actively visiting area.

This product is toxic to fish and wildlife. Birds feeding on treated areas may be killed. Keep out of lakes, streams or ponds. Do not contaminate water by cleaning of equipment, or disposal of wastes. Do not apply when weather conditions favor drift from areas treated. Do not apply where runoff is likely to occur. Apply this product only as specified on this label.

Do not reuse container for any purpose. Destroy empty container.

#### WARNING

Causes eye irritation. Avoid contact with eyes. If splashed in eyes, immediately flush eyes with plenty of water for at least 15 minutes. For further treatment, get medical attention.

May be fatal if swallowed. May be absorbed through the skin. Avoid exposure. Avoid contact with skin and clothing. In case of contact, wash with soap and water. In case of poisoning, call a physician immediately. Have patient lie down and keep quiet. If swallowed, induce vorniting by giving a tablespoonful of salt in a glass of warm water. Wash contaminated clothing with soap and hot water before reuse. Do not breathe spray mist. Do not contaminate feed or food. Keep out of reach of children. Always wash thoroughly with soap and warm water after handling.

NOTE TO PHYSICIAN: Atropine sulfate is antidotal. 2-PAM is also antidotal and may be administered in conjunction with atropine.

### WARRANTY AND LIMITATION OF DAMAGES

Chemagro warrants that this material conforms to the chemical description on the label and is reasonably fit for the purposes referred to in the Directions for Use and Conditions of Sale; subject to the risks referred to therein. CHEMAGRO MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY, INCLUDING ANY OTHER EXPRESS OR IMPLIED WARRANTY OF FITNESS OR OF MERCHANTABILITY, and no agent of Chemagro is authorized to do so except in writing, with a specific reference to this warranty. Any damages arising from a breach of this warranty shall be limited to direct damages, and shall not include consequential commercial damages such as loss of profits or values, etc.

DYLOX and META-SYSTOX are Reg. TM's of Farbenfabriken Bayer AG.