



NET CONTENTS POUNDS

ACCENT

# PRESEED

Chemagro CHE 1843

## 50% WETTABLE POWDER SEED TREATMENT FUNGICIDE

### GUARANTEE

FOR USE ONLY BY A COMMERCIAL SEED TREATER

#### ACTIVE INGREDIENT

1,1-Dimethylsulfonylethylene

50%

EPA Reg. No. 3125-276

#### INERT INGREDIENTS

Patent No. 3052597

50  
100

PRESEED is a TM of Baychem Corporation

STOP - READ THE LABEL BEFORE USE

### DIRECTIONS FOR USE

IMPORTANT: Read the entire Directions and Warnings of Section 4 of the Guarantee and Limitation of Damages provision before using PRESEED 50 - Wettable Powder.

**CONDITIONS OF SALE:** These Directions are based on tests of effectiveness, of toxicity to plants and laboratory animals and of residues on or in food grains under normal conditions of use. However, because of the wide range of conditions under which this product may be used, even though all directions are followed, it is impossible to eliminate all risks associated with its use because of abnormal conditions beyond the control of the seller. Chemagro and the seller offer, and the Buyer uses this product subject to the understanding that the Buyer assumes all such risks.

**SEED TREATMENT:** PRESEED 50 - Wettable Powder seed treatment can be applied to wheat, barley and oat seed gives effective control of loose and loose smut and bunt (except crown rot) of wheat, barley, and oats. This product should be applied as a slurry to seed treatment equipment capable of distributing the slurry evenly on the seed.

### RECOMMENDED APPLICATIONS

Crop	Form	PRESEED 50 - WP	Remarks
Wheat	Loose smut	1.1 - 2 to 3 oz. per 100 lbs. seed	Apply seed to slurry as a slurry. (See "Guide" below.) Aquitate seed to insure complete and uniform coverage.
Oats	Loose smut	3 - 6 oz. per 100 lbs. seed	Apply 1.5 to 3.0 oz. A.I. per 100 lbs. of seed
	Loose smut		Apply 1.5 to 3.0 oz. A.I. per 100 lbs. of seed

**NOTE:** To insure effective seed treatment, PRESEED should be labeled "Treated with 1,1-Dimethylsulfonylethylene PRESEED".

### STORAGE AND DISPOSAL

Recommended rate of PRESEED 50 - WP per 100 lbs. of seed (from table above)	Weight of water	Pounds of PRESEED 50 - WP	Pounds of seed to be treated
1.1 - 2	4.1 - 2	7.1 - 8	7,600
3	1	11.1 - 4	7,600
6	1	11.1 - 4	3,800

Keep out of reach of children. Keep out of hands of livestock. Wash hands after use. Rinse water by cleaning of equipment, or disposal of slurry.

**TREATED SEED:** MUST BE PROPERLY LABELLED WITH THIS CONTAINER

### CONTAINER AND WASTE DISPOSAL

Wash equipment, containers and pieces of waste by spraying with water and away from water supplies. Dispose of empty containers by crushing and burning.

# ANGER

# SEED TREATMENT FUNGICIDE

GUARANTEE

FOR USE ONLY BY A COMMERCIAL SEED TREATER

**ACTIVE INGREDIENT**

(E) 1,2-bis(propylsulfonyl) ethylene 50%

EPA Reg. No. 3125-276

**INERT INGREDIENTS**

U.S. Patent No. 3,052,597

50%  
100%

PRESEED is a TM of Baychem Corporation

**STOP - READ THE LABEL BEFORE USE**

**IMPORTANT - READ THE LABEL BEFORE USE**

IMPORTANT - Read these entire Directions and Conditions of Sale, and the Guarantee and Limitation of Damages provisions before using PRESEED 50% Wettable Powder.

**CONDITIONS OF SALE:** These Directions for Use refer to the use of this product as tested on tests of effectiveness, of toxicity to birds and laboratory animals and of residues on or in feed under normal conditions of use. However, because of the wide range of conditions under which this product may be used, even though these directions are followed, it is impossible to eliminate all risks associated with its use because of abnormal conditions beyond the control of the seller, Chemagro and the seller offer, and the Buyer uses, this product subject to the understanding that the Buyer assumes all such risks.

**SEED TREATMENT:** PRESEED 50% Wettable Powder seed treatment fungicide applied to wheat, barley and oat seed gives effective control of loose and covered smuts and bunt (except loose smut of wheat and barley) of wheat, barley, and oats. This product should be applied as a slurry with seed treating equipment capable of distributing the chemical evenly on the seed.

**RECOMMENDED APPLICATIONS**

Crop	Pest	Rate PRESEED 50% WP	Remarks
Barley	Covered smut	1-1/2 to 3 oz.* per 100 lbs. seed	Apply specified dosage as a slurry. (See "Guide" below). Agitate seed sufficiently to insure complete and uniform coverage. *Equivalent to 0.75 to 1.5 oz. A.I./100 lbs. of seed **Equivalent to 1.5 to 3.0 oz. A.I./100 lbs. of seed
Wheat	Bunt (stinking smut)		
Oats	Loose smut Covered smut	3 to 6 oz.** per 100 lbs. seed	

**NOTE:** To meet U.S. Federal Seed Act requirements, all seed treated with PRESEED should be labeled "Treated with (E) 1,2-bis(propylsulfonyl)ethylene (PRESEED)."

**GUIDE FOR MAKING 5 GALLONS OF SLURRY**

Recommended ounces of PRESEED 50% W.P. per 100 lbs. of Seed (from table above)	Gallons of water	Pounds PRESEED 50% WP	Pounds of seed to be treated
1-1/2	4 1/2	7 1/8	7,600
3	4	14 1/4	7,600
6	4	14 1/4	3,800

**RESTRICTIONS**

This product is toxic to fish. Keep out of lakes, streams, or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

**TREATED SEEDS MUST BE PROPERLY LABELED - SEE SPECIMEN SEED LABEL PROVIDED WITH THIS CONTAINER**

**CONTAINER AND WASTE DISPOSAL**

Rinse equipment and containers and dispose of waste by burying in non-crop land away from water supplies. Dispose of empty container as this waste or by burning (keep out of smoke).

**DANGER**

**KEEP OUT OF REACH OF CHILDREN**

Causes eye damage. Harmful if swallowed or inhaled. Do not get in eyes. Avoid contact with skin or clothing. Avoid breathing of dust or spray mist. In case of eye contact, flush with plenty of water and get medical attention immediately. Wash thoroughly with soap and water after handling. Wash contaminated clothing with soap and hot water before reuse. Wear goggles or face shield when handling.

Note to Physician: In case of poisoning treat symptomatically.

Do not contaminate feed or food.

**WARRANTY AND LIMITATION OF DAMAGES**

Chemagro warrants that this material conforms to the chemical description on the label and is reasonably fit for the purposes referred to in the Directions for Use and Conditions of Sale, subject to the risks referred to therein. CHEMAGRO MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY, INCLUDING ANY OTHER EXPRESS OR IMPLIED WARRANTY OF FITNESS OR OF MERCHANTABILITY, and no agent of Chemagro is authorized to do so except in writing with a specific reference to this warranty. Any damages arising from a breach of this warranty shall be limited to direct damages, and shall not include consequential commercial damages such as loss of profits or sales, etc.

**CHEMAGRO**

Division of Baychem Corporation  
Box 4913, Kansas City, Mo. 64120