ζ..... 281-6264.BLD Base Reg. (6264) U.S. LABEL Reason to Issue: To update in accordance Date of Draft: 9/21/87 (S) with current EPA labeling guidelines and Supersedes Draft Dated: 4/29/74 regulations; to identify inert ingredient; move ®; revise company signature and trademark acknowledgement statement. EPA Reg. No. 3125-281 . ______ ACCEPTED NOV 1 0 1987 BAYGON 11. 14 E. ar. **OSC** teas EPA B. INSECTICIDE FOR USE BY QUALIFIED PEST CONTROL OPERATORS AND COMMERCIAL APPLICATORS FOR EFFECTIVE CONTROL OF COCKROACHES Contains 1.4 lbs. 2-(1-Methylethoxy) ACTIVE INGREDIENT: phenol methyl-carbamate per gallon 2-(i-Methyletho: y)phenol methylcarbamate 17.5% KEEP OUT OF REACH OF CHILDREN INERT INGREDIENTS: 82.5% 100.0% WARNING EPA Reg. No. 3125-281 (See Rear Panel for Statement of This product contains the toxic Practical Treatment and Additional inert ingredient nonylphenol. Precautionary Statements) READ THE LABEL BEFORE USE STOP NET CONTENTS GALLON(S) MOBAY CORPORATION A Bayer USA INC. COMPANY ;)E)(W AGRICULTURAL CHEMICALS DIVISION Specialty Products Group Box 4913, Kansas City, Missouri 64120 Page 1 of 4

(

l

(

CC: 2 1 1987

BAYGON OSC insecticide

ĺ,

AVISO

PRECAUCION AL USUARIO: Si us ed co puede leer o entender inglés, no use este producto hasta que la etiqueta le haya sido explicada ampliamente. (TO THE USER: If you cannot read or understand English, do not use this product until the label has been fully explained to you.)

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

IMPORTANT: Read these entire Directions and Conditions of Sale before using BAYGON OSC insecticide.

CONDITIONS OF SALE: THE DIRECTIONS ON THIS LABEL WERE DETERMINED THROUGH RESEARCH TO BE THE DIRECTIONS FOR CORRECT USE OF THIS PRODUCT. THIS PRODUCT HAS BEEN TESTED FOR A RANGE OF WEATHER CONDITIONS SIMILAR TO THOSE WEATHER CONDITIONS THAT ARE ORDINARY AND CUSTOMARY IN THE GEOGRAPHIC AREA WHERE THE PRODUCT IS USED. INSUFFICIENT CONTROL OF PESTS AND/OR INJURY TO THE CROP TO WHICH THE PRODUCT IS APPLIED MAY RESULT FROM THE OCCURRENCE OF EXTRAORDINARY OR UNUSUAL WEATHER, OR FROM FAILURE TO FOLLOW LABEL DIRECTIONS. IN ADDITION, FAILURE TO FOLLOW LABEL DIRECTIONS MAY CAUSE INJURY TO OTHER CROPS, ANIMALS, MAN, OR THE ENVIRONMENT. MOBAY OFFERS, AND THE BUYER ACCEPTS AND USES, THIS PRODUCT SUBJECT TO THE CONDITIONS THAT EXTRAORDINARY OR UNUSUAL WEATHER, OR FAILURE TO FOLLOW LABEL DIRECTIONS ARE BEYOND THE CONTROL OF MOBAY AND ARE, THEREFORE, THE RESPONSIBILITY OF THE BUYER.

BAYGON OSC insecticide is recommended as a residual surface treatment for control of cockroaches (waterbugs) in and around homes, apartments, restaurants, and commercial buildings. It provides good flushing action and rapid knockdown of this pest. BAYGON OSC is effective against non-resistant strains as well as strains that have become resistant to chlorinated hydrocarbon or phosphate insecticides.

<u>MIXING</u>: BAYGON OSC insecticide readily mixes with deodorized kerosene or other insecticidal base oil. Combine 16 fluid ounces (one pint) to 3 gallons of oil and mix thoroughly.

<u>SPRAYING</u>: Apply as a spray to the point of runoff or with a paint brush to baseboards, window frames, areas around water pipes, undersides of shelves and drawers, surfaces behind and beneath cabinets, refrigerators, sinks and to similar places where these insects may hide. Also treat cracks, crevices and other surfaces where insects may crawl when they come out of hiding. Repeat treatments as needed in case of reinfestation by cockroaches. Keep spray solution away from open flame.

Pest Control in Food Processing Plants, Food Storage Areas and Restaurants:

<u>Non-Food Areas</u>: Apply as a spot application to floors, walls, ceilings, or other infested areas.

<u>Food Areas:</u> Limited to Crack and Crevice Treatment Only - Apply a small amount of material directly into cracks and crevices such as expansion joints between different elements of construction or between equipment bases and the floor, wall voids, motor housing, junction boxes or switch boxes, conduits or hollow equipment legs where the insects noted above hide. Care should be taken to avoid depositing the product onto exposed surfaces or introducing the material into the air. Avoid contamination of food or food processing surfaces. BAYGON OSC insecticide

DIRECTIONS FOR USE (Continued)

Applications of this product in the food areas of food handling establishments, other than as a crack and crevice treatment, are not permitted.

Spraying unloading docks and outside areas where insects congregate will aid in preventing re-infestations. Good sanitation and proper disposal of wastes is essential in any effective insect control program.

NOTE: Do not use on plastics, rubber or asphalt tile or floor coverings or on other surfaces which may be stained. If in doubt about staining, first test a small area in an inconspicuous location. When using this product in dwellings, avoid treating areas which could frequently be contacted by children.

RESTRICTIONS

Do not use as a space spray. Provide adequate ventilation of area being treated.

Do not apply to animals or humans. Do not use on food crops.

Do not use in serving areas while food is exposed.

(

(

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

WARNING

Causes eye damage. Avoid contact with eyes. If splashed in eyes, immediately flush eyes with plenty of water for at least 15 minutes. For further treatment, get medical attention.

May be fatal if swallowed, inhaled, or absorbed through the skin. Do not get in eyes, on skin, or on clothing. In case of prolonged exposure, wear natural rubber gloves, protective clothing, and goggles. Wash hands, arms, and face thoroughly with soap and water before eating or smoking. Remove and wash all contaminated clothing with soap and hot water before reuse.

STATEMENTS OF PRACTICAL TREATMENT

<u>If in eyes</u>: Hold eyelids open and flush with steady, gentle streams of water for 15 minutes. Get medical attention. <u>If swallowed</u>: Call a physician or Poison Control Center. Administer water freely and induce vomiting by giving one dose (1/2 oz or 15 ml) of syrup of ipecac. If vomiting does not occur within 10 to 20 minutes, administer second dose. If syrup of ipecac is not available, induce vomiting by sticking finger down throat. Repeat until vomit fluid is clear. Never give anything by mouth to an unconcious person. <u>If on skin</u>, wash skin immediately with soap and water. <u>If inhaled</u>, remove to fresh air. If not breathing, give artificial respiration, preferably mouth to mouth. Get medical attention.

SYMPTONS OF POISONING: A sense of "tightness" in the chest. Sweating. Contracted pupils. Stomach pains. Vomiting and diarrhea. If poisoning occurs, get prompt medical aid.

In case of poisoning, it is also requested that Mobay Corporation, Agricultural Chemicals Division, Kansas City, Missouri, be notified. Telephone - Area Code 816-242-2000; nights or weekends - Area Code 816-242-2582.



394

BAYGON OSC insecticide

TO PHYSICIAN:

ANTIDOTE - Administer atropine sulfate in large therapeutic doses. Repeat as necessary to the point of tolerance.

ENVIRONMENTAL HAZARDS

This product is toxic to birds, shrimp, crabs, and other wildlife. Keep out of lakes, streams, ponds, tidal marshes and estuaries. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label.

STORAGE AND DISPOSAL

Pesticide Disposal: Do not contaminate water, food or feed by storage or disposal.

Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for quidance.

<u>Container Disposal</u>: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a samitary landfill, or by other procedures approved by state and local authorities.

Store in a cool, dry place and in such a manner as to prevent cross contamination with other pesticides, fertilizers, food and feed. Keep away from direct sunlight, radiators, stoves and other heat. Store in original container and out of the reach of children, preferably in a locked storage area.

Handle and open container in a manner as to prevent spillage. If container is leaking invert to prevent leakage. If the container is leaking or material spilled for any reason or cause, carefully dam up spilled material to prevent runoff. Refer to Precautionary Statements on label for hazards associated with the handling of this material. Bo not walk through spilled material. Absorb spilled material with absorbing type compounds and dispose of as directed for pesticides above. In spill or leak incidents, keep unauthorized people away. You may contact the Mobay Emergency Response Team for decontamination procedures or any other assistance that may be necessary. The Mobay Kansas City Emergency Response Telephone No. is 816-242-2582, or contact Chemtrec at 800-424-9300.

BAYGON is a Reg. TM of Bayer AG, Germany.