

YLD18

Base Pre-Reg (6122)

U.S. LABEL

Reason to Issue: Revise directions for  
low-pressure irrigation application;  
add compatibility test.

Date of Draft: 3/20/87 (Pre-Reg) (H)

EPA Reg. No. 3125-283

RESTRICTED USE PESTICIDE


For retail sale to and use only by Certified Applicators or persons  
under their direct supervision and only for those uses covered  
by the Certified Applicator's certification.

® NEMACUR 3

EMULSIFIABLE

SYSTEMIC INSECTICIDE - NEMATOCIDE

EPA Reg. No. 3125-283



ACTIVE INGREDIENT:

Ethyl 3-methyl-4-(methylthio)phenyl  
(1-methylethyl)phosphoramidate ..... 35%

INERT INGREDIENTS: ..... 65%  
100%

Contains Aromatic Petroleum Distillates

RECOMMENDED APPLICATIONS

NEMACUR 3 may be applied by ground equipment or low pressure irrigation (grapes, citrus & non-bearing deciduous fruit & nut trees & commercial tree & vine nurseries).

Ground Application Equipment: Unless otherwise specified, apply NEMACUR 3 in a minimum of 20 gallons of water per treated acre. Maintain sufficient agitation during application to insure a uniform mixture. Incorporate NEMACUR 3 immediately after application for best results.

Low Pressure Irrigation Equipment (Including drip, mini-sprinklers, strip tubing, and jets): Begin irrigation and check emitters to insure all systems are operating normally. Make NEMACUR injection in the first 1/3 to 1/2 of the irrigation with an injection time of at least 30 minutes. Maintain the system's operating pressure low enough to prevent fogging and/or misting during application. Inject NEMACUR into the irrigation system after the filter(s). Continue irrigation until system's lines are flushed.

Apply NEMACUR only through irrigation systems equipped with automatic shutoff devices and valves to prevent backflow into the water source.

## NEMACUR 3

In California, when this product is being applied through low pressure irrigation systems, at the entry point to the field, or if there are no obvious entry points, at every 600 feet there shall be signs posted that are readable at 25 feet that state (in English and Spanish): "DANGER! Pesticides are being applied in the water through the drip irrigation system. Do not drink water or walk on wet soil."


Instead of posting treated areas, the operator of the property may have a person present during the application period to keep bystanders, etc., from entering the application site.

### Mixing:

NEMACUR 3 mixes readily with water. No special premixing should be required if used in spray equipment equipped with a recirculation system or agitation. If the spray mixture is allowed to sit overnight, redispersion is readily obtained by agitation or recirculation.

### COMPATIBILITY:

NEMACUR 3 is physically compatible with many registered pesticides and liquid fertilizers. To determine the compatibility of NEMACUR 3 with other products, the following procedure should be followed: Pour the recommended proportions of the products into a suitable container of water, mix thoroughly and allow to stand at least five (5) minutes. If the combination remains mixed or can be re-mixed readily, the mixture is considered physically compatible. It is not recommended that combinations be allowed to sit overnight due to possible crystal growth, clabbering, etc. For further information contact your local Mobay representative.



YLD18

Base Pre-Reg (6122)

U.S. LABEL

Reason to Issue: Revise directions for  
low-pressure irrigation application;  
add compatibility test.

Date of Draft: 3/20/87 (Pre-Reg) (H)

EPA Reg. No. 3125-283

RESTRICTED USE PESTICIDE

For retail sale to and use only by Certified Applicators or persons  
under their direct supervision and only for those uses covered  
by the Certified Applicator's certification.

® NEMACUR 3

EMULSIFIABLE

SYSTEMIC INSECTICIDE - NEMATOCIDE

EPA Reg. No. 3125-283

ACCEPTED

MAY 18 1987

Under the Federal Insecticide,  
Fungicide, and Rodenticide Act  
as amended, for the pesticide  
registered under  
EPA Reg. No. 3125-283

ACTIVE INGREDIENT:

Ethyl 3-methyl-4-(methylthio)phenyl  
(1-methylethyl)phosphoramidate ..... 35%

INERT INGREDIENTS: ..... 65%  
100%

Contains Aromatic Petroleum Distillates

RECOMMENDED APPLICATIONS

NEMACUR 3 may be applied by ground equipment or low pressure irrigation (grapes, citrus & non-bearing deciduous fruit & nut trees & commercial tree & vine nurseries).

Ground Application Equipment: Unless otherwise specified, apply NEMACUR 3 in a minimum of 20 gallons of water per treated acre. Maintain sufficient agitation during application to insure a uniform mixture. Incorporate NEMACUR 3 immediately after application for best results.

Low Pressure Irrigation Equipment (Including drip, mini-sprinklers, strip tubing, and jets): Begin irrigation and check emitters to insure all systems are operating normally. Make NEMACUR injection in the first 1/3 to 1/2 of the irrigation with an injection time of at least 30 minutes. Maintain the system's operating pressure low enough to prevent fogging and/or misting during application. Inject NEMACUR into the irrigation system after the filter(s). Continue irrigation until system's lines are flushed.

Apply NEMACUR only through irrigation systems equipped with automatic shutoff devices and valves to prevent backflow into the water source.

"In California, when this product is being applied through low pressure irrigation systems, at the entry point to the field, or if there are no obvious entry points, at every 600 feet there shall be signs posted that are readable at 25 feet that state (in English and Spanish): "DANGER! Pesticides are being applied in the water through the drip irrigation system. Do not drink water or walk on wet soil."

Instead of posting treated areas, the operator of the property may have a person present during the application period to keep bystanders, etc., from entering the application site.

Mixing:

NEMACUR 3 mixes readily with water. No special premixing should be required if used in spray equipment equipped with a recirculation system or agitation. If the spray mixture is allowed to sit overnight, redispersion is readily obtained by agitation or recirculation.

COMPATIBILITY:

NEMACUR 3 is physically compatible with many registered pesticides and liquid fertilizers. To determine the compatibility of NEMACUR 3 with other products, the following procedure should be followed: Pour the recommended proportions of the products into a suitable container of water, mix thoroughly and allow to stand at least five (5) minutes. If the combination remains mixed or can be re-mixed readily, the mixture is considered physically compatible. It is not recommended that combinations be allowed to sit overnight due to possible crystal growth, clabbering, etc. For further information contact your local Mobay representative.

BEST AVAILABLE COPY