

283-6767.YLD

Pre-Reg (6767)

U.S. LABEL

Reason to Issue: To propose use on  
asparagus.

Date of Draft: 7/18/89 (Pre Reg) (T)

EPA Reg. No. 3125-283

-----

**RESTRICTED USE PESTICIDE**

For Sale to and Use Only By a Certified Applicator for Uses Authorized  
By His Certification, or By Persons Under His Direct Supervision.

NEMACUR<sup>®</sup> 3

EMULSIFIABLE SYSTEMIC INSECTICIDE - NEMATICIDE

**ACTIVE INGREDIENT:**

Ethyl 3-methyl-4-(methylthio)phenyl  
(1-methylethyl)phosphoramidate ..... 35%

INERT INGREDIENTS: ..... 65%  
100%


**AMENDMENT TO PREVIOUSLY REGISTERED LABELING**

**ACCEPTED**

OCT 20 1989

Under the Federal Insecticide, Fungicide, and  
Rodenticide Act, as amended, for the  
pesticide registered under  
EPA Reg. No. 3125-283

ADD THE FOLLOWING:



# NEMACUR 3 Emulsifiable Systemic Insecticide

## RECOMMENDED APPLICATIONS

CROP	PEST	DOSAGE NEMACUR 3	REMARKS
Asparagus (Connecticut, Delaware, Maine, Maryland, Massachusetts, New Hampshire, New Jersey, New York, Pennsylvania, and Rhode Island only)	Nematodes	5 1/3 pints	<p><u>BAND APPLICATION</u></p> <p><u>NURSERY:</u> Apply the specified dosage per acre to the soil and immediately incorporate to a depth of 2 to 6 inches by disking or tilling. Center the treated band on the row using a band width of 50% of the row spacing. Plant crop in the usual manner.</p> <p><u>PRODUCTION FIELD:</u></p> <p>New Planted Crowns: Apply the specified dosage per acre to the soil before planting crowns but after making furrows. Center the treated band on the row using a band width of 50% of the row spacing. Plant crowns and cover with soil. The following Spring apply before spear emergence and immediately incorporate by reshaping beds. Do not apply within 9 months of harvest.</p> <p>Post Harvest: Apply after the last harvest and all spears have been removed. Apply the specified dosage per acre to the soil and immediately incorporate by reshaping beds. Center the treated band on the row using a band width of 50% of the row spacing. Do not apply within 9 months of harvest. Do not apply more than once per year.</p>